

**Dumas  
SPRING 2010**

**Texas School Survey  
of Drug and Alcohol Use  
2010  
Dumas ISD  
Part I: District Results  
  
Secondary**

**Dumas  
SPRING 2010**

**Part I: District Results  
Secondary (7-12)**

**Table of Contents**

**General Substance Tables** **3-32**

Tobacco  
Alcohol  
Drugs  
Inhalants  
Miscellaneous

**Prevalence Tables** **33-61**

*Selected Substances:*

Table B1: All Students  
Table B2: Male Students  
Table B3: Female Students  
Table B4: White Students  
Table B5: African/American Students  
Table B6: Mexican/American Students  
Table B7: Students Reporting A Grades  
Table B8: Students Reporting Grades Lower Than an A  
Table B9: Students Living With 2 Parents  
Table B10: Students Not Living With 2 Parents  
Table B11: Students who would seek help from adults  
Table B12: Students who wouldn't seek help from adults  
Table B13: Students Living in Town More Than 3 Years  
Table B14: Students Living in Town 3 Years or Less

**Margin Tables** **62-79**

## **1. General Substance Tables**

**Dumas  
SPRING 2010**

**Table T-1: How recently, if ever, have you used ..**

|                             |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Any tobacco product?</b> |                 |               |                |              |               |
|                             | <b>All</b>      | 11.5%         | 16.7%          | 29.9%        | 70.1%         |
|                             | <b>Grade 8</b>  | 5.2%          | 9.1%           | 22.6%        | 77.4%         |
|                             | <b>Grade 10</b> | 21.1%         | 28.4%          | 41.3%        | 58.7%         |
| <b>Cigarettes?</b>          |                 |               |                |              |               |
|                             | <b>All</b>      | 10.2%         | 15.2%          | 28.1%        | 71.9%         |
|                             | <b>Grade 8</b>  | 4.4%          | 7.9%           | 21.4%        | 78.6%         |
|                             | <b>Grade 10</b> | 19.3%         | 26.6%          | 38.5%        | 61.5%         |
| <b>Smokeless tobacco?</b>   |                 |               |                |              |               |
|                             | <b>All</b>      | 3.9%          | 5.6%           | 9.1%         | 90.9%         |
|                             | <b>Grade 8</b>  | 2.2%          | 3.1%           | 5.3%         | 94.7%         |
|                             | <b>Grade 10</b> | 6.7%          | 9.5%           | 15.2%        | 84.8%         |

**Table T-2: How often do you normally use ..**

|                             |                 | Never<br>Used | Every<br>Day | Several<br>Times a<br>Week | Several<br>Times a<br>Month | About<br>Once a<br>Month | About<br>Once a<br>Year | Less than<br>Once a<br>Year |
|-----------------------------|-----------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| <b>Any tobacco product?</b> |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 71.9%         | 1.7%         | 3.2%                       | 4.4%                        | 3.7%                     | 3.3%                    | 11.6%                       |
|                             | <b>Grade 8</b>  | 77.7%         | 0.4%         | 2.2%                       | 3.1%                        | 1.3%                     | 3.1%                    | 12.1%                       |
|                             | <b>Grade 10</b> | 63.3%         | 3.7%         | 4.6%                       | 6.4%                        | 7.3%                     | 3.7%                    | 11.0%                       |
| <b>Cigarettes?</b>          |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 73.8%         | 1.4%         | 1.5%                       | 4.2%                        | 3.6%                     | 3.6%                    | 11.8%                       |
|                             | <b>Grade 8</b>  | 79.0%         | 0.4%         | 1.3%                       | 2.7%                        | 1.8%                     | 3.6%                    | 11.2%                       |
|                             | <b>Grade 10</b> | 66.1%         | 2.8%         | 1.8%                       | 6.4%                        | 6.4%                     | 3.7%                    | 12.8%                       |
| <b>Smokeless tobacco?</b>   |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 92.0%         | 0.4%         | 2.5%                       | 0.6%                        | 0.8%                     | 0.8%                    | 3.0%                        |
|                             | <b>Grade 8</b>  | 96.3%         | 0.0%         | 0.9%                       | 0.9%                        | 0.0%                     | 0.0%                    | 1.9%                        |
|                             | <b>Grade 10</b> | 85.6%         | 1.0%         | 4.8%                       | 0.0%                        | 1.9%                     | 1.9%                    | 4.8%                        |

**Table T-3: Average age of first use of:**

|                          | Grade 8 | Grade 10 |
|--------------------------|---------|----------|
| <b>Cigarettes</b>        |         |          |
|                          | 11.3    | 12.9     |
| <b>Smokeless tobacco</b> |         |          |
|                          | 12.8    | 13.4     |
| <b>Any Tobacco</b>       |         |          |
|                          | 11.5    | 12.9     |

**Dumas  
SPRING 2010**

**Table T-4: If you wanted some, how difficult would it be to get...**

|                             |                 | Never<br>Heard Of | Impossible | Very<br>Difficult | Somewhat<br>Difficult | Somewhat<br>Easy | Very Easy |
|-----------------------------|-----------------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| <b>Any tobacco product?</b> |                 |                   |            |                   |                       |                  |           |
|                             | <b>All</b>      | 17.3%             | 22.5%      | 5.8%              | 11.0%                 | 17.9%            | 25.4%     |
|                             | <b>Grade 8</b>  | 19.5%             | 29.2%      | 8.4%              | 8.4%                  | 16.8%            | 17.7%     |
|                             | <b>Grade 10</b> | 14.0%             | 12.1%      | 1.9%              | 15.0%                 | 19.6%            | 37.4%     |
| <b>Cigarettes?</b>          |                 |                   |            |                   |                       |                  |           |
|                             | <b>All</b>      | 17.6%             | 22.8%      | 5.9%              | 11.9%                 | 17.1%            | 24.7%     |
|                             | <b>Grade 8</b>  | 20.0%             | 29.8%      | 8.4%              | 9.3%                  | 16.0%            | 16.4%     |
|                             | <b>Grade 10</b> | 14.0%             | 12.1%      | 1.9%              | 15.9%                 | 18.7%            | 37.4%     |
| <b>Smokeless Tobacco?</b>   |                 |                   |            |                   |                       |                  |           |
|                             | <b>All</b>      | 29.4%             | 27.3%      | 8.2%              | 12.2%                 | 9.8%             | 13.1%     |
|                             | <b>Grade 8</b>  | 30.9%             | 34.1%      | 9.9%              | 9.9%                  | 7.6%             | 7.6%      |
|                             | <b>Grade 10</b> | 27.1%             | 16.8%      | 5.6%              | 15.9%                 | 13.1%            | 21.5%     |

**Table T-5: About how many of your close friends...**

|   |                 | None  | A Few | Some  | Most | ALL  |
|---|-----------------|-------|-------|-------|------|------|
| <b>Use any tobacco product?</b>         |                 |       |       |       |      |      |
|   | <b>All</b>      | 50.6% | 32.6% | 10.6% | 5.5% | 0.7% |
|   | <b>Grade 8</b>  | 62.3% | 26.8% | 7.9%  | 3.1% | 0.0% |
|   | <b>Grade 10</b> | 32.4% | 41.7% | 14.8% | 9.3% | 1.9% |
| <b>Smoke cigarettes?</b>                |                 |       |       |       |      |      |
|   | <b>All</b>      | 54.6% | 31.3% | 9.1%  | 4.3% | 0.7% |
|   | <b>Grade 8</b>  | 66.1% | 25.1% | 6.6%  | 2.2% | 0.0% |
|   | <b>Grade 10</b> | 37.0% | 40.7% | 13.0% | 7.4% | 1.9% |
| <b>Use a smokeless tobacco product?</b> |                 |       |       |       |      |      |
|   | <b>All</b>      | 76.7% | 14.5% | 6.0%  | 2.8% | 0.0% |
|   | <b>Grade 8</b>  | 86.3% | 9.7%  | 3.1%  | 0.9% | 0.0% |
|   | <b>Grade 10</b> | 61.5% | 22.1% | 10.6% | 5.8% | 0.0% |

**Dumas  
SPRING 2010**

**Table T-6: How do your parents feel about kids your age using tobacco?**

|                 | <b>Strongly Disapprove</b> | <b>Mildly Disapprove</b> | <b>Neither</b> | <b>Mildly Approve</b> | <b>Strongly Approve</b> | <b>Don't know</b> |
|-----------------|----------------------------|--------------------------|----------------|-----------------------|-------------------------|-------------------|
| <b>All</b>      | 79.7%                      | 7.0%                     | 2.3%           | 1.3%                  | 1.1%                    | 8.7%              |
| <b>Grade 8</b>  | 84.6%                      | 3.6%                     | 1.4%           | 0.9%                  | 0.0%                    | 9.5%              |
| <b>Grade 10</b> | 72.2%                      | 12.0%                    | 3.7%           | 1.9%                  | 2.8%                    | 7.4%              |

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

|                 | <b>Very Dangerous</b> | <b>Somewhat Dangerous</b> | <b>Not very Dangerous</b> | <b>Not at All Dangerous</b> | <b>Do Not Know</b> |
|-----------------|-----------------------|---------------------------|---------------------------|-----------------------------|--------------------|
| <b>All</b>      | 61.4%                 | 23.2%                     | 4.9%                      | 2.5%                        | 8.0%               |
| <b>Grade 8</b>  | 71.0%                 | 18.8%                     | 2.7%                      | 0.4%                        | 7.1%               |
| <b>Grade 10</b> | 46.7%                 | 29.9%                     | 8.4%                      | 5.6%                        | 9.3%               |

**Dumas  
SPRING 2010**

**Table A-1: How recently, if ever, have you used...**

|                             |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Any alcohol product?</b> |          |               |                |              |               |
|                             | All      | 26.1%         | 33.5%          | 58.1%        | 41.9%         |
|                             | Grade 8  | 21.1%         | 29.7%          | 54.7%        | 45.3%         |
|                             | Grade 10 | 33.9%         | 39.4%          | 63.3%        | 36.7%         |
| <b>Beer?</b>                |          |               |                |              |               |
|                             | All      | 22.3%         | 29.7%          | 52.7%        | 47.3%         |
|                             | Grade 8  | 18.0%         | 27.2%          | 50.0%        | 50.0%         |
|                             | Grade 10 | 29.0%         | 33.6%          | 57.0%        | 43.0%         |
| <b>Wine coolers?</b>        |          |               |                |              |               |
|                             | All      | 16.8%         | 22.5%          | 37.9%        | 62.1%         |
|                             | Grade 8  | 12.7%         | 18.3%          | 32.3%        | 67.7%         |
|                             | Grade 10 | 23.4%         | 29.0%          | 46.7%        | 53.3%         |
| <b>Wine?</b>                |          |               |                |              |               |
|                             | All      | 12.6%         | 16.1%          | 34.6%        | 65.4%         |
|                             | Grade 8  | 10.5%         | 13.2%          | 27.7%        | 72.3%         |
|                             | Grade 10 | 15.9%         | 20.6%          | 44.9%        | 55.1%         |
| <b>Liquor?</b>              |          |               |                |              |               |
|                             | All      | 12.2%         | 17.6%          | 33.1%        | 66.9%         |
|                             | Grade 8  | 7.4%          | 14.0%          | 26.2%        | 73.8%         |
|                             | Grade 10 | 19.6%         | 23.4%          | 43.9%        | 56.1%         |

**Dumas  
SPRING 2010**

**Table A-2: How often do you normally use...**

|                             |                 | Never<br>Used | Every<br>Day | Several<br>Times a<br>Week | Several<br>Times a<br>Month | About<br>Once a<br>Month | About<br>Once a<br>Year | Less than<br>Once a<br>Year |
|-----------------------------|-----------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| <b>Any alcohol product?</b> |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 44.2%         | 1.3%         | 4.5%                       | 11.4%                       | 14.3%                    | 13.9%                   | 10.5%                       |
|                             | <b>Grade 8</b>  | 48.9%         | 2.2%         | 1.3%                       | 6.7%                        | 15.1%                    | 13.3%                   | 12.4%                       |
|                             | <b>Grade 10</b> | 37.0%         | 0.0%         | 9.3%                       | 18.5%                       | 13.0%                    | 14.8%                   | 7.4%                        |
| <b>Beer?</b>                |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 49.4%         | 0.8%         | 4.8%                       | 10.1%                       | 13.0%                    | 13.3%                   | 8.7%                        |
|                             | <b>Grade 8</b>  | 54.4%         | 1.4%         | 2.3%                       | 5.5%                        | 12.9%                    | 13.4%                   | 10.1%                       |
|                             | <b>Grade 10</b> | 42.1%         | 0.0%         | 8.4%                       | 16.8%                       | 13.1%                    | 13.1%                   | 6.5%                        |
| <b>Wine coolers?</b>        |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 66.2%         | 0.3%         | 2.8%                       | 7.5%                        | 6.8%                     | 10.6%                   | 5.9%                        |
|                             | <b>Grade 8</b>  | 74.1%         | 0.5%         | 0.9%                       | 3.2%                        | 6.4%                     | 9.5%                    | 5.5%                        |
|                             | <b>Grade 10</b> | 54.2%         | 0.0%         | 5.6%                       | 14.0%                       | 7.5%                     | 12.1%                   | 6.5%                        |
| <b>Wine?</b>                |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 68.4%         | 0.3%         | 2.5%                       | 4.2%                        | 5.4%                     | 11.3%                   | 7.9%                        |
|                             | <b>Grade 8</b>  | 74.9%         | 0.5%         | 0.9%                       | 1.9%                        | 3.3%                     | 9.3%                    | 9.3%                        |
|                             | <b>Grade 10</b> | 58.7%         | 0.0%         | 4.8%                       | 7.7%                        | 8.7%                     | 14.4%                   | 5.8%                        |
| <b>Liquor?</b>              |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 65.2%         | 0.0%         | 2.1%                       | 7.3%                        | 8.8%                     | 10.6%                   | 6.0%                        |
|                             | <b>Grade 8</b>  | 73.5%         | 0.0%         | 0.9%                       | 2.7%                        | 7.8%                     | 10.0%                   | 5.0%                        |
|                             | <b>Grade 10</b> | 52.4%         | 0.0%         | 3.8%                       | 14.3%                       | 10.5%                    | 11.4%                   | 7.6%                        |



**Dumas  
SPRING 2010**

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

|                     |                 | Never | Ever Used | 5 or More | 1 to 4 | Less than 1 |
|---------------------|-----------------|-------|-----------|-----------|--------|-------------|
| <b>Beer</b>         |                 |       |           |           |        |             |
|                     | <b>All</b>      | 44.8% | 55.2%     | 21.9%     | 21.8%  | 11.4%       |
|                     | <b>Grade 8</b>  | 49.1% | 50.9%     | 12.8%     | 24.8%  | 13.3%       |
|                     | <b>Grade 10</b> | 38.1% | 61.9%     | 36.2%     | 17.1%  | 8.6%        |
| <b>Wine Coolers</b> |                 |       |           |           |        |             |
|                     | <b>All</b>      | 62.7% | 37.3%     | 11.3%     | 18.6%  | 7.4%        |
|                     | <b>Grade 8</b>  | 68.8% | 31.2%     | 6.3%      | 17.6%  | 7.2%        |
|                     | <b>Grade 10</b> | 53.3% | 46.7%     | 19.0%     | 20.0%  | 7.6%        |
| <b>Wine</b>         |                 |       |           |           |        |             |
|                     | <b>All</b>      | 66.9% | 33.1%     | 4.9%      | 18.0%  | 10.1%       |
|                     | <b>Grade 8</b>  | 72.2% | 27.8%     | 3.1%      | 14.8%  | 9.9%        |
|                     | <b>Grade 10</b> | 58.7% | 41.3%     | 7.7%      | 23.1%  | 10.6%       |
| <b>Liquor</b>       |                 |       |           |           |        |             |
|                     | <b>All</b>      | 64.6% | 35.4%     | 9.7%      | 19.4%  | 6.3%        |
|                     | <b>Grade 8</b>  | 71.9% | 28.1%     | 6.7%      | 14.7%  | 6.7%        |
|                     | <b>Grade 10</b> | 53.3% | 46.7%     | 14.3%     | 26.7%  | 5.7%        |

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

|                |                 | Never/None | 1 day | 2 days | 3 to 5 days | 6 to 9 days | 10 or more days |
|----------------|-----------------|------------|-------|--------|-------------|-------------|-----------------|
| <b>Alcohol</b> |                 |            |       |        |             |             |                 |
|                | <b>All</b>      | 79.1%      | 6.5%  | 5.2%   | 4.2%        | 0.4%        | 4.6%            |
|                | <b>Grade 8</b>  | 87.6%      | 5.3%  | 2.7%   | 2.2%        | 0.0%        | 2.2%            |
|                | <b>Grade 10</b> | 66.4%      | 8.2%  | 9.1%   | 7.3%        | 0.9%        | 8.2%            |

**Table A-5: Average age of first use of:**

|                     | Grade 8 | Grade 10 |
|---------------------|---------|----------|
| <b>Beer</b>         | 11.2    | 12.8     |
| <b>Wine Coolers</b> | 11.6    | 13.0     |
| <b>Wine</b>         | 11.5    | 13.1     |
| <b>Liquor</b>       | 12.0    | 13.7     |
| <b>Any Alcohol</b>  | 11.1    | 12.4     |

**Dumas  
SPRING 2010**

**Table A-6: If you wanted some, how difficult would it be to get...**

|                             |          | Never<br>Heard Of | Impossible | Very<br>Difficult | Somewhat<br>Difficult | Somewhat<br>Easy | Very Easy |
|-----------------------------|----------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| <b>Beer?</b>                |          |                   |            |                   |                       |                  |           |
|                             | All      | 15.1%             | 14.8%      | 5.6%              | 12.9%                 | 20.0%            | 31.6%     |
|                             | Grade 8  | 17.0%             | 21.9%      | 6.3%              | 12.1%                 | 20.1%            | 22.8%     |
|                             | Grade 10 | 12.3%             | 3.8%       | 4.7%              | 14.2%                 | 19.8%            | 45.3%     |
| <b>Wine coolers?</b>        |          |                   |            |                   |                       |                  |           |
|                             | All      | 21.9%             | 18.9%      | 6.6%              | 12.7%                 | 16.9%            | 23.0%     |
|                             | Grade 8  | 26.1%             | 24.8%      | 6.6%              | 11.1%                 | 16.8%            | 14.6%     |
|                             | Grade 10 | 15.2%             | 9.5%       | 6.7%              | 15.2%                 | 17.1%            | 36.2%     |
| <b>Wine?</b>                |          |                   |            |                   |                       |                  |           |
|                             | All      | 19.1%             | 21.4%      | 7.0%              | 15.7%                 | 18.4%            | 18.4%     |
|                             | Grade 8  | 22.6%             | 27.6%      | 9.0%              | 12.7%                 | 14.0%            | 14.0%     |
|                             | Grade 10 | 13.6%             | 11.7%      | 3.9%              | 20.4%                 | 25.2%            | 25.2%     |
| <b>Liquor?</b>              |          |                   |            |                   |                       |                  |           |
|                             | All      | 17.7%             | 21.4%      | 9.9%              | 11.4%                 | 16.1%            | 23.5%     |
|                             | Grade 8  | 20.0%             | 29.8%      | 12.0%             | 10.2%                 | 12.4%            | 15.6%     |
|                             | Grade 10 | 14.2%             | 8.5%       | 6.6%              | 13.2%                 | 21.7%            | 35.8%     |
| <b>Any alcohol product?</b> |          |                   |            |                   |                       |                  |           |
|                             | All      | 14.2%             | 13.6%      | 3.6%              | 13.0%                 | 19.0%            | 36.6%     |
|                             | Grade 8  | 15.5%             | 19.9%      | 5.3%              | 12.4%                 | 18.6%            | 28.3%     |
|                             | Grade 10 | 12.1%             | 3.7%       | 0.9%              | 14.0%                 | 19.6%            | 49.5%     |

**Dumas  
SPRING 2010**

**Table A-7: Since school began in the fall, on how many days (if any) have you...**

|  | None  | 1-3 Times | 4-9 Times | 10+ Times |
|--|-------|-----------|-----------|-----------|
| <b>Attended class while drunk on alcohol?</b>                      |       |           |           |           |
| <b>All</b>   | 90.6% | 7.8%      | 1.0%      | 0.6%      |
| <b>Grade 8</b>   | 92.8% | 6.3%      | 0.4%      | 0.4%      |
| <b>Grade 10</b>  | 87.2% | 10.1%     | 1.8%      | 0.9%      |
| <b>Gotten into trouble with teachers because of your drinking?</b> |       |           |           |           |
| <b>All</b>   | 98.7% | 1.3%      | 0.0%      | 0.0%      |
| <b>Grade 8</b>   | 99.1% | 0.9%      | 0.0%      | 0.0%      |
| <b>Grade 10</b>  | 98.1% | 1.9%      | 0.0%      | 0.0%      |

**Table A-8: School year use of alcohol by absences and conduct problems:**

| <b>Average days absent due to<br/>illness or other reasons</b> |     |
|--|-----|
| Alcohol Users:   | 4.1 |
| Alcohol Non-use  | 2.7 |

  

| <b>Average days conduct problems<br/>reported</b> |     |
|---|-----|
| Alcohol Users:                                    | 2.5 |
| Alcohol Non-use                                   | 0.6 |

**Table A-9: During the past twelve months, how many times have you...**

|   | None  | 1-3 Times | 4-9 Times | 10+ Times |
|---|-------|-----------|-----------|-----------|
| <b>Driven a car when you've had a good bit to drink?</b>        |       |           |           |           |
| <b>All</b>  | 84.1% | 8.4%      | 5.6%      | 1.9%      |
| <b>Grade 10</b>   | 84.1% | 8.4%      | 5.6%      | 1.9%      |
| <b>Gotten into trouble with the police because of drinking?</b> |       |           |           |           |
| <b>All</b>  | 96.3% | 3.7%      | 0.0%      | 0.0%      |
| <b>Grade 8</b>  | 97.6% | 2.4%      | 0.0%      | 0.0%      |
| <b>Grade 10</b>   | 94.2% | 5.8%      | 0.0%      | 0.0%      |

**Dumas  
SPRING 2010**

**Table A-10: About how many of your close friends use...**

|                             |          | None  | A Few | Some  | Most  | ALL   |
|-----------------------------|----------|-------|-------|-------|-------|-------|
| <b>Any alcohol product?</b> |          |       |       |       |       |       |
|                             | All      | 29.0% | 29.4% | 16.0% | 18.4% | 7.1%  |
|                             | Grade 8  | 35.5% | 33.3% | 13.2% | 14.0% | 3.9%  |
|                             | Grade 10 | 18.7% | 23.4% | 20.6% | 25.2% | 12.1% |
| <b>Beer?</b>                |          |       |       |       |       |       |
|                             | All      | 30.5% | 30.9% | 13.9% | 18.8% | 5.9%  |
|                             | Grade 8  | 38.2% | 33.3% | 12.0% | 13.3% | 3.1%  |
|                             | Grade 10 | 18.7% | 27.1% | 16.8% | 27.1% | 10.3% |
| <b>Wine coolers?</b>        |          |       |       |       |       |       |
|                             | All      | 55.6% | 19.7% | 11.4% | 8.8%  | 4.5%  |
|                             | Grade 8  | 65.3% | 19.6% | 8.4%  | 5.3%  | 1.3%  |
|                             | Grade 10 | 40.6% | 19.8% | 16.0% | 14.2% | 9.4%  |
| <b>Wine?</b>                |          |       |       |       |       |       |
|                             | All      | 62.1% | 20.9% | 8.4%  | 6.2%  | 2.4%  |
|                             | Grade 8  | 70.9% | 17.7% | 6.4%  | 4.1%  | 0.9%  |
|                             | Grade 10 | 48.6% | 25.7% | 11.4% | 9.5%  | 4.8%  |
| <b>Liquor?</b>              |          |       |       |       |       |       |
|                             | All      | 53.2% | 20.4% | 12.0% | 9.9%  | 4.5%  |
|                             | Grade 8  | 64.0% | 18.2% | 7.6%  | 7.1%  | 3.1%  |
|                             | Grade 10 | 36.2% | 23.8% | 19.0% | 14.3% | 6.7%  |

**Table A-11: During the past twelve months, how many times have you...**

|   |          | None  | 1-3 Times | 4-9 Times | 10+ Times |
|---|----------|-------|-----------|-----------|-----------|
| <b>Had difficulties of any kind with your friends because of your drinking?</b> |          |       |           |           |           |
|   | All      | 93.2% | 4.8%      | 1.8%      | 0.3%      |
|   | Grade 8  | 93.6% | 5.5%      | 0.5%      | 0.5%      |
|   | Grade 10 | 92.5% | 3.7%      | 3.7%      | 0.0%      |
| <b>Been criticized by someone you were dating because of drinking?</b>          |          |       |           |           |           |
|   | All      | 91.5% | 6.5%      | 1.7%      | 0.3%      |
|   | Grade 8  | 94.0% | 4.6%      | 0.9%      | 0.5%      |
|   | Grade 10 | 87.7% | 9.4%      | 2.8%      | 0.0%      |

**Dumas  
SPRING 2010**

**Table A-12: Thinking of parties you attended this school year, how often was alcohol used?**

|                 | <b>Never</b> | <b>Seldom</b> | <b>Half<br/>the Time</b> | <b>Most<br/>of the Time</b> | <b>Always</b> | <b>Don't know</b> | <b>Didn't<br/>attend</b> |
|-----------------|--------------|---------------|--------------------------|-----------------------------|---------------|-------------------|--------------------------|
| <b>All</b>      | 42.3%        | 8.9%          | 9.3%                     | 11.4%                       | 14.7%         | 2.2%              | 11.2%                    |
| <b>Grade 8</b>  | 51.4%        | 10.0%         | 10.0%                    | 11.8%                       | 5.5%          | 3.6%              | 7.7%                     |
| <b>Grade 10</b> | 29.1%        | 7.3%          | 8.2%                     | 10.9%                       | 28.2%         | 0.0%              | 16.4%                    |

**Table A-13: How often, if ever, do you get alcoholic beverages from..**

|                      |                 | <b>Do Not Drink</b> | <b>Never</b> | <b>Seldom</b> | <b>Most of<br/>the Time</b> | <b>Always</b> |
|----------------------|-----------------|---------------------|--------------|---------------|-----------------------------|---------------|
| <b>At home?</b>      | <b>All</b>      | 45.2%               | 29.9%        | 19.4%         | 4.6%                        | 0.9%          |
|                      | <b>Grade 8</b>  | 48.4%               | 28.7%        | 17.5%         | 4.5%                        | 0.9%          |
|                      | <b>Grade 10</b> | 40.2%               | 31.8%        | 22.4%         | 4.7%                        | 0.9%          |
| <b>From friends?</b> | <b>All</b>      | 41.0%               | 19.0%        | 16.8%         | 13.9%                       | 9.3%          |
|                      | <b>Grade 8</b>  | 45.2%               | 24.2%        | 13.7%         | 13.2%                       | 3.7%          |
|                      | <b>Grade 10</b> | 34.6%               | 11.2%        | 21.5%         | 15.0%                       | 17.8%         |
| <b>From a store?</b> | <b>All</b>      | 42.5%               | 45.1%        | 5.1%          | 3.4%                        | 3.9%          |
|                      | <b>Grade 8</b>  | 46.8%               | 46.8%        | 4.1%          | 1.4%                        | 0.9%          |
|                      | <b>Grade 10</b> | 36.1%               | 42.6%        | 6.5%          | 6.5%                        | 8.3%          |
| <b>At parties?</b>   | <b>All</b>      | 40.2%               | 17.7%        | 13.5%         | 12.3%                       | 16.2%         |
|                      | <b>Grade 8</b>  | 43.9%               | 22.0%        | 12.6%         | 9.4%                        | 12.1%         |
|                      | <b>Grade 10</b> | 34.6%               | 11.2%        | 15.0%         | 16.8%                       | 22.4%         |
| <b>Other source?</b> | <b>All</b>      | 43.1%               | 25.0%        | 13.9%         | 8.9%                        | 9.1%          |
|                      | <b>Grade 8</b>  | 47.7%               | 25.7%        | 12.6%         | 6.8%                        | 7.2%          |
|                      | <b>Grade 10</b> | 36.1%               | 24.1%        | 15.7%         | 12.0%                       | 12.0%         |

**Dumas  
SPRING 2010**

**Table A-14: How do your parents feel about kids your age drinking alcohol?**

|                 | <b>Strongly Disapprove</b> | <b>Mildly Disapprove</b> | <b>Neither</b> | <b>Mildly Approve</b> | <b>Strongly Approve</b> | <b>Don't know</b> |
|-----------------|----------------------------|--------------------------|----------------|-----------------------|-------------------------|-------------------|
| <b>All</b>      | 66.5%                      | 13.3%                    | 6.5%           | 3.5%                  | 1.8%                    | 8.4%              |
| <b>Grade 8</b>  | 70.2%                      | 11.0%                    | 6.0%           | 2.8%                  | 0.5%                    | 9.6%              |
| <b>Grade 10</b> | 61.1%                      | 16.7%                    | 7.4%           | 4.6%                  | 3.7%                    | 6.5%              |

**Table A-15: How dangerous do you think it is for kids your age to use alcohol?**

|                 | <b>Very Dangerous</b> | <b>Somewhat Dangerous</b> | <b>Not very Dangerous</b> | <b>Not at All Dangerous</b> | <b>Do Not Know</b> |
|-----------------|-----------------------|---------------------------|---------------------------|-----------------------------|--------------------|
| <b>All</b>      | 51.9%                 | 26.7%                     | 11.6%                     | 5.4%                        | 4.5%               |
| <b>Grade 8</b>  | 55.0%                 | 25.7%                     | 11.7%                     | 2.7%                        | 5.0%               |
| <b>Grade 10</b> | 47.2%                 | 28.3%                     | 11.3%                     | 9.4%                        | 3.8%               |

**Dumas  
SPRING 2010**

**Table D-1: How recently, if ever, have you used...**

|                       |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Marijuana?</b>     | <b>All</b>      | 6.5%                  | 10.2%                  | 18.9%                | 81.1%                 |
|                       | <b>Grade 8</b>  | 4.8%                  | 7.4%                   | 14.0%                | 86.0%                 |
|                       | <b>Grade 10</b> | 9.1%                  | 14.5%                  | 26.4%                | 73.6%                 |
| <b>Cocaine?</b>       | <b>All</b>      | 1.3%                  | 2.1%                   | 4.4%                 | 95.6%                 |
|                       | <b>Grade 8</b>  | 0.9%                  | 1.8%                   | 3.1%                 | 96.9%                 |
|                       | <b>Grade 10</b> | 1.8%                  | 2.8%                   | 6.4%                 | 93.6%                 |
| <b>Crack?</b>         | <b>All</b>      | 0.4%                  | 1.4%                   | 2.0%                 | 98.0%                 |
|                       | <b>Grade 8</b>  | 0.0%                  | 0.4%                   | 0.9%                 | 99.1%                 |
|                       | <b>Grade 10</b> | 0.9%                  | 2.8%                   | 3.7%                 | 96.3%                 |
| <b>Hallucinogens?</b> | <b>All</b>      | 3.0%                  | 3.5%                   | 5.0%                 | 95.0%                 |
|                       | <b>Grade 8</b>  | 3.1%                  | 4.0%                   | 5.3%                 | 94.7%                 |
|                       | <b>Grade 10</b> | 2.8%                  | 2.8%                   | 4.6%                 | 95.4%                 |
| <b>Uppers?</b>        | <b>All</b>      | 1.6%                  | 3.5%                   | 5.0%                 | 95.0%                 |
|                       | <b>Grade 8</b>  | 0.9%                  | 0.9%                   | 2.2%                 | 97.8%                 |
|                       | <b>Grade 10</b> | 2.8%                  | 7.3%                   | 9.2%                 | 90.8%                 |
| <b>Downers?</b>       | <b>All</b>      | 2.2%                  | 3.7%                   | 4.6%                 | 95.4%                 |
|                       | <b>Grade 8</b>  | 0.0%                  | 0.0%                   | 0.9%                 | 99.1%                 |
|                       | <b>Grade 10</b> | 5.7%                  | 9.4%                   | 10.4%                | 89.6%                 |
| <b>Rohypnol?</b>      | <b>All</b>      | 1.4%                  | 2.4%                   | 4.2%                 | 95.8%                 |
|                       | <b>Grade 8</b>  | 0.4%                  | 0.9%                   | 2.7%                 | 97.3%                 |
|                       | <b>Grade 10</b> | 2.8%                  | 4.6%                   | 6.5%                 | 93.5%                 |
| <b>Steroids?</b>      | <b>All</b>      | 0.5%                  | 0.5%                   | 0.5%                 | 99.5%                 |
|                       | <b>Grade 8</b>  | 0.9%                  | 1.4%                   | 2.0%                 | 98.0%                 |
|                       | <b>Grade 10</b> | 0.0%                  | 1.4%                   | 3.4%                 | 96.6%                 |
| <b>Ecstasy?</b>       | <b>All</b>      | 1.9%                  | 2.2%                   | 4.2%                 | 95.8%                 |
|                       | <b>Grade 8</b>  | 1.3%                  | 1.8%                   | 2.7%                 | 97.3%                 |
|                       | <b>Grade 10</b> | 2.8%                  | 2.8%                   | 6.4%                 | 93.6%                 |
| <b>Heroin?</b>        | <b>All</b>      | 0.5%                  | 0.5%                   | 1.6%                 | 98.4%                 |
|                       | <b>Grade 8</b>  | 0.9%                  | 1.4%                   | 1.4%                 | 98.6%                 |
|                       | <b>Grade 10</b> | 0.0%                  | 1.4%                   | 4.2%                 | 95.8%                 |

**Dumas  
SPRING 2010**

**Table D-2: How often do you normally use...**

|                       |                 | Never<br>Used | Every<br>Day | Several<br>Times a<br>Week | Several<br>Times a<br>Month | About<br>Once a<br>Month | About<br>Once a<br>Year | Less than<br>Once a<br>Year |
|-----------------------|-----------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| <b>Marijuana?</b>     | <b>All</b>      | 83.0%         | 2.2%         | 0.8%                       | 3.7%                        | 2.6%                     | 2.1%                    | 5.5%                        |
|                       | <b>Grade 8</b>  | 86.2%         | 1.8%         | 0.0%                       | 3.7%                        | 1.8%                     | 2.3%                    | 4.1%                        |
|                       | <b>Grade 10</b> | 78.1%         | 2.9%         | 1.9%                       | 3.8%                        | 3.8%                     | 1.9%                    | 7.6%                        |
| <b>Cocaine?</b>       | <b>All</b>      | 96.3%         | 0.4%         | 0.3%                       | 0.0%                        | 0.4%                     | 0.4%                    | 2.3%                        |
|                       | <b>Grade 8</b>  | 98.1%         | 0.0%         | 0.5%                       | 0.0%                        | 0.0%                     | 0.0%                    | 1.4%                        |
|                       | <b>Grade 10</b> | 93.5%         | 0.9%         | 0.0%                       | 0.0%                        | 0.9%                     | 0.9%                    | 3.7%                        |
| <b>Crack?</b>         | <b>All</b>      | 98.1%         | 0.0%         | 0.3%                       | 0.6%                        | 0.4%                     | 0.0%                    | 0.6%                        |
|                       | <b>Grade 8</b>  | 98.6%         | 0.0%         | 0.5%                       | 0.5%                        | 0.0%                     | 0.0%                    | 0.5%                        |
|                       | <b>Grade 10</b> | 97.1%         | 0.0%         | 0.0%                       | 1.0%                        | 1.0%                     | 0.0%                    | 1.0%                        |
| <b>Hallucinogens?</b> | <b>All</b>      | 95.2%         | 0.0%         | 0.9%                       | 0.4%                        | 0.7%                     | 1.2%                    | 1.6%                        |
|                       | <b>Grade 8</b>  | 95.8%         | 0.0%         | 0.9%                       | 0.0%                        | 0.5%                     | 1.4%                    | 1.4%                        |
|                       | <b>Grade 10</b> | 94.2%         | 0.0%         | 1.0%                       | 1.0%                        | 1.0%                     | 1.0%                    | 1.9%                        |
| <b>Uppers?</b>        | <b>All</b>      | 94.1%         | 0.4%         | 1.0%                       | 1.0%                        | 0.8%                     | 1.7%                    | 0.9%                        |
|                       | <b>Grade 8</b>  | 97.2%         | 0.0%         | 0.5%                       | 0.5%                        | 0.0%                     | 0.9%                    | 0.9%                        |
|                       | <b>Grade 10</b> | 89.7%         | 0.9%         | 1.9%                       | 1.9%                        | 1.9%                     | 2.8%                    | 0.9%                        |
| <b>Downers?</b>       | <b>All</b>      | 94.7%         | 0.0%         | 0.7%                       | 1.4%                        | 0.8%                     | 1.7%                    | 0.8%                        |
|                       | <b>Grade 8</b>  | 98.2%         | 0.0%         | 0.5%                       | 0.5%                        | 0.0%                     | 0.9%                    | 0.0%                        |
|                       | <b>Grade 10</b> | 89.4%         | 0.0%         | 1.0%                       | 2.9%                        | 1.9%                     | 2.9%                    | 1.9%                        |
| <b>Rohypnol?</b>      | <b>All</b>      | 97.3%         | 0.0%         | 0.0%                       | 0.7%                        | 0.7%                     | 1.4%                    | 0.0%                        |
|                       | <b>Grade 8</b>  | 98.6%         | 0.0%         | 0.0%                       | 0.5%                        | 0.5%                     | 0.5%                    | 0.0%                        |
|                       | <b>Grade 10</b> | 95.2%         | 0.0%         | 0.0%                       | 1.0%                        | 1.0%                     | 2.9%                    | 0.0%                        |
| <b>Steroids?</b>      | <b>All</b>      | 99.3%         | 0.0%         | 0.3%                       | 0.0%                        | 0.4%                     | 0.0%                    | 0.0%                        |
|                       | <b>Grade 8</b>  | 99.5%         | 0.0%         | 0.5%                       | 0.0%                        | 0.0%                     | 0.0%                    | 0.0%                        |
|                       | <b>Grade 10</b> | 99.1%         | 0.0%         | 0.0%                       | 0.0%                        | 0.9%                     | 0.0%                    | 0.0%                        |
| <b>Ecstasy?</b>       | <b>All</b>      | 96.5%         | 0.0%         | 0.0%                       | 0.8%                        | 1.2%                     | 0.9%                    | 0.6%                        |
|                       | <b>Grade 8</b>  | 96.8%         | 0.0%         | 0.0%                       | 0.0%                        | 1.4%                     | 0.9%                    | 0.9%                        |
|                       | <b>Grade 10</b> | 96.2%         | 0.0%         | 0.0%                       | 1.9%                        | 0.9%                     | 0.9%                    | 0.0%                        |
| <b>Heroin?</b>        | <b>All</b>      | 98.6%         | 0.0%         | 0.6%                       | 0.0%                        | 0.4%                     | 0.4%                    | 0.0%                        |
|                       | <b>Grade 8</b>  | 99.5%         | 0.0%         | 0.5%                       | 0.0%                        | 0.0%                     | 0.0%                    | 0.0%                        |
|                       | <b>Grade 10</b> | 97.2%         | 0.0%         | 0.9%                       | 0.0%                        | 0.9%                     | 0.9%                    | 0.0%                        |



**Dumas  
SPRING 2010**

**Table D-3: Average age of first use of:**

|                      | Grade 8 | Grade 10 |
|----------------------|---------|----------|
| <b>Marijuana</b>     | 11.6    | 13.9     |
| <b>Cocaine</b>       | 12.3    | 13.0     |
| <b>Crack</b>         | *       | *        |
| <b>Hallucinogens</b> | 12.5    | 13.1     |
| <b>Uppers</b>        | *       | 13.6     |
| <b>Downers</b>       | *       | 14.1     |
| <b>Rohypnol</b>      | *       | 13.4     |
| <b>Steroids</b>      | *       | *        |
| <b>Ecstasy</b>       | 12.7    | 12.9     |
| <b>Heroin</b>        | *       | *        |

**Table D-4: Age of first use of marijuana by family situation:**

|                               |                 | Never | 9/Under | 10 to 11 | 12 to 13 | 14 to 15 | 16 to 17 | Over 17 |
|-------------------------------|-----------------|-------|---------|----------|----------|----------|----------|---------|
| <b>Two parent family</b>      |                 |       |         |          |          |          |          |         |
|                               | <b>All</b>      | 82.9% | 0.4%    | 2.3%     | 6.8%     | 7.0%     | 0.6%     | 0.0%    |
|                               | <b>Grade 8</b>  | 87.8% | 0.7%    | 2.7%     | 8.8%     | 0.0%     | 0.0%     | 0.0%    |
|                               | <b>Grade 10</b> | 74.2% | 0.0%    | 1.6%     | 3.2%     | 19.4%    | 1.6%     | 0.0%    |
| <b>Other family situation</b> |                 |       |         |          |          |          |          |         |
|                               | <b>All</b>      | 75.2% | 3.3%    | 6.2%     | 7.2%     | 6.0%     | 2.1%     | 0.0%    |
|                               | <b>Grade 8</b>  | 77.8% | 4.2%    | 5.6%     | 11.1%    | 1.4%     | 0.0%     | 0.0%    |
|                               | <b>Grade 10</b> | 72.1% | 2.3%    | 7.0%     | 2.3%     | 11.6%    | 4.7%     | 0.0%    |

**Dumas  
SPRING 2010**

**Table D-5: If you wanted some, how difficult would it be to get..**

|                       |          | Never<br>Heard Of | Impossible | Very<br>Difficult | Somewhat<br>Difficult | Somewhat<br>Easy | Very Easy |
|-----------------------|----------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| <b>Marijuana?</b>     |          |                   |            |                   |                       |                  |           |
|                       | All      | 22.1%             | 35.7%      | 7.2%              | 8.3%                  | 9.1%             | 17.8%     |
|                       | Grade 8  | 25.4%             | 42.0%      | 4.9%              | 6.7%                  | 8.0%             | 12.9%     |
|                       | Grade 10 | 16.7%             | 25.5%      | 10.8%             | 10.8%                 | 10.8%            | 25.5%     |
| <b>Cocaine?</b>       |          |                   |            |                   |                       |                  |           |
|                       | All      | 28.2%             | 40.8%      | 11.3%             | 7.7%                  | 5.5%             | 6.5%      |
|                       | Grade 8  | 31.1%             | 47.3%      | 8.6%              | 6.3%                  | 2.3%             | 4.5%      |
|                       | Grade 10 | 23.5%             | 30.4%      | 15.7%             | 9.8%                  | 10.8%            | 9.8%      |
| <b>Crack?</b>         |          |                   |            |                   |                       |                  |           |
|                       | All      | 30.3%             | 40.5%      | 10.8%             | 5.9%                  | 6.1%             | 6.4%      |
|                       | Grade 8  | 32.0%             | 46.2%      | 9.8%              | 3.6%                  | 4.0%             | 4.4%      |
|                       | Grade 10 | 27.6%             | 31.4%      | 12.4%             | 9.5%                  | 9.5%             | 9.5%      |
| <b>Hallucinogens?</b> |          |                   |            |                   |                       |                  |           |
|                       | All      | 49.8%             | 25.8%      | 7.8%              | 6.8%                  | 4.2%             | 5.6%      |
|                       | Grade 8  | 57.3%             | 26.2%      | 5.3%              | 3.1%                  | 3.1%             | 4.9%      |
|                       | Grade 10 | 37.9%             | 25.2%      | 11.7%             | 12.6%                 | 5.8%             | 6.8%      |
| <b>Uppers?</b>        |          |                   |            |                   |                       |                  |           |
|                       | All      | 57.1%             | 21.9%      | 5.9%              | 4.8%                  | 3.9%             | 6.4%      |
|                       | Grade 8  | 66.7%             | 22.5%      | 2.3%              | 2.3%                  | 2.7%             | 3.6%      |
|                       | Grade 10 | 41.6%             | 20.8%      | 11.9%             | 8.9%                  | 5.9%             | 10.9%     |
| <b>Downers?</b>       |          |                   |            |                   |                       |                  |           |
|                       | All      | 57.1%             | 21.4%      | 6.1%              | 4.5%                  | 4.6%             | 6.4%      |
|                       | Grade 8  | 66.8%             | 22.0%      | 3.1%              | 1.8%                  | 3.1%             | 3.1%      |
|                       | Grade 10 | 41.7%             | 20.4%      | 10.7%             | 8.7%                  | 6.8%             | 11.7%     |
| <b>Rohypnol?</b>      |          |                   |            |                   |                       |                  |           |
|                       | All      | 58.0%             | 24.7%      | 6.2%              | 3.8%                  | 2.7%             | 4.5%      |
|                       | Grade 8  | 64.3%             | 24.9%      | 2.7%              | 3.2%                  | 1.4%             | 3.6%      |
|                       | Grade 10 | 48.0%             | 24.5%      | 11.8%             | 4.9%                  | 4.9%             | 5.9%      |
| <b>Steroids?</b>      |          |                   |            |                   |                       |                  |           |
|                       | All      | 34.9%             | 42.5%      | 8.0%              | 5.9%                  | 5.0%             | 3.7%      |
|                       | Grade 8  | 37.7%             | 47.7%      | 5.0%              | 4.1%                  | 3.2%             | 2.3%      |
|                       | Grade 10 | 30.4%             | 34.3%      | 12.7%             | 8.8%                  | 7.8%             | 5.9%      |
| <b>Ecstasy?</b>       |          |                   |            |                   |                       |                  |           |
|                       | All      | 49.7%             | 25.5%      | 8.9%              | 5.2%                  | 5.4%             | 5.3%      |
|                       | Grade 8  | 58.9%             | 25.9%      | 4.0%              | 3.6%                  | 4.5%             | 3.1%      |
|                       | Grade 10 | 34.7%             | 24.8%      | 16.8%             | 7.9%                  | 6.9%             | 8.9%      |
| <b>Heroin?</b>        |          |                   |            |                   |                       |                  |           |
|                       | All      | 41.1%             | 36.9%      | 8.5%              | 5.3%                  | 2.9%             | 5.2%      |
|                       | Grade 8  | 46.6%             | 38.6%      | 5.8%              | 3.1%                  | 2.2%             | 3.6%      |
|                       | Grade 10 | 32.4%             | 34.3%      | 12.7%             | 8.8%                  | 3.9%             | 7.8%      |

**Dumas  
SPRING 2010**

**Table D-6: Since school began in the fall, on how many days (if any) have you..**

|  | None  | 1-3 Times | 4-9 Times | 10+ Times |
|--|-------|-----------|-----------|-----------|
| <b>Attended class while high from marijuana use?</b>               |       |           |           |           |
| <b>All</b>   | 90.6% | 6.3%      | 1.0%      | 2.2%      |
| <b>Grade 8</b>   | 92.8% | 4.9%      | 0.4%      | 1.8%      |
| <b>Grade 10</b>  | 87.2% | 8.3%      | 1.8%      | 2.8%      |
| <b>Attended class while high from use of some other drug?</b>      |       |           |           |           |
| <b>All</b>   | 92.9% | 4.7%      | 1.5%      | 1.0%      |
| <b>Grade 8</b>   | 95.5% | 2.3%      | 1.8%      | 0.5%      |
| <b>Grade 10</b>  | 88.9% | 8.3%      | 0.9%      | 1.9%      |
| <b>Gotten into trouble with teachers because of your drug use?</b> |       |           |           |           |
| <b>All</b>   | 98.4% | 1.6%      | 0.0%      | 0.0%      |
| <b>Grade 8</b>   | 98.6% | 1.4%      | 0.0%      | 0.0%      |
| <b>Grade 10</b>  | 98.1% | 1.9%      | 0.0%      | 0.0%      |

**Table D-7: School year use of marijuana by absences and conduct problems:**

| <b>Average days absent due to<br/>illness or other reasons</b> |     |
|--|-----|
| Marijuana Users:   | 4.6 |
| Marijuana Non-use  | 3.0 |

  

| <b>Average days conduct problems<br/>reported</b> |     |
|---|-----|
| Marijuana Users:                                  | 2.8 |
| Marijuana Non-use                                 | 1.0 |

**Table D-8: During the past twelve months, how many times have you..**

|   | None  | 1-3 Times | 4-9 Times | 10+ Times |
|---|-------|-----------|-----------|-----------|
| <b>Driven a car when you've felt high from drugs?</b>           |       |           |           |           |
| <b>All</b>  | 89.6% | 4.7%      | 3.8%      | 1.9%      |
| <b>Grade 10</b>   | 89.6% | 4.7%      | 3.8%      | 1.9%      |
| <b>Gotten into trouble with the police because of drug use?</b> |       |           |           |           |
| <b>All</b>  | 97.0% | 2.3%      | 0.7%      | 0.0%      |
| <b>Grade 8</b>  | 96.8% | 3.2%      | 0.0%      | 0.0%      |
| <b>Grade 10</b>   | 97.2% | 0.9%      | 1.9%      | 0.0%      |

**Dumas  
SPRING 2010**

**Table D-9: About how many of your close friends use marijuana?**

|                 | None  | A Few | Some  | Most | ALL  |
|-----------------|-------|-------|-------|------|------|
| <b>All</b>      | 63.6% | 16.8% | 9.2%  | 7.6% | 2.8% |
| <b>Grade 8</b>  | 71.7% | 10.6% | 8.4%  | 7.1% | 2.2% |
| <b>Grade 10</b> | 50.9% | 26.4% | 10.4% | 8.5% | 3.8% |

**Table D-10: During the past twelve months, how many times have you..**

|   | None  | 1-3 Times | 4-9 Times | 10+ Times |
|---|-------|-----------|-----------|-----------|
| <b>Had difficulties of any kind with your friends because of your drug use?</b> |       |           |           |           |
| <b>All</b>  | 94.8% | 4.5%      | 0.7%      | 0.0%      |
| <b>Grade 8</b>  | 94.0% | 5.6%      | 0.5%      | 0.0%      |
| <b>Grade 10</b>   | 96.2% | 2.9%      | 1.0%      | 0.0%      |
| <b>Been criticized by someone you were dating because of drug use?</b>          |       |           |           |           |
| <b>All</b>  | 94.7% | 3.9%      | 0.4%      | 1.0%      |
| <b>Grade 8</b>  | 94.9% | 4.6%      | 0.0%      | 0.5%      |
| <b>Grade 10</b>   | 94.4% | 2.8%      | 0.9%      | 1.9%      |

**Dumas  
SPRING 2010**

**Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

|                 | <b>Never</b> | <b>Seldom</b> | <b>Half<br/>the Time</b> | <b>Most<br/>of the Time</b> | <b>Always</b> | <b>Don't know</b> | <b>Didn't<br/>attend</b> |
|-----------------|--------------|---------------|--------------------------|-----------------------------|---------------|-------------------|--------------------------|
| <b>All</b>      | 57.0%        | 11.2%         | 5.6%                     | 6.3%                        | 5.3%          | 3.7%              | 11.0%                    |
| <b>Grade 8</b>  | 66.7%        | 10.0%         | 5.0%                     | 3.7%                        | 3.2%          | 3.7%              | 7.8%                     |
| <b>Grade 10</b> | 42.6%        | 13.0%         | 6.5%                     | 10.2%                       | 8.3%          | 3.7%              | 15.7%                    |

**Table D-12: How often, if ever, do you smoke marijuana in..**

| <b>CATEGORY</b>              |                 | <b>Never</b> | <b>Seldom</b> | <b>Half<br/>the Time</b> | <b>Most of<br/>the Time</b> | <b>Always</b> | <b>Don't know</b> |
|------------------------------|-----------------|--------------|---------------|--------------------------|-----------------------------|---------------|-------------------|
| <b>Joints?</b>               | <b>All</b>      | 82.4%        | 4.4%          | 4.5%                     | 4.6%                        | 2.2%          | 2.1%              |
|                              | <b>Grade 8</b>  | 86.4%        | 4.1%          | 3.6%                     | 3.2%                        | 1.8%          | 0.9%              |
|                              | <b>Grade 10</b> | 76.2%        | 4.8%          | 5.7%                     | 6.7%                        | 2.9%          | 3.8%              |
| <b>Blunts?</b>               | <b>All</b>      | 84.9%        | 4.3%          | 2.8%                     | 3.5%                        | 2.2%          | 2.3%              |
|                              | <b>Grade 8</b>  | 88.6%        | 2.7%          | 2.7%                     | 2.7%                        | 1.8%          | 1.4%              |
|                              | <b>Grade 10</b> | 79.2%        | 6.6%          | 2.8%                     | 4.7%                        | 2.8%          | 3.8%              |
| <b>Bongs or water pipes?</b> | <b>All</b>      | 86.5%        | 4.2%          | 3.9%                     | 2.7%                        | 0.9%          | 1.8%              |
|                              | <b>Grade 8</b>  | 90.0%        | 2.7%          | 4.5%                     | 1.4%                        | 0.9%          | 0.5%              |
|                              | <b>Grade 10</b> | 81.3%        | 6.5%          | 2.8%                     | 4.7%                        | 0.9%          | 3.7%              |
| <b>Pipes?</b>                | <b>All</b>      | 83.8%        | 4.3%          | 4.0%                     | 3.7%                        | 2.2%          | 2.1%              |
|                              | <b>Grade 8</b>  | 88.0%        | 2.8%          | 4.2%                     | 3.7%                        | 0.5%          | 0.9%              |
|                              | <b>Grade 10</b> | 77.8%        | 6.5%          | 3.7%                     | 3.7%                        | 4.6%          | 3.7%              |
| <b>Some other way?</b>       | <b>All</b>      | 86.2%        | 4.5%          | 1.7%                     | 1.7%                        | 2.7%          | 3.2%              |
|                              | <b>Grade 8</b>  | 90.1%        | 3.2%          | 2.3%                     | 0.9%                        | 1.4%          | 2.3%              |
|                              | <b>Grade 10</b> | 80.4%        | 6.5%          | 0.9%                     | 2.8%                        | 4.7%          | 4.7%              |

**Dumas  
SPRING 2010**

**Table D-13: How do your parents feel about kids your age using marijuana?**

|                 | <b>Strongly Disapprove</b> | <b>Mildly Disapprove</b> | <b>Neither</b> | <b>Mildly Approve</b> | <b>Strongly Approve</b> | <b>Don't know</b> |
|-----------------|----------------------------|--------------------------|----------------|-----------------------|-------------------------|-------------------|
| <b>All</b>      | 86.7%                      | 1.8%                     | 3.3%           | 0.7%                  | 0.3%                    | 7.3%              |
| <b>Grade 8</b>  | 86.7%                      | 2.3%                     | 2.3%           | 0.5%                  | 0.5%                    | 7.8%              |
| <b>Grade 10</b> | 86.7%                      | 1.0%                     | 4.8%           | 1.0%                  | 0.0%                    | 6.7%              |

**Table D-14: How dangerous do you think it is for kids your age to use...**

|                   | <b>Very Dangerous</b> | <b>Somewhat Dangerous</b> | <b>Not very Dangerous</b> | <b>Not at All Dangerous</b> | <b>Do Not Know</b> |
|-------------------|-----------------------|---------------------------|---------------------------|-----------------------------|--------------------|
| <b>Marijuana?</b> |                       |                           |                           |                             |                    |
| <b>All</b>        | 73.3%                 | 10.5%                     | 4.4%                      | 5.0%                        | 6.9%               |
| <b>Grade 8</b>    | 78.1%                 | 8.7%                      | 4.1%                      | 2.7%                        | 6.4%               |
| <b>Grade 10</b>   | 66.0%                 | 13.2%                     | 4.7%                      | 8.5%                        | 7.5%               |
| <b>Cocaine?</b>   |                       |                           |                           |                             |                    |
| <b>All</b>        | 85.8%                 | 5.9%                      | 1.2%                      | 1.4%                        | 5.7%               |
| <b>Grade 8</b>    | 87.7%                 | 5.5%                      | 1.4%                      | 0.5%                        | 5.0%               |
| <b>Grade 10</b>   | 83.0%                 | 6.6%                      | 0.9%                      | 2.8%                        | 6.6%               |
| <b>Crack?</b>     |                       |                           |                           |                             |                    |
| <b>All</b>        | 84.9%                 | 6.1%                      | 1.8%                      | 0.9%                        | 6.3%               |
| <b>Grade 8</b>    | 86.8%                 | 4.6%                      | 2.3%                      | 0.9%                        | 5.5%               |
| <b>Grade 10</b>   | 82.1%                 | 8.5%                      | 0.9%                      | 0.9%                        | 7.5%               |
| <b>Ecstasy?</b>   |                       |                           |                           |                             |                    |
| <b>All</b>        | 82.5%                 | 7.1%                      | 2.0%                      | 1.6%                        | 6.9%               |
| <b>Grade 8</b>    | 84.5%                 | 5.9%                      | 1.4%                      | 1.4%                        | 6.8%               |
| <b>Grade 10</b>   | 79.4%                 | 8.8%                      | 2.9%                      | 2.0%                        | 6.9%               |
| <b>Steroids?</b>  |                       |                           |                           |                             |                    |
| <b>All</b>        | 79.9%                 | 9.5%                      | 3.0%                      | 1.0%                        | 6.5%               |
| <b>Grade 8</b>    | 82.7%                 | 7.7%                      | 3.2%                      | 0.5%                        | 5.9%               |
| <b>Grade 10</b>   | 75.7%                 | 12.1%                     | 2.8%                      | 1.9%                        | 7.5%               |
| <b>Heroin?</b>    |                       |                           |                           |                             |                    |
| <b>All</b>        | 86.6%                 | 4.4%                      | 0.9%                      | 1.0%                        | 7.1%               |
| <b>Grade 8</b>    | 87.0%                 | 4.2%                      | 0.9%                      | 0.5%                        | 7.4%               |
| <b>Grade 10</b>   | 86.0%                 | 4.7%                      | 0.9%                      | 1.9%                        | 6.5%               |

**Dumas  
SPRING 2010**

**Table D-15: How recently, if ever, have you taken...**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Methamphetamine?</b> |          |               |                |              |               |
|                         | All      | 1.7%          | 2.6%           | 3.6%         | 96.4%         |
|                         | Grade 8  | 0.4%          | 1.3%           | 1.8%         | 98.2%         |
|                         | Grade 10 | 3.7%          | 4.6%           | 6.4%         | 93.6%         |

**Table D-16: How recently, if ever, have you taken the following PRESCRIPTION DRUGS...**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Codeine?</b>                         |          |               |                |              |               |
|   | All      | 7.1%          | 9.3%           | 13.2%        | 86.8%         |
|   | Grade 8  | 4.5%          | 6.3%           | 10.3%        | 89.7%         |
|   | Grade 10 | 11.1%         | 13.9%          | 17.6%        | 82.4%         |
| <b>Oxycontin, Percodan or Percocet?</b> |          |               |                |              |               |
|   | All      | 1.0%          | 1.0%           | 1.3%         | 98.7%         |
|   | Grade 8  | 0.4%          | 1.5%           | 1.9%         | 98.1%         |
|   | Grade 10 | 1.9%          | 2.3%           | 2.3%         | 97.7%         |
| <b>Vicodin, Lortab or Lorcet?</b>       |          |               |                |              |               |
|   | All      | 1.8%          | 2.9%           | 2.9%         | 97.1%         |
|   | Grade 8  | 0.5%          | 0.5%           | 0.5%         | 99.5%         |
|   | Grade 10 | 3.7%          | 6.5%           | 6.5%         | 93.5%         |
| <b>Valium or Diazepam?</b>              |          |               |                |              |               |
|   | All      | 1.1%          | 1.9%           | 1.9%         | 98.1%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 2.8%          | 4.7%           | 4.7%         | 95.3%         |
| <b>Xanax or Alprazolam?</b>             |          |               |                |              |               |
|   | All      | 1.9%          | 2.2%           | 2.6%         | 97.4%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 4.8%          | 5.7%           | 6.7%         | 93.3%         |

**Table D-17: How recently, if ever, have you taken the following OVER-THE COUNTER drugs...**

|                       |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------------|----------|---------------|----------------|--------------|---------------|
| <b>DXM, Triple C?</b> |          |               |                |              |               |
|                       | All      | 5.1%          | 5.7%           | 7.6%         | 92.4%         |
|                       | Grade 8  | 3.6%          | 4.5%           | 5.9%         | 94.1%         |
|                       | Grade 10 | 7.5%          | 7.5%           | 10.3%        | 89.7%         |

**Dumas  
SPRING 2010**

**Table I-1: How recently, if ever, have you used...**

|  |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|--|----------|---------------|----------------|--------------|---------------|
| <b>Spray paint?</b>                                  |          |               |                |              |               |
|  | All      | 1.2%          | 3.0%           | 7.2%         | 92.8%         |
|  | Grade 8  | 0.9%          | 1.3%           | 6.5%         | 93.5%         |
|  | Grade 10 | 1.8%          | 5.5%           | 8.3%         | 91.7%         |
| <b>Whiteout, correction fld?</b>                     |          |               |                |              |               |
|  | All      | 3.1%          | 5.6%           | 11.4%        | 88.6%         |
|  | Grade 8  | 2.2%          | 3.9%           | 8.7%         | 91.3%         |
|  | Grade 10 | 4.6%          | 8.3%           | 15.6%        | 84.4%         |
| <b>Computer dusting sprays?</b>                      |          |               |                |              |               |
|  | All      | 5.9%          | 6.4%           | 12.5%        | 87.5%         |
|  | Grade 8  | 4.3%          | 5.2%           | 8.7%         | 91.3%         |
|  | Grade 10 | 8.3%          | 8.3%           | 18.3%        | 81.7%         |
| <b>Helium, butane, propane, whippets, freon?</b>     |          |               |                |              |               |
|  | All      | 1.7%          | 3.9%           | 9.4%         | 90.6%         |
|  | Grade 8  | 0.4%          | 2.2%           | 6.5%         | 93.5%         |
|  | Grade 10 | 3.7%          | 6.5%           | 13.9%        | 86.1%         |
| <b>Glue?</b>   |          |               |                |              |               |
|  | All      | 1.1%          | 1.1%           | 2.9%         | 97.1%         |
|  | Grade 8  | 0.0%          | 1.1%           | 2.8%         | 97.2%         |
|  | Grade 10 | 2.7%          | 3.8%           | 5.6%         | 94.4%         |
| <b>Toluene, paint thinner, other solvents?</b>       |          |               |                |              |               |
|  | All      | 0.7%          | 1.9%           | 3.8%         | 96.2%         |
|  | Grade 8  | 0.0%          | 1.3%           | 2.6%         | 97.4%         |
|  | Grade 10 | 1.8%          | 2.7%           | 5.5%         | 94.5%         |
| <b>Gasoline, octane booster, carburetor cleaner?</b> |          |               |                |              |               |
|  | All      | 1.7%          | 2.3%           | 5.4%         | 94.6%         |
|  | Grade 8  | 0.4%          | 1.3%           | 3.5%         | 96.5%         |
|  | Grade 10 | 3.8%          | 3.8%           | 8.5%         | 91.5%         |
| <b>Other aerosols/sprays?</b>                        |          |               |                |              |               |
|  | All      | 2.6%          | 3.9%           | 8.0%         | 92.0%         |
|  | Grade 8  | 1.3%          | 3.5%           | 6.5%         | 93.5%         |
|  | Grade 10 | 4.7%          | 4.7%           | 10.3%        | 89.7%         |
| <b>Any inhalant?</b>                                 |          |               |                |              |               |
|  | All      | 9.9%          | 14.8%          | 25.6%        | 74.4%         |
|  | Grade 8  | 6.9%          | 12.1%          | 23.3%        | 76.7%         |
|  | Grade 10 | 14.5%         | 19.1%          | 29.1%        | 70.9%         |

**Table I-2: How often do you normally use inhalants?**

|          | Never<br>Used | Every<br>Day | Several<br>Times a<br>Week | Several<br>Times a<br>Month | About<br>Once a<br>Month | About<br>Once a<br>Year | Less than<br>Once a<br>Year |
|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| All      | 89.6%         | 0.4%         | 1.7%                       | 1.3%                        | 0.5%                     | 2.8%                    | 3.7%                        |
| Grade 8  | 92.7%         | 0.0%         | 0.9%                       | 0.9%                        | 0.9%                     | 2.7%                    | 1.8%                        |
| Grade 10 | 84.9%         | 0.9%         | 2.8%                       | 1.9%                        | 0.0%                     | 2.8%                    | 6.6%                        |



**Dumas  
SPRING 2010**

**I-3: Number of different kinds of inhalants used**

|                 | <b>None</b> | <b>One</b> | <b>Two to Three</b> | <b>Four Plus</b> |
|-----------------|-------------|------------|---------------------|------------------|
| <b>All</b>      | 74.4%       | 11.8%      | 9.0%                | 4.8%             |
| <b>Grade 8</b>  | 76.7%       | 12.9%      | 7.8%                | 2.6%             |
| <b>Grade 10</b> | 70.9%       | 10.0%      | 10.9%               | 8.2%             |

**Dumas  
SPRING 2010**

**Table I-4: Average age of first use of:**

|                  | Grade 8 | Grade 10 |
|------------------|---------|----------|
| <b>Inhalants</b> | 12.7    | 14.1     |

**Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

|                 | None  | 1-3 Times | 4-9 Times | 10+ Times |
|-----------------|-------|-----------|-----------|-----------|
| <b>All</b>      | 93.9% | 3.0%      | 1.7%      | 1.4%      |
| <b>Grade 8</b>  | 95.5% | 3.2%      | 0.9%      | 0.5%      |
| <b>Grade 10</b> | 91.6% | 2.8%      | 2.8%      | 2.8%      |

**Dumas  
SPRING 2010**

**Table I-6: School year use of inhalants by absences and conduct problems:**

| Average days absent due to<br>illness or other reasons |     |
|--|-----|
| Inhalants Users:                                       | 4.5 |
| Inhalants Non-use                                      | 2.9 |

  

| Average days conduct problems<br>reported |     |
|---|-----|
| Inhalants Users:                          | 3.8 |
| Inhalants Non-use                         | 0.8 |

**Table I-7: About how many of your close friends use inhalants?**

|                 | None  | A Few | Some | Most | ALL  |
|-----------------|-------|-------|------|------|------|
| <b>All</b>      | 70.3% | 18.8% | 6.9% | 4.0% | 0.0% |
| <b>Grade 8</b>  | 74.2% | 17.8% | 5.8% | 2.2% | 0.0% |
| <b>Grade 10</b> | 64.1% | 20.4% | 8.7% | 6.8% | 0.0% |

**Table I-8: How dangerous do you think it is for kids your age to use inhalants?**

|                 | Very<br>Dangerous | Somewhat<br>Dangerous | Not very<br>Dangerous | Not at All<br>Dangerous | Do Not Know |
|-----------------|-------------------|-----------------------|-----------------------|-------------------------|-------------|
| <b>All</b>      | 73.5%             | 13.4%                 | 4.7%                  | 2.3%                    | 6.1%        |
| <b>Grade 8</b>  | 75.0%             | 13.6%                 | 4.1%                  | 1.4%                    | 5.9%        |
| <b>Grade 10</b> | 71.3%             | 13.0%                 | 5.6%                  | 3.7%                    | 6.5%        |

**Dumas  
SPRING 2010**

**Table I-9: If you wanted some, how difficult would it be to get..**

|                   | <b>Never<br/>Heard Of</b> | <b>Impossible</b> | <b>Very<br/>Difficult</b> | <b>Somewhat<br/>Difficult</b> | <b>Somewhat<br/>Easy</b> | <b>Very Easy</b> |
|-------------------|---------------------------|-------------------|---------------------------|-------------------------------|--------------------------|------------------|
| <b>Inhalants?</b> |                           |                   |                           |                               |                          |                  |
| <b>All</b>        | 27.4%                     | 21.0%             | 5.9%                      | 8.7%                          | 8.5%                     | 28.4%            |
| <b>Grade 8</b>    | 28.7%                     | 27.4%             | 5.4%                      | 7.6%                          | 8.5%                     | 22.4%            |
| <b>Grade 10</b>   | 25.5%                     | 11.3%             | 6.6%                      | 10.4%                         | 8.5%                     | 37.7%            |

**Dumas  
SPRING 2010**

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

| CATEGORY                        | Yes            |
|---------------------------------|----------------|
| <b>A school health class</b>    | All 44.6%      |
|                                 | Grade 8 47.9%  |
|                                 | Grade 10 40.0% |
| <b>An assembly program</b>      | All 27.8%      |
|                                 | Grade 8 28.0%  |
|                                 | Grade 10 27.6% |
| <b>Guidance counselor</b>       | All 15.5%      |
|                                 | Grade 8 14.3%  |
|                                 | Grade 10 17.2% |
| <b>Science class</b>            | All 31.2%      |
|                                 | Grade 8 34.4%  |
|                                 | Grade 10 26.8% |
| <b>Social studies class</b>     | All 16.1%      |
|                                 | Grade 8 17.3%  |
|                                 | Grade 10 14.4% |
| <b>Student group session</b>    | All 13.2%      |
|                                 | Grade 8 8.9%   |
|                                 | Grade 10 19.2% |
| <b>An invited school guest</b>  | All 13.5%      |
|                                 | Grade 8 14.5%  |
|                                 | Grade 10 12.1% |
| <b>Another source at school</b> | All 28.3%      |
|                                 | Grade 8 23.4%  |
|                                 | Grade 10 35.0% |
| <b>Any school source</b>        | All 57.3%      |
|                                 | Grade 8 57.3%  |
|                                 | Grade 10 57.3% |

**Dumas  
SPRING 2010**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**

| CATEGORY                                | Yes            |
|---|----------------|
| <b>Counselor/program in-school</b>      | All 31.5%      |
|   | Grade 8 31.3%  |
|   | Grade 10 31.8% |
| <b>Another adult in school</b>          | All 34.5%      |
|   | Grade 8 33.6%  |
|   | Grade 10 35.8% |
| <b>Counselor/program outside-school</b> | All 38.1%      |
|   | Grade 8 39.3%  |
|   | Grade 10 36.4% |
| <b>Your parents</b>                     | All 64.8%      |
|   | Grade 8 68.2%  |
|   | Grade 10 59.8% |
| <b>A medical doctor</b>                 | All 41.6%      |
|   | Grade 8 44.6%  |
|   | Grade 10 37.1% |
| <b>Your friends</b>                     | All 62.0%      |
|   | Grade 8 61.2%  |
|   | Grade 10 63.2% |
| <b>Another adult</b>                    | All 63.2%      |
|   | Grade 8 65.4%  |
|   | Grade 10 59.8% |

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

| CATEGORY         | Yes           |
|------------------|---------------|
| <b>Seek Help</b> | All 8.1%      |
|                  | Grade 8 8.9%  |
|                  | Grade 10 6.9% |

**Dumas  
SPRING 2010**

**Table X-4: About how many of your friends:**

|  | None  | A Few | Some  | Most  | ALL   |
|--|-------|-------|-------|-------|-------|
| <b>Feel close to their parents?</b>        |       |       |       |       |       |
| <b>All</b>                                 | 9.2%  | 23.6% | 28.7% | 31.0% | 7.5%  |
| <b>Grade 8</b>                             | 9.1%  | 20.9% | 28.7% | 31.3% | 10.0% |
| <b>Grade 10</b>                            | 9.3%  | 27.8% | 28.7% | 30.6% | 3.7%  |
| <b>Sometimes carry weapons?</b>            |       |       |       |       |       |
| <b>All</b>                                 | 72.2% | 15.9% | 8.6%  | 2.7%  | 0.6%  |
| <b>Grade 8</b>                             | 79.8% | 12.1% | 6.3%  | 1.3%  | 0.4%  |
| <b>Grade 10</b>                            | 60.4% | 21.7% | 12.3% | 4.7%  | 0.9%  |
| <b>Care about making good grades?</b>      |       |       |       |       |       |
| <b>All</b>                                 | 3.4%  | 14.4% | 24.3% | 41.5% | 16.4% |
| <b>Grade 8</b>                             | 3.1%  | 17.9% | 18.8% | 39.5% | 20.6% |
| <b>Grade 10</b>                            | 3.9%  | 8.7%  | 33.0% | 44.7% | 9.7%  |
| <b>Belong/want to belong to a gang?</b>    |       |       |       |       |       |
| <b>All</b>                                 | 70.4% | 15.8% | 9.2%  | 3.6%  | 1.1%  |
| <b>Grade 8</b>                             | 72.8% | 15.8% | 7.9%  | 1.8%  | 1.8%  |
| <b>Grade 10</b>                            | 66.7% | 15.7% | 11.1% | 6.5%  | 0.0%  |
| <b>Wish they could drop out of school?</b> |       |       |       |       |       |
| <b>All</b>                                 | 54.4% | 26.9% | 11.9% | 2.6%  | 4.2%  |
| <b>Grade 8</b>                             | 58.8% | 25.9% | 8.3%  | 3.1%  | 3.9%  |
| <b>Grade 10</b>                            | 47.7% | 28.4% | 17.4% | 1.8%  | 4.6%  |

**Dumas  
SPRING 2010**

**Table X-5: How safe do you feel when you are:**

|                                  |                 | Very Safe | Somewhat Safe | Not Very Safe | Not Safe at All | Don't Know |
|----------------------------------|-----------------|-----------|---------------|---------------|-----------------|------------|
| <b>In your home?</b>             |                 |           |               |               |                 |            |
|                                  | <b>All</b>      | 85.8%     | 12.5%         | 0.8%          | 0.0%            | 0.9%       |
|                                  | <b>Grade 8</b>  | 87.3%     | 10.5%         | 1.3%          | 0.0%            | 0.9%       |
|                                  | <b>Grade 10</b> | 83.6%     | 15.5%         | 0.0%          | 0.0%            | 0.9%       |
| <b>Out in your neighborhood?</b> |                 |           |               |               |                 |            |
|                                  | <b>All</b>      | 39.9%     | 51.2%         | 6.9%          | 0.3%            | 1.8%       |
|                                  | <b>Grade 8</b>  | 36.6%     | 54.6%         | 6.6%          | 0.4%            | 1.8%       |
|                                  | <b>Grade 10</b> | 45.0%     | 45.9%         | 7.3%          | 0.0%            | 1.8%       |
| <b>At school?</b>                |                 |           |               |               |                 |            |
|                                  | <b>All</b>      | 53.3%     | 38.4%         | 4.7%          | 0.3%            | 3.3%       |
|                                  | <b>Grade 8</b>  | 55.2%     | 36.5%         | 4.8%          | 0.4%            | 3.0%       |
|                                  | <b>Grade 10</b> | 50.5%     | 41.3%         | 4.6%          | 0.0%            | 3.7%       |



## **2. Prevalence Tables**

**Dumas  
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 11.5%         | 16.7%          | 29.9%        | 70.1%         |
|   | Grade 8  | 5.2%          | 9.1%           | 22.6%        | 77.4%         |
|   | Grade 10 | 21.1%         | 28.4%          | 41.3%        | 58.7%         |
| <b>Alcohol</b>                            | All      | 26.1%         | 33.5%          | 58.1%        | 41.9%         |
|   | Grade 8  | 21.1%         | 29.7%          | 54.7%        | 45.3%         |
|   | Grade 10 | 33.9%         | 39.4%          | 63.3%        | 36.7%         |
| <b>Inhalants</b>                          | All      | 9.9%          | 14.8%          | 25.6%        | 74.4%         |
|   | Grade 8  | 6.9%          | 12.1%          | 23.3%        | 76.7%         |
|   | Grade 10 | 14.5%         | 19.1%          | 29.1%        | 70.9%         |
| <b>Any Illicit Drug</b>                   | All      | 8.9%          | 13.4%          | 20.0%        | 80.0%         |
|   | Grade 8  | 6.5%          | 9.1%           | 15.9%        | 84.1%         |
|   | Grade 10 | 12.7%         | 20.0%          | 26.4%        | 73.6%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 6.5%          | 10.2%          | 18.9%        | 81.1%         |
|   | Grade 8  | 4.8%          | 7.4%           | 14.0%        | 86.0%         |
|   | Grade 10 | 9.1%          | 14.5%          | 26.4%        | 73.6%         |
| <b>Marijuana Only</b>                     | All      | 1.9%          | 2.8%           | 7.2%         | 92.8%         |
|   | Grade 8  | 1.3%          | 1.7%           | 6.0%         | 94.0%         |
|   | Grade 10 | 2.7%          | 4.5%           | 9.1%         | 90.9%         |
| <b>Cocaine or Crack</b>                   | All      | 1.3%          | 2.4%           | 4.9%         | 95.1%         |
|   | Grade 8  | 0.9%          | 2.2%           | 3.9%         | 96.1%         |
|   | Grade 10 | 1.8%          | 2.8%           | 6.4%         | 93.6%         |
| <b>Cocaine</b>                            | All      | 1.3%          | 2.1%           | 4.4%         | 95.6%         |
|   | Grade 8  | 0.9%          | 1.8%           | 3.1%         | 96.9%         |
|   | Grade 10 | 1.8%          | 2.8%           | 6.4%         | 93.6%         |
| <b>Crack</b>                              | All      | 0.4%          | 1.4%           | 2.0%         | 98.0%         |
|   | Grade 8  | 0.0%          | 0.4%           | 0.9%         | 99.1%         |
|   | Grade 10 | 0.9%          | 2.8%           | 3.7%         | 96.3%         |
| <b>Hallucinogens</b>                      | All      | 3.0%          | 3.5%           | 5.0%         | 95.0%         |
|   | Grade 8  | 3.1%          | 4.0%           | 5.3%         | 94.7%         |
|   | Grade 10 | 2.8%          | 2.8%           | 4.6%         | 95.4%         |
| <b>Uppers</b>                             | All      | 1.6%          | 3.5%           | 5.0%         | 95.0%         |
|   | Grade 8  | 0.9%          | 0.9%           | 2.2%         | 97.8%         |
|   | Grade 10 | 2.8%          | 7.3%           | 9.2%         | 90.8%         |
| <b>Downers</b>                            | All      | 2.2%          | 3.7%           | 4.6%         | 95.4%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.9%         | 99.1%         |
|   | Grade 10 | 5.7%          | 9.4%           | 10.4%        | 89.6%         |

**Dumas  
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 1.4%                  | 2.4%                   | 4.2%                 | 95.8%                 |
|                 | <b>Grade 8</b>  | 0.4%                  | 0.9%                   | 2.7%                 | 97.3%                 |
|                 | <b>Grade 10</b> | 2.8%                  | 4.6%                   | 6.5%                 | 93.5%                 |
| <b>Steroids</b> | <b>All</b>      | 0.5%                  | 0.5%                   | 0.5%                 | 99.5%                 |
|                 | <b>Grade 8</b>  | 0.9%                  | 0.9%                   | 0.9%                 | 99.1%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
| <b>Ecstasy</b>  | <b>All</b>      | 1.9%                  | 2.2%                   | 4.2%                 | 95.8%                 |
|                 | <b>Grade 8</b>  | 1.3%                  | 1.8%                   | 2.7%                 | 97.3%                 |
|                 | <b>Grade 10</b> | 2.8%                  | 2.8%                   | 6.4%                 | 93.6%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.5%                  | 0.5%                   | 1.6%                 | 98.4%                 |
|                 | <b>Grade 8</b>  | 0.9%                  | 0.9%                   | 0.9%                 | 99.1%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 2.8%                 | 97.2%                 |

**Dumas  
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 14.1%         | 17.5%          | 30.5%        | 69.5%         |
|   | Grade 8  | 7.0%          | 10.5%          | 26.3%        | 73.7%         |
|   | Grade 10 | 23.4%         | 26.6%          | 35.9%        | 64.1%         |
| <b>Alcohol</b>                            | All      | 24.7%         | 31.6%          | 52.8%        | 47.2%         |
|   | Grade 8  | 23.3%         | 31.9%          | 52.6%        | 47.4%         |
|   | Grade 10 | 26.6%         | 31.3%          | 53.1%        | 46.9%         |
| <b>Inhalants</b>                          | All      | 10.9%         | 15.6%          | 25.3%        | 74.7%         |
|   | Grade 8  | 8.6%          | 14.7%          | 25.9%        | 74.1%         |
|   | Grade 10 | 13.8%         | 16.9%          | 24.6%        | 75.4%         |
| <b>Any Illicit Drug</b>                   | All      | 10.9%         | 14.2%          | 20.6%        | 79.4%         |
|   | Grade 8  | 8.6%          | 12.1%          | 19.8%        | 80.2%         |
|   | Grade 10 | 13.8%         | 16.9%          | 21.5%        | 78.5%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 7.5%          | 11.3%          | 19.2%        | 80.8%         |
|   | Grade 8  | 6.1%          | 10.4%          | 17.4%        | 82.6%         |
|   | Grade 10 | 9.2%          | 12.3%          | 21.5%        | 78.5%         |
| <b>Marijuana Only</b>                     | All      | 1.8%          | 3.0%           | 7.7%         | 92.3%         |
|   | Grade 8  | 0.9%          | 1.7%           | 7.8%         | 92.2%         |
|   | Grade 10 | 3.1%          | 4.6%           | 7.7%         | 92.3%         |
| <b>Cocaine or Crack</b>                   | All      | 1.2%          | 2.1%           | 4.0%         | 96.0%         |
|   | Grade 8  | 0.9%          | 2.6%           | 3.4%         | 96.6%         |
|   | Grade 10 | 1.6%          | 1.6%           | 4.7%         | 95.3%         |
| <b>Cocaine</b>                            | All      | 1.2%          | 2.1%           | 4.0%         | 96.0%         |
|   | Grade 8  | 0.9%          | 2.6%           | 3.4%         | 96.6%         |
|   | Grade 10 | 1.6%          | 1.6%           | 4.7%         | 95.3%         |
| <b>Crack</b>                              | All      | 0.0%          | 0.7%           | 0.7%         | 99.3%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 0.0%          | 1.6%           | 1.6%         | 98.4%         |
| <b>Hallucinogens</b>                      | All      | 5.0%          | 6.0%           | 7.7%         | 92.3%         |
|   | Grade 8  | 5.3%          | 7.0%           | 8.8%         | 91.2%         |
|   | Grade 10 | 4.7%          | 4.7%           | 6.3%         | 93.8%         |
| <b>Uppers</b>                             | All      | 1.2%          | 2.5%           | 4.2%         | 95.8%         |
|   | Grade 8  | 0.9%          | 0.9%           | 2.7%         | 97.3%         |
|   | Grade 10 | 1.6%          | 4.7%           | 6.3%         | 93.8%         |
| <b>Downers</b>                            | All      | 2.1%          | 2.8%           | 3.8%         | 96.2%         |
|   | Grade 8  | 0.0%          | 0.0%           | 1.8%         | 98.2%         |
|   | Grade 10 | 4.8%          | 6.5%           | 6.5%         | 93.5%         |

**Dumas  
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

|                 |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------|----------|---------------|----------------|--------------|---------------|
| <b>Rohypnol</b> |          |               |                |              |               |
|                 | All      | 0.7%          | 1.2%           | 3.5%         | 96.5%         |
|                 | Grade 8  | 0.0%          | 0.9%           | 2.7%         | 97.3%         |
|                 | Grade 10 | 1.6%          | 1.6%           | 4.7%         | 95.3%         |
| <b>Steroids</b> |          |               |                |              |               |
|                 | All      | 1.0%          | 1.0%           | 1.0%         | 99.0%         |
|                 | Grade 8  | 1.8%          | 1.8%           | 1.8%         | 98.2%         |
|                 | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
| <b>Ecstasy</b>  |          |               |                |              |               |
|                 | All      | 1.2%          | 1.2%           | 4.2%         | 95.8%         |
|                 | Grade 8  | 0.9%          | 0.9%           | 2.7%         | 97.3%         |
|                 | Grade 10 | 1.5%          | 1.5%           | 6.2%         | 93.8%         |
| <b>Heroin</b>   |          |               |                |              |               |
|                 | All      | 0.5%          | 0.5%           | 1.9%         | 98.1%         |
|                 | Grade 8  | 0.9%          | 0.9%           | 0.9%         | 99.1%         |
|                 | Grade 10 | 0.0%          | 0.0%           | 3.2%         | 96.8%         |

**Dumas  
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students**

|   |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|---|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Tobacco</b>                            |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 8.4%                  | 15.8%                  | 29.3%                | 70.7%                 |
|   | <b>Grade 8</b>  | 3.4%                  | 7.8%                   | 19.0%                | 81.0%                 |
|   | <b>Grade 10</b> | 17.8%                 | 31.1%                  | 48.9%                | 51.1%                 |
| <b>Alcohol</b>                            |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 27.8%                 | 35.7%                  | 64.1%                | 35.9%                 |
|   | <b>Grade 8</b>  | 19.0%                 | 27.6%                  | 56.9%                | 43.1%                 |
|   | <b>Grade 10</b> | 44.4%                 | 51.1%                  | 77.8%                | 22.2%                 |
| <b>Inhalants</b>                          |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 8.8%                  | 13.9%                  | 25.8%                | 74.2%                 |
|   | <b>Grade 8</b>  | 5.2%                  | 9.5%                   | 20.7%                | 79.3%                 |
|   | <b>Grade 10</b> | 15.6%                 | 22.2%                  | 35.6%                | 64.4%                 |
| <b>Any Illicit Drug</b>                   |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 6.7%                  | 12.4%                  | 19.4%                | 80.6%                 |
|   | <b>Grade 8</b>  | 4.3%                  | 6.0%                   | 12.1%                | 87.9%                 |
|   | <b>Grade 10</b> | 11.1%                 | 24.4%                  | 33.3%                | 66.7%                 |
| <b>Marijuana &amp; Other Illicit Drug</b> |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 5.4%                  | 9.1%                   | 18.5%                | 81.5%                 |
|   | <b>Grade 8</b>  | 3.5%                  | 4.4%                   | 10.5%                | 89.5%                 |
|   | <b>Grade 10</b> | 8.9%                  | 17.8%                  | 33.3%                | 66.7%                 |
| <b>Marijuana Only</b>                     |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 1.9%                  | 2.7%                   | 6.7%                 | 93.3%                 |
|   | <b>Grade 8</b>  | 1.7%                  | 1.7%                   | 4.3%                 | 95.7%                 |
|   | <b>Grade 10</b> | 2.2%                  | 4.4%                   | 11.1%                | 88.9%                 |
| <b>Cocaine or Crack</b>                   |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 1.4%                  | 2.7%                   | 6.0%                 | 94.0%                 |
|   | <b>Grade 8</b>  | 0.9%                  | 1.8%                   | 4.4%                 | 95.6%                 |
|   | <b>Grade 10</b> | 2.2%                  | 4.4%                   | 8.9%                 | 91.1%                 |
| <b>Cocaine</b>                            |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 1.4%                  | 2.2%                   | 4.9%                 | 95.1%                 |
|   | <b>Grade 8</b>  | 0.9%                  | 0.9%                   | 2.7%                 | 97.3%                 |
|   | <b>Grade 10</b> | 2.2%                  | 4.4%                   | 8.9%                 | 91.1%                 |
| <b>Crack</b>                              |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 0.8%                  | 2.1%                   | 3.5%                 | 96.5%                 |
|   | <b>Grade 8</b>  | 0.0%                  | 0.9%                   | 1.8%                 | 98.2%                 |
|   | <b>Grade 10</b> | 2.2%                  | 4.4%                   | 6.7%                 | 93.3%                 |
| <b>Hallucinogens</b>                      |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 0.6%                  | 0.6%                   | 1.9%                 | 98.1%                 |
|   | <b>Grade 8</b>  | 0.9%                  | 0.9%                   | 1.8%                 | 98.2%                 |
|   | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 2.2%                 | 97.8%                 |
| <b>Uppers</b>                             |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 2.2%                  | 4.5%                   | 5.9%                 | 94.1%                 |
|   | <b>Grade 8</b>  | 0.9%                  | 0.9%                   | 1.8%                 | 98.2%                 |
|   | <b>Grade 10</b> | 4.4%                  | 11.1%                  | 13.3%                | 86.7%                 |
| <b>Downers</b>                            |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 2.4%                  | 4.8%                   | 5.6%                 | 94.4%                 |
|   | <b>Grade 8</b>  | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
|   | <b>Grade 10</b> | 6.8%                  | 13.6%                  | 15.9%                | 84.1%                 |

**Dumas  
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 2.2%                  | 3.7%                   | 4.9%                 | 95.1%                 |
|                 | <b>Grade 8</b>  | 0.9%                  | 0.9%                   | 2.7%                 | 97.3%                 |
|                 | <b>Grade 10</b> | 4.5%                  | 9.1%                   | 9.1%                 | 90.9%                 |
| <b>Steroids</b> | <b>All</b>      | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
|                 | <b>Grade 8</b>  | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
| <b>Ecstasy</b>  | <b>All</b>      | 2.7%                  | 3.3%                   | 4.1%                 | 95.9%                 |
|                 | <b>Grade 8</b>  | 1.8%                  | 2.7%                   | 2.7%                 | 97.3%                 |
|                 | <b>Grade 10</b> | 4.5%                  | 4.5%                   | 6.8%                 | 93.2%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.6%                  | 0.6%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 8</b>  | 0.9%                  | 0.9%                   | 0.9%                 | 99.1%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 2.3%                 | 97.7%                 |

**Dumas  
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 14.3%         | 18.3%          | 29.7%        | 70.3%         |
|   | Grade 8  | 7.8%          | 9.8%           | 17.6%        | 82.4%         |
|   | Grade 10 | 21.9%         | 28.1%          | 43.8%        | 56.3%         |
| <b>Alcohol</b>                            | All      | 22.5%         | 26.4%          | 52.7%        | 47.3%         |
|   | Grade 8  | 17.6%         | 19.6%          | 47.1%        | 52.9%         |
|   | Grade 10 | 28.1%         | 34.4%          | 59.4%        | 40.6%         |
| <b>Inhalants</b>                          | All      | 9.3%          | 10.4%          | 16.8%        | 83.2%         |
|   | Grade 8  | 3.9%          | 5.9%           | 9.8%         | 90.2%         |
|   | Grade 10 | 15.6%         | 15.6%          | 25.0%        | 75.0%         |
| <b>Any Illicit Drug</b>                   | All      | 3.9%          | 7.9%           | 10.4%        | 89.6%         |
|   | Grade 8  | 2.0%          | 3.9%           | 5.9%         | 94.1%         |
|   | Grade 10 | 6.3%          | 12.5%          | 15.6%        | 84.4%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 1.4%          | 3.9%           | 9.3%         | 90.7%         |
|   | Grade 8  | 0.0%          | 2.0%           | 3.9%         | 96.1%         |
|   | Grade 10 | 3.1%          | 6.3%           | 15.6%        | 84.4%         |
| <b>Marijuana Only</b>                     | All      | 0.0%          | 0.0%           | 1.1%         | 98.9%         |
|   | Grade 8  | 0.0%          | 0.0%           | 2.0%         | 98.0%         |
|   | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
| <b>Cocaine or Crack</b>                   | All      | 1.4%          | 1.4%           | 1.4%         | 98.6%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 3.1%          | 3.1%           | 3.1%         | 96.9%         |
| <b>Cocaine</b>                            | All      | 1.4%          | 1.4%           | 1.4%         | 98.6%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 3.1%          | 3.1%           | 3.1%         | 96.9%         |
| <b>Crack</b>                              | All      | 1.4%          | 1.4%           | 1.4%         | 98.6%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 3.1%          | 3.1%           | 3.1%         | 96.9%         |
| <b>Hallucinogens</b>                      | All      | 1.1%          | 2.1%           | 3.6%         | 96.4%         |
|   | Grade 8  | 2.0%          | 3.9%           | 3.9%         | 96.1%         |
|   | Grade 10 | 0.0%          | 0.0%           | 3.1%         | 96.9%         |
| <b>Uppers</b>                             | All      | 1.1%          | 5.4%           | 6.9%         | 93.1%         |
|   | Grade 8  | 2.0%          | 2.0%           | 2.0%         | 98.0%         |
|   | Grade 10 | 0.0%          | 9.4%           | 12.5%        | 87.5%         |
| <b>Downers</b>                            | All      | 0.0%          | 4.3%           | 4.3%         | 95.7%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 0.0%          | 9.4%           | 9.4%         | 90.6%         |



**Dumas  
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 1.5%                  | 1.5%                   | 4.0%                 | 96.0%                 |
|                 | <b>Grade 8</b>  | 0.0%                  | 0.0%                   | 2.0%                 | 98.0%                 |
|                 | <b>Grade 10</b> | 3.2%                  | 3.2%                   | 6.5%                 | 93.5%                 |
| <b>Steroids</b> | <b>All</b>      | 2.1%                  | 2.1%                   | 2.1%                 | 97.9%                 |
|                 | <b>Grade 8</b>  | 3.9%                  | 3.9%                   | 3.9%                 | 96.1%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
| <b>Ecstasy</b>  | <b>All</b>      | 1.5%                  | 1.5%                   | 4.1%                 | 95.9%                 |
|                 | <b>Grade 8</b>  | 0.0%                  | 0.0%                   | 2.0%                 | 98.0%                 |
|                 | <b>Grade 10</b> | 3.2%                  | 3.2%                   | 6.5%                 | 93.5%                 |
| <b>Heroin</b>   | <b>All</b>      | 1.1%                  | 1.1%                   | 1.1%                 | 98.9%                 |
|                 | <b>Grade 8</b>  | 2.0%                  | 2.0%                   | 2.0%                 | 98.0%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |

**Dumas  
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students**

**Table skipped because an insufficient number of cases.**

**Dumas  
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

**Table skipped because an insufficient number of cases.**

**Dumas  
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 11.0%         | 17.2%          | 30.7%        | 69.3%         |
|   | Grade 8  | 4.9%          | 9.8%           | 24.4%        | 75.6%         |
|   | Grade 10 | 21.4%         | 30.0%          | 41.4%        | 58.6%         |
| <b>Alcohol</b>                            | All      | 28.6%         | 37.6%          | 61.5%        | 38.5%         |
|   | Grade 8  | 22.9%         | 33.7%          | 59.0%        | 41.0%         |
|   | Grade 10 | 38.6%         | 44.3%          | 65.7%        | 34.3%         |
| <b>Inhalants</b>                          | All      | 9.7%          | 16.5%          | 28.2%        | 71.8%         |
|   | Grade 8  | 7.8%          | 14.5%          | 27.1%        | 72.9%         |
|   | Grade 10 | 12.9%         | 20.0%          | 30.0%        | 70.0%         |
| <b>Any Illicit Drug</b>                   | All      | 11.6%         | 16.7%          | 24.6%        | 75.4%         |
|   | Grade 8  | 8.4%          | 11.4%          | 19.9%        | 80.1%         |
|   | Grade 10 | 17.1%         | 25.7%          | 32.9%        | 67.1%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 9.0%          | 13.6%          | 23.4%        | 76.6%         |
|   | Grade 8  | 6.7%          | 9.8%           | 17.8%        | 82.2%         |
|   | Grade 10 | 12.9%         | 20.0%          | 32.9%        | 67.1%         |
| <b>Marijuana Only</b>                     | All      | 2.7%          | 4.1%           | 9.3%         | 90.7%         |
|   | Grade 8  | 1.8%          | 2.4%           | 7.2%         | 92.8%         |
|   | Grade 10 | 4.3%          | 7.1%           | 12.9%        | 87.1%         |
| <b>Cocaine or Crack</b>                   | All      | 1.3%          | 3.0%           | 6.6%         | 93.4%         |
|   | Grade 8  | 1.2%          | 3.1%           | 5.5%         | 94.5%         |
|   | Grade 10 | 1.4%          | 2.9%           | 8.6%         | 91.4%         |
| <b>Cocaine</b>                            | All      | 1.3%          | 2.6%           | 5.9%         | 94.1%         |
|   | Grade 8  | 1.2%          | 2.5%           | 4.3%         | 95.7%         |
|   | Grade 10 | 1.4%          | 2.9%           | 8.6%         | 91.4%         |
| <b>Crack</b>                              | All      | 0.0%          | 1.5%           | 2.4%         | 97.6%         |
|   | Grade 8  | 0.0%          | 0.6%           | 1.2%         | 98.8%         |
|   | Grade 10 | 0.0%          | 2.9%           | 4.3%         | 95.7%         |
| <b>Hallucinogens</b>                      | All      | 3.9%          | 4.3%           | 6.0%         | 94.0%         |
|   | Grade 8  | 3.7%          | 4.3%           | 6.2%         | 93.8%         |
|   | Grade 10 | 4.3%          | 4.3%           | 5.7%         | 94.3%         |
| <b>Uppers</b>                             | All      | 2.0%          | 3.1%           | 4.8%         | 95.2%         |
|   | Grade 8  | 0.6%          | 0.6%           | 2.5%         | 97.5%         |
|   | Grade 10 | 4.3%          | 7.1%           | 8.6%         | 91.4%         |
| <b>Downers</b>                            | All      | 3.3%          | 3.8%           | 5.2%         | 94.8%         |
|   | Grade 8  | 0.0%          | 0.0%           | 1.3%         | 98.7%         |
|   | Grade 10 | 8.8%          | 10.3%          | 11.8%        | 88.2%         |

**Dumas  
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 1.5%                  | 2.9%                   | 4.6%                 | 95.4%                 |
|                 | <b>Grade 8</b>  | 0.6%                  | 1.2%                   | 3.1%                 | 96.9%                 |
|                 | <b>Grade 10</b> | 2.9%                  | 5.7%                   | 7.1%                 | 92.9%                 |
| <b>Steroids</b> | <b>All</b>      | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
|                 | <b>Grade 8</b>  | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
| <b>Ecstasy</b>  | <b>All</b>      | 2.2%                  | 2.6%                   | 4.6%                 | 95.4%                 |
|                 | <b>Grade 8</b>  | 1.9%                  | 2.5%                   | 3.1%                 | 96.9%                 |
|                 | <b>Grade 10</b> | 2.9%                  | 2.9%                   | 7.1%                 | 92.9%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.4%                  | 0.4%                   | 2.0%                 | 98.0%                 |
|                 | <b>Grade 8</b>  | 0.6%                  | 0.6%                   | 0.6%                 | 99.4%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 4.3%                 | 95.7%                 |

**Dumas  
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 6.9%          | 9.6%           | 19.3%        | 80.7%         |
|   | Grade 8  | 4.0%          | 6.7%           | 13.3%        | 86.7%         |
|   | Grade 10 | 11.4%         | 14.3%          | 28.6%        | 71.4%         |
| <b>Alcohol</b>                            | All      | 14.0%         | 21.7%          | 50.4%        | 49.6%         |
|   | Grade 8  | 12.0%         | 17.3%          | 48.0%        | 52.0%         |
|   | Grade 10 | 17.1%         | 28.6%          | 54.3%        | 45.7%         |
| <b>Inhalants</b>                          | All      | 5.5%          | 5.5%           | 15.6%        | 84.4%         |
|   | Grade 8  | 5.3%          | 5.3%           | 14.7%        | 85.3%         |
|   | Grade 10 | 5.7%          | 5.7%           | 17.1%        | 82.9%         |
| <b>Any Illicit Drug</b>                   | All      | 4.4%          | 4.4%           | 7.1%         | 92.9%         |
|   | Grade 8  | 5.3%          | 5.3%           | 8.0%         | 92.0%         |
|   | Grade 10 | 2.9%          | 2.9%           | 5.7%         | 94.3%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 2.7%          | 3.6%           | 6.3%         | 93.7%         |
|   | Grade 8  | 2.7%          | 4.0%           | 6.7%         | 93.3%         |
|   | Grade 10 | 2.9%          | 2.9%           | 5.7%         | 94.3%         |
| <b>Marijuana Only</b>                     | All      | 1.9%          | 1.9%           | 4.7%         | 95.3%         |
|   | Grade 8  | 1.3%          | 1.3%           | 4.0%         | 96.0%         |
|   | Grade 10 | 2.9%          | 2.9%           | 5.7%         | 94.3%         |
| <b>Cocaine or Crack</b>                   | All      | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
| <b>Cocaine</b>                            | All      | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
| <b>Crack</b>                              | All      | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
| <b>Hallucinogens</b>                      | All      | 2.4%          | 2.4%           | 2.4%         | 97.6%         |
|   | Grade 8  | 4.0%          | 4.0%           | 4.0%         | 96.0%         |
|   | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
| <b>Uppers</b>                             | All      | 0.8%          | 0.8%           | 0.8%         | 99.2%         |
|   | Grade 8  | 1.4%          | 1.4%           | 1.4%         | 98.6%         |
|   | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
| <b>Downers</b>                            | All      | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |

**Dumas  
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

|                 |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------|----------|---------------|----------------|--------------|---------------|
| <b>Rohypnol</b> |          |               |                |              |               |
|                 | All      | 0.0%          | 0.0%           | 0.8%         | 99.2%         |
|                 | Grade 8  | 0.0%          | 0.0%           | 1.4%         | 98.6%         |
|                 | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
| <b>Steroids</b> |          |               |                |              |               |
|                 | All      | 0.8%          | 0.8%           | 0.8%         | 99.2%         |
|                 | Grade 8  | 1.4%          | 1.4%           | 1.4%         | 98.6%         |
|                 | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
| <b>Ecstasy</b>  |          |               |                |              |               |
|                 | All      | 0.8%          | 0.8%           | 1.6%         | 98.4%         |
|                 | Grade 8  | 1.3%          | 1.3%           | 2.7%         | 97.3%         |
|                 | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
| <b>Heroin</b>   |          |               |                |              |               |
|                 | All      | 0.8%          | 0.8%           | 0.8%         | 99.2%         |
|                 | Grade 8  | 1.3%          | 1.3%           | 1.3%         | 98.7%         |
|                 | Grade 10 | 0.0%          | 0.0%           | 0.0%         | 100.0%        |

**Dumas  
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 13.7%         | 20.4%          | 35.4%        | 64.6%         |
|   | Grade 8  | 5.3%          | 9.9%           | 26.5%        | 73.5%         |
|   | Grade 10 | 26.8%         | 36.6%          | 49.3%        | 50.7%         |
| <b>Alcohol</b>                            | All      | 32.1%         | 39.6%          | 62.9%        | 37.1%         |
|   | Grade 8  | 24.8%         | 35.3%          | 58.2%        | 41.8%         |
|   | Grade 10 | 43.7%         | 46.5%          | 70.4%        | 29.6%         |
| <b>Inhalants</b>                          | All      | 11.9%         | 19.4%          | 30.5%        | 69.5%         |
|   | Grade 8  | 7.8%          | 15.7%          | 27.5%        | 72.5%         |
|   | Grade 10 | 18.3%         | 25.4%          | 35.2%        | 64.8%         |
| <b>Any Illicit Drug</b>                   | All      | 11.5%         | 17.9%          | 26.8%        | 73.2%         |
|   | Grade 8  | 7.2%          | 10.5%          | 19.6%        | 80.4%         |
|   | Grade 10 | 18.3%         | 29.6%          | 38.0%        | 62.0%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 8.6%          | 13.6%          | 25.5%        | 74.5%         |
|   | Grade 8  | 6.0%          | 8.7%           | 17.3%        | 82.7%         |
|   | Grade 10 | 12.7%         | 21.1%          | 38.0%        | 62.0%         |
| <b>Marijuana Only</b>                     | All      | 1.9%          | 3.4%           | 8.8%         | 91.2%         |
|   | Grade 8  | 1.3%          | 2.0%           | 7.2%         | 92.8%         |
|   | Grade 10 | 2.8%          | 5.6%           | 11.3%        | 88.7%         |
| <b>Cocaine or Crack</b>                   | All      | 1.9%          | 3.7%           | 7.5%         | 92.5%         |
|   | Grade 8  | 1.3%          | 3.3%           | 6.0%         | 94.0%         |
|   | Grade 10 | 2.8%          | 4.2%           | 9.9%         | 90.1%         |
| <b>Cocaine</b>                            | All      | 1.9%          | 3.3%           | 6.7%         | 93.3%         |
|   | Grade 8  | 1.3%          | 2.7%           | 4.7%         | 95.3%         |
|   | Grade 10 | 2.8%          | 4.2%           | 9.9%         | 90.1%         |
| <b>Crack</b>                              | All      | 0.6%          | 2.1%           | 3.1%         | 96.9%         |
|   | Grade 8  | 0.0%          | 0.7%           | 1.3%         | 98.7%         |
|   | Grade 10 | 1.4%          | 4.3%           | 5.7%         | 94.3%         |
| <b>Hallucinogens</b>                      | All      | 3.3%          | 4.1%           | 6.1%         | 93.9%         |
|   | Grade 8  | 2.7%          | 4.1%           | 5.4%         | 94.6%         |
|   | Grade 10 | 4.2%          | 4.2%           | 7.0%         | 93.0%         |
| <b>Uppers</b>                             | All      | 2.1%          | 4.9%           | 7.3%         | 92.7%         |
|   | Grade 8  | 0.7%          | 0.7%           | 2.7%         | 97.3%         |
|   | Grade 10 | 4.2%          | 11.3%          | 14.1%        | 85.9%         |
| <b>Downers</b>                            | All      | 3.4%          | 5.7%           | 7.1%         | 92.9%         |
|   | Grade 8  | 0.0%          | 0.0%           | 1.4%         | 98.6%         |
|   | Grade 10 | 8.7%          | 14.5%          | 15.9%        | 84.1%         |



**Dumas  
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 2.1%                  | 3.6%                   | 5.9%                 | 94.1%                 |
|                 | <b>Grade 8</b>  | 0.7%                  | 1.4%                   | 3.4%                 | 96.6%                 |
|                 | <b>Grade 10</b> | 4.2%                  | 7.0%                   | 9.9%                 | 90.1%                 |
| <b>Steroids</b> | <b>All</b>      | 0.4%                  | 0.4%                   | 0.4%                 | 99.6%                 |
|                 | <b>Grade 8</b>  | 0.7%                  | 0.7%                   | 0.7%                 | 99.3%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
| <b>Ecstasy</b>  | <b>All</b>      | 2.5%                  | 2.9%                   | 5.6%                 | 94.4%                 |
|                 | <b>Grade 8</b>  | 1.4%                  | 2.1%                   | 2.8%                 | 97.2%                 |
|                 | <b>Grade 10</b> | 4.2%                  | 4.2%                   | 9.9%                 | 90.1%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.4%                  | 0.4%                   | 2.1%                 | 97.9%                 |
|                 | <b>Grade 8</b>  | 0.7%                  | 0.7%                   | 0.7%                 | 99.3%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 4.3%                 | 95.7%                 |

**Dumas  
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 10.1%         | 14.2%          | 26.1%        | 73.9%         |
|   | Grade 8  | 3.3%          | 5.2%           | 17.6%        | 82.4%         |
|   | Grade 10 | 22.2%         | 30.2%          | 41.3%        | 58.7%         |
| <b>Alcohol</b>                            | All      | 25.4%         | 32.0%          | 52.9%        | 47.1%         |
|   | Grade 8  | 20.1%         | 26.0%          | 46.1%        | 53.9%         |
|   | Grade 10 | 34.9%         | 42.9%          | 65.1%        | 34.9%         |
| <b>Inhalants</b>                          | All      | 9.8%          | 13.0%          | 21.2%        | 78.8%         |
|   | Grade 8  | 6.5%          | 9.7%           | 18.2%        | 81.8%         |
|   | Grade 10 | 15.6%         | 18.8%          | 26.6%        | 73.4%         |
| <b>Any Illicit Drug</b>                   | All      | 7.2%          | 10.7%          | 17.9%        | 82.1%         |
|   | Grade 8  | 3.2%          | 5.2%           | 13.0%        | 87.0%         |
|   | Grade 10 | 14.1%         | 20.3%          | 26.6%        | 73.4%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 4.8%          | 8.2%           | 17.3%        | 82.7%         |
|   | Grade 8  | 1.3%          | 4.0%           | 11.9%        | 88.1%         |
|   | Grade 10 | 10.9%         | 15.6%          | 26.6%        | 73.4%         |
| <b>Marijuana Only</b>                     | All      | 1.1%          | 2.7%           | 8.1%         | 91.9%         |
|   | Grade 8  | 0.0%          | 0.6%           | 6.5%         | 93.5%         |
|   | Grade 10 | 3.1%          | 6.3%           | 10.9%        | 89.1%         |
| <b>Cocaine or Crack</b>                   | All      | 1.0%          | 2.0%           | 5.1%         | 94.9%         |
|   | Grade 8  | 0.7%          | 1.3%           | 2.6%         | 97.4%         |
|   | Grade 10 | 1.6%          | 3.1%           | 9.4%         | 90.6%         |
| <b>Cocaine</b>                            | All      | 1.0%          | 2.0%           | 5.1%         | 94.9%         |
|   | Grade 8  | 0.7%          | 1.3%           | 2.7%         | 97.3%         |
|   | Grade 10 | 1.6%          | 3.1%           | 9.4%         | 90.6%         |
| <b>Crack</b>                              | All      | 0.6%          | 1.2%           | 1.7%         | 98.3%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 1.6%          | 3.2%           | 4.8%         | 95.2%         |
| <b>Hallucinogens</b>                      | All      | 1.8%          | 2.3%           | 3.1%         | 96.9%         |
|   | Grade 8  | 2.0%          | 2.7%           | 4.0%         | 96.0%         |
|   | Grade 10 | 1.6%          | 1.6%           | 1.6%         | 98.4%         |
| <b>Uppers</b>                             | All      | 1.2%          | 2.3%           | 2.8%         | 97.2%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.7%         | 99.3%         |
|   | Grade 10 | 3.1%          | 6.3%           | 6.3%         | 93.8%         |
| <b>Downers</b>                            | All      | 2.4%          | 3.0%           | 3.4%         | 96.6%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.7%         | 99.3%         |
|   | Grade 10 | 6.5%          | 8.1%           | 8.1%         | 91.9%         |

**Dumas  
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 0.6%                  | 1.6%                   | 2.6%                 | 97.4%                 |
|                 | <b>Grade 8</b>  | 0.0%                  | 0.7%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 10</b> | 1.6%                  | 3.1%                   | 4.7%                 | 95.3%                 |
| <b>Steroids</b> | <b>All</b>      | 0.4%                  | 0.4%                   | 0.4%                 | 99.6%                 |
|                 | <b>Grade 8</b>  | 0.7%                  | 0.7%                   | 0.7%                 | 99.3%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
| <b>Ecstasy</b>  | <b>All</b>      | 2.0%                  | 2.0%                   | 3.2%                 | 96.8%                 |
|                 | <b>Grade 8</b>  | 1.4%                  | 1.4%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 10</b> | 3.1%                  | 3.1%                   | 6.3%                 | 93.8%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.0%                  | 0.0%                   | 1.2%                 | 98.8%                 |
|                 | <b>Grade 8</b>  | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 3.2%                 | 96.8%                 |

**Dumas  
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 14.1%         | 21.5%          | 37.2%        | 62.8%         |
|   | Grade 8  | 9.5%          | 17.6%          | 33.8%        | 66.2%         |
|   | Grade 10 | 19.6%         | 26.1%          | 41.3%        | 58.7%         |
| <b>Alcohol</b>                            | All      | 27.9%         | 36.2%          | 66.2%        | 33.8%         |
|   | Grade 8  | 24.0%         | 37.3%          | 70.7%        | 29.3%         |
|   | Grade 10 | 32.6%         | 34.8%          | 60.9%        | 39.1%         |
| <b>Inhalants</b>                          | All      | 10.3%         | 18.4%          | 33.0%        | 67.0%         |
|   | Grade 8  | 8.0%          | 17.3%          | 33.3%        | 66.7%         |
|   | Grade 10 | 13.0%         | 19.6%          | 32.6%        | 67.4%         |
| <b>Any Illicit Drug</b>                   | All      | 12.2%         | 18.4%          | 24.2%        | 75.8%         |
|   | Grade 8  | 13.3%         | 17.3%          | 22.7%        | 77.3%         |
|   | Grade 10 | 10.9%         | 19.6%          | 26.1%        | 73.9%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 9.5%          | 13.9%          | 22.0%        | 78.0%         |
|   | Grade 8  | 12.0%         | 14.7%          | 18.7%        | 81.3%         |
|   | Grade 10 | 6.5%          | 13.0%          | 26.1%        | 73.9%         |
| <b>Marijuana Only</b>                     | All      | 3.2%          | 3.2%           | 5.9%         | 94.1%         |
|   | Grade 8  | 4.0%          | 4.0%           | 5.3%         | 94.7%         |
|   | Grade 10 | 2.2%          | 2.2%           | 6.5%         | 93.5%         |
| <b>Cocaine or Crack</b>                   | All      | 1.7%          | 3.2%           | 4.7%         | 95.3%         |
|   | Grade 8  | 1.3%          | 4.0%           | 6.7%         | 93.3%         |
|   | Grade 10 | 2.2%          | 2.2%           | 2.2%         | 97.8%         |
| <b>Cocaine</b>                            | All      | 1.7%          | 2.5%           | 3.2%         | 96.8%         |
|   | Grade 8  | 1.3%          | 2.7%           | 4.0%         | 96.0%         |
|   | Grade 10 | 2.2%          | 2.2%           | 2.2%         | 97.8%         |
| <b>Crack</b>                              | All      | 0.0%          | 1.7%           | 2.5%         | 97.5%         |
|   | Grade 8  | 0.0%          | 1.3%           | 2.7%         | 97.3%         |
|   | Grade 10 | 0.0%          | 2.2%           | 2.2%         | 97.8%         |
| <b>Hallucinogens</b>                      | All      | 4.9%          | 5.7%           | 8.4%         | 91.6%         |
|   | Grade 8  | 5.3%          | 6.7%           | 8.0%         | 92.0%         |
|   | Grade 10 | 4.4%          | 4.4%           | 8.9%         | 91.1%         |
| <b>Uppers</b>                             | All      | 2.5%          | 5.5%           | 8.9%         | 91.1%         |
|   | Grade 8  | 2.7%          | 2.7%           | 5.3%         | 94.7%         |
|   | Grade 10 | 2.2%          | 8.9%           | 13.3%        | 86.7%         |
| <b>Downers</b>                            | All      | 2.0%          | 5.1%           | 6.8%         | 93.2%         |
|   | Grade 8  | 0.0%          | 0.0%           | 1.3%         | 98.7%         |
|   | Grade 10 | 4.5%          | 11.4%          | 13.6%        | 86.4%         |

**Dumas  
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 2.8%                  | 3.8%                   | 7.0%                 | 93.0%                 |
|                 | <b>Grade 8</b>  | 1.3%                  | 1.3%                   | 5.3%                 | 94.7%                 |
|                 | <b>Grade 10</b> | 4.5%                  | 6.8%                   | 9.1%                 | 90.9%                 |
| <b>Steroids</b> | <b>All</b>      | 0.7%                  | 0.7%                   | 0.7%                 | 99.3%                 |
|                 | <b>Grade 8</b>  | 1.3%                  | 1.3%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
| <b>Ecstasy</b>  | <b>All</b>      | 1.7%                  | 2.5%                   | 6.0%                 | 94.0%                 |
|                 | <b>Grade 8</b>  | 1.4%                  | 2.7%                   | 5.4%                 | 94.6%                 |
|                 | <b>Grade 10</b> | 2.2%                  | 2.2%                   | 6.7%                 | 93.3%                 |
| <b>Heroin</b>   | <b>All</b>      | 1.5%                  | 1.5%                   | 2.5%                 | 97.5%                 |
|                 | <b>Grade 8</b>  | 2.7%                  | 2.7%                   | 2.7%                 | 97.3%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 2.2%                 | 97.8%                 |

**Dumas  
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 9.2%          | 14.3%          | 26.5%        | 73.5%         |
|   | Grade 8  | 3.3%          | 6.6%           | 18.7%        | 81.3%         |
|   | Grade 10 | 18.0%         | 25.8%          | 38.2%        | 61.8%         |
| <b>Alcohol</b>                            | All      | 24.6%         | 32.2%          | 55.5%        | 44.5%         |
|   | Grade 8  | 20.1%         | 28.3%          | 50.5%        | 49.5%         |
|   | Grade 10 | 31.5%         | 38.2%          | 62.9%        | 37.1%         |
| <b>Inhalants</b>                          | All      | 8.4%          | 12.5%          | 22.8%        | 77.2%         |
|   | Grade 8  | 6.5%          | 10.3%          | 22.3%        | 77.7%         |
|   | Grade 10 | 11.2%         | 15.7%          | 23.6%        | 76.4%         |
| <b>Any Illicit Drug</b>                   | All      | 6.2%          | 10.7%          | 17.0%        | 83.0%         |
|   | Grade 8  | 4.3%          | 6.0%           | 12.0%        | 88.0%         |
|   | Grade 10 | 9.0%          | 18.0%          | 24.7%        | 75.3%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 4.7%          | 8.3%           | 15.9%        | 84.1%         |
|   | Grade 8  | 3.3%          | 5.5%           | 9.9%         | 90.1%         |
|   | Grade 10 | 6.7%          | 12.4%          | 24.7%        | 75.3%         |
| <b>Marijuana Only</b>                     | All      | 1.9%          | 3.1%           | 7.3%         | 92.7%         |
|   | Grade 8  | 1.6%          | 2.2%           | 5.4%         | 94.6%         |
|   | Grade 10 | 2.2%          | 4.5%           | 10.1%        | 89.9%         |
| <b>Cocaine or Crack</b>                   | All      | 0.0%          | 1.0%           | 3.0%         | 97.0%         |
|   | Grade 8  | 0.0%          | 1.7%           | 2.8%         | 97.2%         |
|   | Grade 10 | 0.0%          | 0.0%           | 3.4%         | 96.6%         |
| <b>Cocaine</b>                            | All      | 0.0%          | 0.7%           | 2.7%         | 97.3%         |
|   | Grade 8  | 0.0%          | 1.1%           | 2.2%         | 97.8%         |
|   | Grade 10 | 0.0%          | 0.0%           | 3.4%         | 96.6%         |
| <b>Crack</b>                              | All      | 0.0%          | 0.3%           | 0.8%         | 99.2%         |
|   | Grade 8  | 0.0%          | 0.6%           | 0.6%         | 99.4%         |
|   | Grade 10 | 0.0%          | 0.0%           | 1.1%         | 98.9%         |
| <b>Hallucinogens</b>                      | All      | 1.4%          | 1.4%           | 2.9%         | 97.1%         |
|   | Grade 8  | 1.7%          | 1.7%           | 3.3%         | 96.7%         |
|   | Grade 10 | 1.1%          | 1.1%           | 2.2%         | 97.8%         |
| <b>Uppers</b>                             | All      | 0.5%          | 2.3%           | 3.9%         | 96.1%         |
|   | Grade 8  | 0.0%          | 0.0%           | 1.1%         | 98.9%         |
|   | Grade 10 | 1.1%          | 5.6%           | 7.9%         | 92.1%         |
| <b>Downers</b>                            | All      | 1.8%          | 3.2%           | 4.0%         | 96.0%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.6%         | 99.4%         |
|   | Grade 10 | 4.6%          | 8.0%           | 9.2%         | 90.8%         |

**Dumas  
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 0.8%                  | 1.7%                   | 3.3%                 | 96.7%                 |
|                 | <b>Grade 8</b>  | 0.6%                  | 0.6%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 10</b> | 1.1%                  | 3.4%                   | 5.7%                 | 94.3%                 |
| <b>Steroids</b> |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 0.3%                  | 0.3%                   | 0.3%                 | 99.7%                 |
|                 | <b>Grade 8</b>  | 0.6%                  | 0.6%                   | 0.6%                 | 99.4%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
| <b>Ecstasy</b>  |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 0.8%                  | 0.8%                   | 2.2%                 | 97.8%                 |
|                 | <b>Grade 8</b>  | 0.6%                  | 0.6%                   | 0.6%                 | 99.4%                 |
|                 | <b>Grade 10</b> | 1.1%                  | 1.1%                   | 4.5%                 | 95.5%                 |
| <b>Heroin</b>   |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 0.0%                  | 0.0%                   | 0.9%                 | 99.1%                 |
|                 | <b>Grade 8</b>  | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 2.3%                 | 97.7%                 |

**Dumas  
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students would not seek help from adults for substance abuse problems**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 22.3%         | 29.0%          | 49.0%        | 51.0%         |
|   | Grade 8  | 13.2%         | 21.1%          | 44.7%        | 55.3%         |
|   | Grade 10 | 35.0%         | 40.0%          | 55.0%        | 45.0%         |
| <b>Alcohol</b>                            | All      | 35.7%         | 43.3%          | 70.1%        | 29.9%         |
|   | Grade 8  | 28.9%         | 42.1%          | 73.7%        | 26.3%         |
|   | Grade 10 | 45.0%         | 45.0%          | 65.0%        | 35.0%         |
| <b>Inhalants</b>                          | All      | 15.6%         | 25.4%          | 38.3%        | 61.7%         |
|   | Grade 8  | 5.3%          | 18.4%          | 26.3%        | 73.7%         |
|   | Grade 10 | 30.0%         | 35.0%          | 55.0%        | 45.0%         |
| <b>Any Illicit Drug</b>                   | All      | 21.7%         | 26.3%          | 36.1%        | 63.9%         |
|   | Grade 8  | 15.8%         | 23.7%          | 36.8%        | 63.2%         |
|   | Grade 10 | 30.0%         | 30.0%          | 35.0%        | 65.0%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 14.5%         | 19.6%          | 34.5%        | 65.5%         |
|   | Grade 8  | 10.5%         | 15.8%          | 34.2%        | 65.8%         |
|   | Grade 10 | 20.0%         | 25.0%          | 35.0%        | 65.0%         |
| <b>Marijuana Only</b>                     | All      | 2.1%          | 2.1%           | 8.2%         | 91.8%         |
|   | Grade 8  | 0.0%          | 0.0%           | 10.5%        | 89.5%         |
|   | Grade 10 | 5.0%          | 5.0%           | 5.0%         | 95.0%         |
| <b>Cocaine or Crack</b>                   | All      | 7.4%          | 9.5%           | 14.8%        | 85.2%         |
|   | Grade 8  | 5.3%          | 5.3%           | 10.5%        | 89.5%         |
|   | Grade 10 | 10.5%         | 15.8%          | 21.1%        | 78.9%         |
| <b>Cocaine</b>                            | All      | 7.4%          | 9.5%           | 13.2%        | 86.8%         |
|   | Grade 8  | 5.3%          | 5.3%           | 7.9%         | 92.1%         |
|   | Grade 10 | 10.5%         | 15.8%          | 21.1%        | 78.9%         |
| <b>Crack</b>                              | All      | 2.1%          | 6.4%           | 8.0%         | 92.0%         |
|   | Grade 8  | 0.0%          | 0.0%           | 2.6%         | 97.4%         |
|   | Grade 10 | 5.3%          | 15.8%          | 15.8%        | 84.2%         |
| <b>Hallucinogens</b>                      | All      | 10.7%         | 13.9%          | 16.0%        | 84.0%         |
|   | Grade 8  | 10.8%         | 16.2%          | 16.2%        | 83.8%         |
|   | Grade 10 | 10.5%         | 10.5%          | 15.8%        | 84.2%         |
| <b>Uppers</b>                             | All      | 7.5%          | 9.7%           | 9.7%         | 90.3%         |
|   | Grade 8  | 5.4%          | 5.4%           | 5.4%         | 94.6%         |
|   | Grade 10 | 10.5%         | 15.8%          | 15.8%        | 84.2%         |
| <b>Downers</b>                            | All      | 4.3%          | 6.5%           | 6.5%         | 93.5%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 10.5%         | 15.8%          | 15.8%        | 84.2%         |



**Dumas  
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students would not seek help from adults for substance abuse problems  
(Continued)**

|                 |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Rohypnol</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 4.3%          | 5.9%           | 9.1%         | 90.9%         |
|                 | <b>Grade 8</b>  | 0.0%          | 2.7%           | 8.1%         | 91.9%         |
|                 | <b>Grade 10</b> | 10.5%         | 10.5%          | 10.5%        | 89.5%         |
| <b>Steroids</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 1.6%          | 1.6%           | 1.6%         | 98.4%         |
|                 | <b>Grade 8</b>  | 2.7%          | 2.7%           | 2.7%         | 97.3%         |
|                 | <b>Grade 10</b> | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
| <b>Ecstasy</b>  |                 |               |                |              |               |
|                 | <b>All</b>      | 7.4%          | 8.9%           | 12.6%        | 87.4%         |
|                 | <b>Grade 8</b>  | 5.4%          | 8.1%           | 10.8%        | 89.2%         |
|                 | <b>Grade 10</b> | 10.0%         | 10.0%          | 15.0%        | 85.0%         |
| <b>Heroin</b>   |                 |               |                |              |               |
|                 | <b>All</b>      | 3.2%          | 3.2%           | 5.3%         | 94.7%         |
|                 | <b>Grade 8</b>  | 5.4%          | 5.4%           | 5.4%         | 94.6%         |
|                 | <b>Grade 10</b> | 0.0%          | 0.0%           | 5.3%         | 94.7%         |

**Dumas  
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 15.0%         | 22.8%          | 37.2%        | 62.8%         |
|   | Grade 8  | 4.3%          | 17.0%          | 31.9%        | 68.1%         |
|   | Grade 10 | 31.8%         | 31.8%          | 45.5%        | 54.5%         |
| <b>Alcohol</b>                            | All      | 32.9%         | 42.8%          | 57.0%        | 43.0%         |
|   | Grade 8  | 25.0%         | 35.4%          | 50.0%        | 50.0%         |
|   | Grade 10 | 45.5%         | 54.5%          | 68.2%        | 31.8%         |
| <b>Inhalants</b>                          | All      | 10.7%         | 21.7%          | 33.9%        | 66.1%         |
|   | Grade 8  | 6.3%          | 18.8%          | 33.3%        | 66.7%         |
|   | Grade 10 | 17.4%         | 26.1%          | 34.8%        | 65.2%         |
| <b>Any Illicit Drug</b>                   | All      | 13.6%         | 19.6%          | 25.1%        | 74.9%         |
|   | Grade 8  | 8.3%          | 12.5%          | 18.8%        | 81.3%         |
|   | Grade 10 | 21.7%         | 30.4%          | 34.8%        | 65.2%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 9.0%          | 13.8%          | 22.9%        | 77.1%         |
|   | Grade 8  | 6.4%          | 8.5%           | 14.9%        | 85.1%         |
|   | Grade 10 | 13.0%         | 21.7%          | 34.8%        | 65.2%         |
| <b>Marijuana Only</b>                     | All      | 3.0%          | 3.0%           | 7.2%         | 92.8%         |
|   | Grade 8  | 2.1%          | 2.1%           | 6.3%         | 93.8%         |
|   | Grade 10 | 4.3%          | 4.3%           | 8.7%         | 91.3%         |
| <b>Cocaine or Crack</b>                   | All      | 3.0%          | 5.6%           | 9.9%         | 90.1%         |
|   | Grade 8  | 2.1%          | 6.3%           | 10.4%        | 89.6%         |
|   | Grade 10 | 4.5%          | 4.5%           | 9.1%         | 90.9%         |
| <b>Cocaine</b>                            | All      | 3.0%          | 4.3%           | 7.3%         | 92.7%         |
|   | Grade 8  | 2.1%          | 4.2%           | 6.3%         | 93.8%         |
|   | Grade 10 | 4.5%          | 4.5%           | 9.1%         | 90.9%         |
| <b>Crack</b>                              | All      | 0.0%          | 3.1%           | 4.4%         | 95.6%         |
|   | Grade 8  | 0.0%          | 2.1%           | 4.3%         | 95.7%         |
|   | Grade 10 | 0.0%          | 4.5%           | 4.5%         | 95.5%         |
| <b>Hallucinogens</b>                      | All      | 4.4%          | 4.4%           | 7.9%         | 92.1%         |
|   | Grade 8  | 4.3%          | 4.3%           | 4.3%         | 95.7%         |
|   | Grade 10 | 4.5%          | 4.5%           | 13.6%        | 86.4%         |
| <b>Uppers</b>                             | All      | 6.1%          | 9.7%           | 11.5%        | 88.5%         |
|   | Grade 8  | 4.3%          | 4.3%           | 4.3%         | 95.7%         |
|   | Grade 10 | 9.1%          | 18.2%          | 22.7%        | 77.3%         |
| <b>Downers</b>                            | All      | 5.4%          | 7.2%           | 9.0%         | 91.0%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 14.3%         | 19.0%          | 23.8%        | 76.2%         |

**Dumas  
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 3.5%                  | 5.2%                   | 7.8%                 | 92.2%                 |
|                 | <b>Grade 8</b>  | 0.0%                  | 0.0%                   | 4.2%                 | 95.8%                 |
|                 | <b>Grade 10</b> | 9.1%                  | 13.6%                  | 13.6%                | 86.4%                 |
| <b>Steroids</b> |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 1.3%                  | 1.3%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 8</b>  | 2.1%                  | 2.1%                   | 2.1%                 | 97.9%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
| <b>Ecstasy</b>  |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 4.8%                  | 6.0%                   | 10.8%                | 89.2%                 |
|                 | <b>Grade 8</b>  | 2.1%                  | 4.3%                   | 6.4%                 | 93.6%                 |
|                 | <b>Grade 10</b> | 8.7%                  | 8.7%                   | 17.4%                | 82.6%                 |
| <b>Heroin</b>   |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 2.6%                  | 2.6%                   | 6.2%                 | 93.8%                 |
|                 | <b>Grade 8</b>  | 4.2%                  | 4.2%                   | 4.2%                 | 95.8%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 9.5%                 | 90.5%                 |

**Dumas  
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years**

|   |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|---|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>                            | All      | 10.3%         | 14.9%          | 27.9%        | 72.1%         |
|   | Grade 8  | 5.0%          | 6.6%           | 19.9%        | 80.1%         |
|   | Grade 10 | 18.4%         | 27.6%          | 40.2%        | 59.8%         |
| <b>Alcohol</b>                            | All      | 24.2%         | 31.0%          | 58.4%        | 41.6%         |
|   | Grade 8  | 19.8%         | 28.0%          | 56.0%        | 44.0%         |
|   | Grade 10 | 31.0%         | 35.6%          | 62.1%        | 37.9%         |
| <b>Inhalants</b>                          | All      | 9.8%          | 13.1%          | 23.5%        | 76.5%         |
|   | Grade 8  | 7.1%          | 10.4%          | 20.9%        | 79.1%         |
|   | Grade 10 | 13.8%         | 17.2%          | 27.6%        | 72.4%         |
| <b>Any Illicit Drug</b>                   | All      | 7.7%          | 11.8%          | 18.8%        | 81.2%         |
|   | Grade 8  | 6.0%          | 8.2%           | 15.4%        | 84.6%         |
|   | Grade 10 | 10.3%         | 17.2%          | 24.1%        | 75.9%         |
| <b>Marijuana &amp; Other Illicit Drug</b> | All      | 5.9%          | 9.4%           | 18.0%        | 82.0%         |
|   | Grade 8  | 4.4%          | 7.2%           | 13.9%        | 86.1%         |
|   | Grade 10 | 8.0%          | 12.6%          | 24.1%        | 75.9%         |
| <b>Marijuana Only</b>                     | All      | 1.6%          | 2.8%           | 7.3%         | 92.7%         |
|   | Grade 8  | 1.1%          | 1.6%           | 6.0%         | 94.0%         |
|   | Grade 10 | 2.3%          | 4.6%           | 9.2%         | 90.8%         |
| <b>Cocaine or Crack</b>                   | All      | 0.8%          | 1.6%           | 3.6%         | 96.4%         |
|   | Grade 8  | 0.6%          | 1.1%           | 2.2%         | 97.8%         |
|   | Grade 10 | 1.1%          | 2.3%           | 5.7%         | 94.3%         |
| <b>Cocaine</b>                            | All      | 0.8%          | 1.6%           | 3.6%         | 96.4%         |
|   | Grade 8  | 0.6%          | 1.1%           | 2.2%         | 97.8%         |
|   | Grade 10 | 1.1%          | 2.3%           | 5.7%         | 94.3%         |
| <b>Crack</b>                              | All      | 0.5%          | 0.9%           | 1.4%         | 98.6%         |
|   | Grade 8  | 0.0%          | 0.0%           | 0.0%         | 100.0%        |
|   | Grade 10 | 1.2%          | 2.3%           | 3.5%         | 96.5%         |
| <b>Hallucinogens</b>                      | All      | 2.6%          | 3.3%           | 4.3%         | 95.7%         |
|   | Grade 8  | 2.8%          | 3.9%           | 5.6%         | 94.4%         |
|   | Grade 10 | 2.3%          | 2.3%           | 2.3%         | 97.7%         |
| <b>Uppers</b>                             | All      | 0.5%          | 1.9%           | 3.3%         | 96.7%         |
|   | Grade 8  | 0.0%          | 0.0%           | 1.7%         | 98.3%         |
|   | Grade 10 | 1.1%          | 4.6%           | 5.7%         | 94.3%         |
| <b>Downers</b>                            | All      | 1.4%          | 2.8%           | 3.5%         | 96.5%         |
|   | Grade 8  | 0.0%          | 0.0%           | 1.1%         | 98.9%         |
|   | Grade 10 | 3.5%          | 7.1%           | 7.1%         | 92.9%         |

**Dumas  
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 0.8%                  | 1.6%                   | 3.2%                 | 96.8%                 |
|                 | <b>Grade 8</b>  | 0.6%                  | 1.1%                   | 2.3%                 | 97.7%                 |
|                 | <b>Grade 10</b> | 1.2%                  | 2.3%                   | 4.7%                 | 95.3%                 |
| <b>Steroids</b> | <b>All</b>      | 0.3%                  | 0.3%                   | 0.3%                 | 99.7%                 |
|                 | <b>Grade 8</b>  | 0.6%                  | 0.6%                   | 0.6%                 | 99.4%                 |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
| <b>Ecstasy</b>  | <b>All</b>      | 1.2%                  | 1.2%                   | 2.4%                 | 97.6%                 |
|                 | <b>Grade 8</b>  | 1.1%                  | 1.1%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 10</b> | 1.2%                  | 1.2%                   | 3.5%                 | 96.5%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.0%                  | 0.0%                   | 0.5%                 | 99.5%                 |
|                 | <b>Grade 8</b>  | 0.0%                  | 0.0%                   | 0.0%                 | 100.0%                |
|                 | <b>Grade 10</b> | 0.0%                  | 0.0%                   | 1.2%                 | 98.8%                 |

### 3. Margin Tables

**Dumas  
Spring 2010**

The FREQ Procedure

| <b>GENDER</b> |                          |       |  |
|---------------|--------------------------|-------|--|
| <b>q1</b>     | <b>Frequency Percent</b> |       |  |
| <b>Female</b> | 159                      | 46.43 |  |
| <b>Male</b>   | 183                      | 53.57 |  |

| <b>GRADE</b>    |                          |       |  |
|-----------------|--------------------------|-------|--|
| <b>q2</b>       | <b>Frequency Percent</b> |       |  |
| <b>Grade 8</b>  | 208                      | 60.71 |  |
| <b>Grade 10</b> | 134                      | 39.29 |  |

| <b>LIVE WITH BOTH PARENTS</b> |                          |       |  |
|-------------------------------|--------------------------|-------|--|
| <b>q3</b>                     | <b>Frequency Percent</b> |       |  |
| <b>No</b>                     | 123                      | 36.34 |  |
| <b>Yes</b>                    | 216                      | 63.66 |  |

Frequency Missing = 2.6850369458

| <b>AGE</b> |                          |       |  |
|------------|--------------------------|-------|--|
| <b>q4</b>  | <b>Frequency Percent</b> |       |  |
| <b>13</b>  | 99                       | 29.05 |  |
| <b>14</b>  | 98                       | 28.53 |  |
| <b>15</b>  | 84                       | 24.57 |  |
| <b>16</b>  | 55                       | 16.07 |  |
| <b>17</b>  | 5                        | 1.43  |  |
| <b>18</b>  | 1                        | 0.36  |  |

| <b>ETHNICITY</b>        |                          |       |  |
|-------------------------|--------------------------|-------|--|
| <b>q5</b>               | <b>Frequency Percent</b> |       |  |
| <b>African/American</b> | 3                        | 0.98  |  |
| <b>Asian/American</b>   | 4                        | 1.08  |  |
| <b>Mexican/American</b> | 234                      | 68.80 |  |
| <b>Native/American</b>  | 4                        | 1.05  |  |
| <b>Other</b>            | 11                       | 3.18  |  |
| <b>White</b>            | 85                       | 24.91 |  |

Frequency Missing = 1.7900246305

| <b>ON AVERAGE WHAT GRADES DO YOU GET</b> |                          |       |  |
|--|--------------------------|-------|--|
| <b>q6</b>                                | <b>Frequency Percent</b> |       |  |
| <b>Mostly A's</b>                        | 110                      | 32.94 |  |
| <b>Mostly B's</b>                        | 183                      | 54.86 |  |
| <b>Mostly C's</b>                        | 38                       | 11.40 |  |
| <b>Mostly D's</b>                        | 1                        | 0.27  |  |
| <b>Mostly F's</b>                        | 2                        | 0.54  |  |

Frequency Missing = 8.4657635468

| <b>LENGTH OF TIME IN THIS DISTRICT</b> |                          |       |  |
|--|--------------------------|-------|--|
| <b>q7</b>                              | <b>Frequency Percent</b> |       |  |
| <b>&lt;1 year</b>                      | 27                       | 8.06  |  |
| <b>2-3 years</b>                       | 44                       | 12.82 |  |
| <b>&gt;4 years</b>                     | 269                      | 79.11 |  |

Frequency Missing = 1.7900246305

| <b>DO YOU HAVE A JOB</b> |                          |       |  |
|--------------------------|--------------------------|-------|--|
| <b>q8</b>                | <b>Frequency Percent</b> |       |  |
| <b>No</b>                | 288                      | 84.54 |  |
| <b>Yes</b>               | 53                       | 15.46 |  |

Frequency Missing = 1.7900246305

| <b>DO YOU GET AN ALLOWANCE</b> |                          |       |  |
|--------------------------------|--------------------------|-------|--|
| <b>q9</b>                      | <b>Frequency Percent</b> |       |  |
| <b>No</b>                      | 220                      | 65.23 |  |
| <b>Yes</b>                     | 117                      | 34.77 |  |

Frequency Missing = 5.1278940887

| <b>EITHER PARENT COLLEGE GRADUATE</b> |                          |       |  |
|---------------------------------------|--------------------------|-------|--|
| <b>q10</b>                            | <b>Frequency Percent</b> |       |  |
| <b>Don't Know</b>                     | 88                       | 25.87 |  |
| <b>No</b>                             | 166                      | 48.63 |  |
| <b>Yes</b>                            | 87                       | 25.51 |  |

Frequency Missing = 1.2214285714

| <b>QUALIFY FOR FREE/REDUCED PRICE LUNCH</b> |                          |       |  |
|---|--------------------------|-------|--|
| <b>q11</b>                                  | <b>Frequency Percent</b> |       |  |
| <b>Don't Know</b>                           | 61                       | 17.75 |  |
| <b>No</b>                                   | 141                      | 41.30 |  |
| <b>Yes</b>                                  | 140                      | 40.94 |  |

Frequency Missing = 0.8950123153

| <b>PARTICIPATE IN SCHOOL ATHLETICS</b> |                          |       |  |
|--|--------------------------|-------|--|
| <b>q12a</b>                            | <b>Frequency Percent</b> |       |  |
| <b>No</b>                              | 150                      | 47.84 |  |
| <b>Yes</b>                             | 163                      | 52.16 |  |

Frequency Missing = 29.461699507

| <b>PARTICIPATE IN SCHOOL BAND/ORCHESTRA</b> |                          |       |  |
|---|--------------------------|-------|--|
| <b>q12b</b>                                 | <b>Frequency Percent</b> |       |  |
| <b>No</b>                                   | 237                      | 83.56 |  |
| <b>Yes</b>                                  | 47                       | 16.44 |  |

Frequency Missing = 58.281096059

| <b>PARTICIPATE IN SCHOOL CHOIR</b> |                          |       |  |
|------------------------------------|--------------------------|-------|--|
| <b>q12c</b>                        | <b>Frequency Percent</b> |       |  |
| <b>No</b>                          | 198                      | 68.54 |  |
| <b>Yes</b>                         | 91                       | 31.46 |  |

Frequency Missing = 53.56385468

| <b>PARTICIPATE IN DRAMA/SPEECH/ART CLUBS</b> |                          |       |  |
|--|--------------------------|-------|--|
| <b>q12d</b>                                  | <b>Frequency Percent</b> |       |  |
| <b>No</b>                                    | 168                      | 59.58 |  |
| <b>Yes</b>                                   | 114                      | 40.42 |  |

Frequency Missing = 59.344581281

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

| <b>PARTICIPATE IN DRILL<br/>TEAM/CHEERLEADING</b> |                  |                |
|---|------------------|----------------|
| <b>q12e</b>                                       | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 266              | 96.51          |
| <b>Yes</b>  | 10               | 3.49           |

Frequency Missing = 66.746859606

| <b>PARTICIPATE IN<br/>SCHOOL SERVICE<br/>CLUBS</b> |                  |                |
|--|------------------|----------------|
| <b>q12j</b>  | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 270              | 98.26          |
| <b>Yes</b>   | 5                | 1.74           |

Frequency Missing = 66.746859606

| <b>DO YOU FEEL SAFE IN YOUR<br/>HOME</b> |                  |                |
|--|------------------|----------------|
| <b>q13a</b>                              | <b>Frequency</b> | <b>Percent</b> |
| <b>Very Safe</b>                         | 290              | 85.83          |
| <b>Somewhat Safe</b>                     | 42               | 12.48          |
| <b>Not Very Safe</b>                     | 3                | 0.79           |
| <b>Don't Know</b>                        | 3                | 0.89           |

Frequency Missing = 3.5800492611

| <b>PARTICIPATE IN<br/>STUDENT<br/>GOVERNMENT</b> |                  |                |
|--|------------------|----------------|
| <b>q12f</b>                                      | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 253              | 93.33          |
| <b>Yes</b>                                       | 18               | 6.67           |

Frequency Missing = 71.221921182

| <b>PARTICIPATE IN<br/>OTHER SCHOOL<br/>CLUBS OR GROUPS</b> |                  |                |
|--|------------------|----------------|
| <b>q12k</b>  | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 246              | 88.87          |
| <b>Yes</b>   | 31               | 11.13          |

Frequency Missing = 64.956834975

| <b>DO YOU FEEL SAFE IN YOUR<br/>NEIGHBORHOOD</b> |                  |                |
|--|------------------|----------------|
| <b>q13b</b>                                      | <b>Frequency</b> | <b>Percent</b> |
| <b>Very Safe</b>                                 | 134              | 39.89          |
| <b>Somewhat Safe</b>                             | 172              | 51.16          |
| <b>Not Very Safe</b>                             | 23               | 6.90           |
| <b>Not Safe At All</b>                           | 1                | 0.27           |
| <b>Don't Know</b>                                | 6                | 1.79           |

Frequency Missing = 5.6964901478

| <b>PARTICIPATE IN SCHOOL<br/>NEWSPAPER/YEARBOOK</b> |                  |                |
|---|------------------|----------------|
| <b>q12g</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 257              | 94.92          |
| <b>Yes</b>  | 14               | 5.08           |

Frequency Missing = 71.548337438

| <b>PARTICIPATE IN<br/>ATHLETIC TEAMS<br/>OUTSIDE OF SCHOOL</b> |                  |                |
|--|------------------|----------------|
| <b>q12l</b>  | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 206              | 68.73          |
| <b>Yes</b>   | 94               | 31.27          |

Frequency Missing = 41.918165025

| <b>DO YOU FEEL SAFE AT<br/>SCHOOL</b> |                  |                |
|---------------------------------------|------------------|----------------|
| <b>q13c</b>                           | <b>Frequency</b> | <b>Percent</b> |
| <b>Very Safe</b>                      | 181              | 53.35          |
| <b>Somewhat Safe</b>                  | 130              | 38.39          |
| <b>Not Very Safe</b>                  | 16               | 4.71           |
| <b>Not Safe At All</b>                | 1                | 0.26           |
| <b>Don't Know</b>                     | 11               | 3.29           |

Frequency Missing = 3.011453202

| <b>PARTICIPATE IN<br/>ACADEMIC<br/>CLUBS/SOCIETIES</b> |                  |                |
|--|------------------|----------------|
| <b>q12h</b>  | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 212              | 75.37          |
| <b>Yes</b>   | 69               | 24.63          |

Frequency Missing = 60.155357143

| <b>PARTICIPATE IN<br/>OTHER CLUBS OR<br/>GROUPS OUTSIDE OF<br/>SCHOOL</b> |                  |                |
|---|------------------|----------------|
| <b>q12m</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 227              | 79.33          |
| <b>Yes</b>  | 59               | 20.67          |

Frequency Missing = 56.491071429

| <b>PARTICIPATE IN<br/>ACADEMIC<br/>COMPETITION<br/>GROUPS</b> |                  |                |
|---|------------------|----------------|
| <b>q12i</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 248              | 89.26          |
| <b>Yes</b>  | 30               | 10.74          |

Frequency Missing = 64.630418719

| <b>FRIENDS FEELING<br/>CLOSE TO THEIR<br/>PARENTS</b> |                  |                |
|---|------------------|----------------|
| <b>q14a</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>None</b>   | 31               | 9.18           |
| <b>A Few</b>  | 80               | 23.57          |
| <b>Some</b>   | 97               | 28.70          |
| <b>Most</b>   | 105              | 31.01          |
| <b>All</b>  | 25               | 7.54           |

Frequency Missing = 4.2328817734

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district



**Dumas  
Spring 2010**

| <b>HOW MANY FRIENDS<br/>CARRY WEAPONS</b> |                  |                |
|---|------------------|----------------|
| <b>q14b</b>                               | <b>Frequency</b> | <b>Percent</b> |
| None                                      | 237              | 72.17          |
| A Few                                     | 52               | 15.88          |
| Some                                      | 28               | 8.63           |
| Most                                      | 9                | 2.67           |
| All                                       | 2                | 0.64           |

Frequency Missing = 12.940825123

| <b>HOW MANY FRIENDS<br/>CARE ABOUT GOOD<br/>GRADES</b> |                  |                |
|--|------------------|----------------|
| <b>q14c</b>  | <b>Frequency</b> | <b>Percent</b> |
| None   | 11               | 3.43           |
| A Few  | 47               | 14.38          |
| Some   | 79               | 24.31          |
| Most   | 135              | 41.47          |
| All  | 53               | 16.41          |

Frequency Missing = 16.605110837

| <b>HOW MANY FRIENDS<br/>BELONG TO A GANG</b> |                  |                |
|--|------------------|----------------|
| <b>q14d</b>                                  | <b>Frequency</b> | <b>Percent</b> |
| None   | 237              | 70.40          |
| A Few  | 53               | 15.77          |
| Some   | 31               | 9.16           |
| Most   | 12               | 3.61           |
| All  | 4                | 1.07           |

Frequency Missing = 6.0229064039

| <b>FRIENDS WISHING TO<br/>DROP OUT OF<br/>SCHOOL</b> |                  |                |
|--|------------------|----------------|
| <b>q14e</b>  | <b>Frequency</b> | <b>Percent</b> |
| None   | 183              | 54.40          |
| A Few  | 91               | 26.89          |
| Some   | 40               | 11.93          |
| Most   | 9                | 2.58           |
| All  | 14               | 4.20           |

Frequency Missing = 4.8014778325

| <b>PARENTS ATTEND<br/>PTA/SCHOOL OPEN<br/>HOUSES</b> |                  |                |
|--|------------------|----------------|
| <b>q15</b>   | <b>Frequency</b> | <b>Percent</b> |
| No   | 147              | 50.30          |
| Yes  | 145              | 49.70          |

Frequency Missing = 49.731096059

| <b>RECENT INHALANT USE - SPRAY<br/>PAINT</b> |                  |                |
|--|------------------|----------------|
| <b>Q16A</b>                                  | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used                             | 315              | 92.80          |
| In Your Lifetime                             | 14               | 4.25           |
| Since School Began                           | 6                | 1.71           |
| In the Past Month                            | 4                | 1.25           |

Frequency Missing = 3.011453202

| <b>RECENT INHALANT USE -<br/>WHITEOUT, CORRECTION FLUID,<br/>MAGIC MARKERS</b> |                  |                |
|--|------------------|----------------|
| <b>Q16B</b>  | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used   | 300              | 88.59          |
| In Your Lifetime   | 20               | 5.79           |
| Since School Began   | 8                | 2.50           |
| In the Past Month  | 11               | 3.12           |

Frequency Missing = 3.011453202

| <b>RECENT INHALANT USE -<br/>COMPUTER DUSTING SPRAYS</b> |                  |                |
|--|------------------|----------------|
| <b>Q16C</b>  | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used   | 297              | 87.51          |
| In Your Lifetime   | 21               | 6.08           |
| Since School Began                                       | 2                | 0.53           |
| In the Past Month  | 20               | 5.88           |

Frequency Missing = 3.011453202

| <b>RECENT INHALANT USE - HELIUM,<br/>BUTANE, PROPANE, WHIPPETS,<br/>REFRIGERANTS/FREON</b> |                  |                |
|--|------------------|----------------|
| <b>Q16D</b>  | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used   | 306              | 90.60          |
| In Your Lifetime   | 19               | 5.54           |
| Since School Began   | 7                | 2.14           |
| In the Past Month  | 6                | 1.71           |

Frequency Missing = 4.2328817734

| <b>RECENT INHALANT USE - GLUE</b> |                  |                |
|-----------------------------------|------------------|----------------|
| <b>Q16E</b>                       | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used                  | 329              | 97.14          |
| In Your Lifetime                  | 6                | 1.78           |
| In the Past Month                 | 4                | 1.08           |

Frequency Missing = 3.5800492611

| <b>RECENT INHALANT USE -<br/>TOLUENE, PAINT THINNER,<br/>OTHER SOLVENTS</b> |                  |                |
|---|------------------|----------------|
| <b>Q16F</b>   | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used  | 326              | 96.25          |
| In Your Lifetime  | 6                | 1.88           |
| Since School Began  | 4                | 1.15           |
| In the Past Month   | 2                | 0.72           |

Frequency Missing = 3.5800492611

| <b>RECENT INHALANT USE -<br/>GASOLINE, OCTANE BOOSTER,<br/>CARBURETOR CLEANER</b> |                  |                |
|---|------------------|----------------|
| <b>Q16G</b>   | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used  | 317              | 94.59          |
| In Your Lifetime  | 11               | 3.16           |
| Since School Began  | 2                | 0.53           |
| In the Past Month   | 6                | 1.72           |

Frequency Missing = 6.6757389163

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

| <b>RECENT INHALANT USE - OTHER<br/>AEROSOLS/SPRAYS</b> |     |       |
|--|-----|-------|
| <b>Q16H Frequency Percent</b>                          |     |       |
| Never Heard/Used                                       | 310 | 92.02 |
| <b>In Your Lifetime</b>                                | 14  | 4.04  |
| Since School Began                                     | 4   | 1.33  |
| <b>In the Past Month</b>                               | 9   | 2.61  |

Frequency Missing = 5.4543103448

| <b>RECENT CIGARETTE USE</b>   |     |       |
|-------------------------------|-----|-------|
| <b>Q17A Frequency Percent</b> |     |       |
| Never Heard/Used              | 243 | 71.86 |
| <b>In Your Lifetime</b>       | 44  | 12.90 |
| Since School Began            | 17  | 5.01  |
| <b>In the Past Month</b>      | 35  | 10.23 |

Frequency Missing = 3.9064655172

| <b>RECENT SMOKELESS TOBACCO<br/>USE</b> |     |       |
|---|-----|-------|
| <b>Q17B Frequency Percent</b>           |     |       |
| Never Heard/Used                        | 302 | 90.89 |
| <b>In Your Lifetime</b>                 | 12  | 3.55  |
| Since School Began                      | 5   | 1.64  |
| <b>In the Past Month</b>                | 13  | 3.92  |

Frequency Missing = 9.6871921182

| <b>RECENT BEER USE</b>        |     |       |
|-------------------------------|-----|-------|
| <b>Q17C Frequency Percent</b> |     |       |
| Never Heard/Used              | 158 | 47.26 |
| <b>In Your Lifetime</b>       | 77  | 23.02 |
| Since School Began            | 25  | 7.44  |
| <b>In the Past Month</b>      | 75  | 22.27 |

Frequency Missing = 7.2443349754

| <b>RECENT WINE COOLER USE</b> |     |       |
|-------------------------------|-----|-------|
| <b>Q17D Frequency Percent</b> |     |       |
| Never Heard/Used              | 208 | 62.07 |
| <b>In Your Lifetime</b>       | 52  | 15.45 |
| Since School Began            | 19  | 5.65  |
| <b>In the Past Month</b>      | 56  | 16.83 |

Frequency Missing = 6.3493226601

| <b>RECENT WINE USE</b>        |     |       |
|-------------------------------|-----|-------|
| <b>Q17E Frequency Percent</b> |     |       |
| Never Heard/Used              | 214 | 65.44 |
| <b>In Your Lifetime</b>       | 60  | 18.44 |
| Since School Began            | 11  | 3.50  |
| <b>In the Past Month</b>      | 41  | 12.62 |

Frequency Missing = 14.404433498

| <b>RECENT LIQUOR USE</b>      |     |       |
|-------------------------------|-----|-------|
| <b>Q17F Frequency Percent</b> |     |       |
| Never Heard/Used              | 225 | 66.90 |
| <b>In Your Lifetime</b>       | 52  | 15.47 |
| Since School Began            | 18  | 5.46  |
| <b>In the Past Month</b>      | 41  | 12.17 |

Frequency Missing = 6.3493226601

| <b>RECENT INHALANT USE</b>    |     |       |
|-------------------------------|-----|-------|
| <b>Q17G Frequency Percent</b> |     |       |
| Never Heard/Used              | 299 | 88.79 |
| <b>In Your Lifetime</b>       | 20  | 6.02  |
| Since School Began            | 5   | 1.59  |
| <b>In the Past Month</b>      | 12  | 3.60  |

Frequency Missing = 5.1278940887

| <b>RECENT MARIJUANA USE</b>   |     |       |
|-------------------------------|-----|-------|
| <b>Q18A Frequency Percent</b> |     |       |
| Never Heard/Used              | 275 | 81.12 |
| <b>In Your Lifetime</b>       | 29  | 8.64  |
| Since School Began            | 13  | 3.74  |
| <b>In the Past Month</b>      | 22  | 6.50  |

Frequency Missing = 2.6850369458

| <b>RECENT COCAINE USE</b>     |     |       |
|-------------------------------|-----|-------|
| <b>Q18B Frequency Percent</b> |     |       |
| Never Heard/Used              | 322 | 95.61 |
| <b>In Your Lifetime</b>       | 8   | 2.25  |
| Since School Began            | 3   | 0.89  |
| <b>In the Past Month</b>      | 4   | 1.26  |

Frequency Missing = 4.8014778325

| <b>RECENT CRACK USE</b>       |     |       |
|-------------------------------|-----|-------|
| <b>Q18C Frequency Percent</b> |     |       |
| Never Heard/Used              | 329 | 98.01 |
| <b>In Your Lifetime</b>       | 2   | 0.63  |
| Since School Began            | 3   | 0.99  |
| <b>In the Past Month</b>      | 1   | 0.36  |

Frequency Missing = 6.0229064039

| <b>RECENT HALLUCINOGEN USE</b> |     |       |
|--------------------------------|-----|-------|
| <b>Q18E Frequency Percent</b>  |     |       |
| Never Heard/Used               | 319 | 94.99 |
| <b>In Your Lifetime</b>        | 5   | 1.52  |
| Since School Began             | 2   | 0.53  |
| <b>In the Past Month</b>       | 10  | 2.95  |

Frequency Missing = 5.6964901478

| <b>RECENT UPPER USE</b>       |     |       |
|-------------------------------|-----|-------|
| <b>Q18F Frequency Percent</b> |     |       |
| Never Heard/Used              | 317 | 95.00 |
| <b>In Your Lifetime</b>       | 5   | 1.54  |
| Since School Began            | 6   | 1.83  |
| <b>In the Past Month</b>      | 5   | 1.63  |

Frequency Missing = 8.3815270936

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

| <b>RECENT DOWNER USE</b>      |     |       |
|-------------------------------|-----|-------|
| <b>Q18G Frequency Percent</b> |     |       |
| Never Heard/Used              | 315 | 95.39 |
| <b>In Your Lifetime</b>       | 3   | 0.91  |
| Since School Began            | 5   | 1.48  |
| <b>In the Past Month</b>      | 7   | 2.22  |

Frequency Missing = 12.045812808

| <b>RECENT ROHYPNOL USE</b>    |     |       |
|-------------------------------|-----|-------|
| <b>Q18H Frequency Percent</b> |     |       |
| Never Heard/Used              | 320 | 95.83 |
| <b>In Your Lifetime</b>       | 6   | 1.80  |
| Since School Began            | 3   | 1.00  |
| <b>In the Past Month</b>      | 5   | 1.36  |

Frequency Missing = 7.8129310345

| <b>RECENT STEROID USE</b>     |     |       |
|-------------------------------|-----|-------|
| <b>Q18I Frequency Percent</b> |     |       |
| Never Heard/Used              | 332 | 99.46 |
| <b>In the Past Month</b>      | 2   | 0.54  |

Frequency Missing = 7.8129310345

| <b>RECENT ECSTASY USE</b>     |     |       |
|-------------------------------|-----|-------|
| <b>Q18J Frequency Percent</b> |     |       |
| Never Heard/Used              | 320 | 95.83 |
| <b>In Your Lifetime</b>       | 7   | 2.00  |
| Since School Began            | 1   | 0.27  |
| <b>In the Past Month</b>      | 6   | 1.90  |

Frequency Missing = 8.3815270936

| <b>RECENT HEROIN USE</b>      |     |       |
|-------------------------------|-----|-------|
| <b>Q18K Frequency Percent</b> |     |       |
| Never Heard/Used              | 329 | 98.37 |
| <b>In Your Lifetime</b>       | 4   | 1.09  |
| <b>In the Past Month</b>      | 2   | 0.53  |

Frequency Missing = 7.2443349754

| <b>TOBACCO USE IN PAST MONTH</b> |     |       |
|----------------------------------|-----|-------|
| <b>q19a Frequency Percent</b>    |     |       |
| Never Heard/Used                 | 298 | 88.83 |
| <b>1-2 times</b>                 | 23  | 6.76  |
| <b>3-10 times</b>                | 6   | 1.79  |
| <b>11+ times</b>                 | 9   | 2.62  |

Frequency Missing = 6.0229064039

| <b>ALCOHOL USE IN PAST MONTH</b> |     |       |
|----------------------------------|-----|-------|
| <b>q19b Frequency Percent</b>    |     |       |
| Never Heard/Used                 | 235 | 70.19 |
| <b>1-2 times</b>                 | 50  | 15.07 |
| <b>3-10 times</b>                | 27  | 8.15  |
| <b>11+ times</b>                 | 22  | 6.59  |

Frequency Missing = 7.2443349754

| <b>INHALANT USE IN PAST MONTH</b> |     |       |
|-----------------------------------|-----|-------|
| <b>q19c Frequency Percent</b>     |     |       |
| Never Heard/Used                  | 321 | 95.17 |
| <b>1-2 times</b>                  | 8   | 2.32  |
| <b>3-10 times</b>                 | 5   | 1.52  |
| <b>11+ times</b>                  | 3   | 0.99  |

Frequency Missing = 5.1278940887

| <b>MARIJUANA USE IN PAST MONTH</b> |     |       |
|------------------------------------|-----|-------|
| <b>q19d Frequency Percent</b>      |     |       |
| Never Heard/Used                   | 294 | 87.35 |
| <b>1-2 times</b>                   | 21  | 6.39  |
| <b>3-10 times</b>                  | 9   | 2.59  |
| <b>11+ times</b>                   | 12  | 3.68  |

Frequency Missing = 5.4543103448

| <b>COCAINE USE IN PAST MONTH</b> |     |       |
|----------------------------------|-----|-------|
| <b>q19e Frequency Percent</b>    |     |       |
| Never Heard/Used                 | 332 | 98.13 |
| <b>1-2 times</b>                 | 3   | 0.99  |
| <b>3-10 times</b>                | 3   | 0.89  |

Frequency Missing = 3.3378694581

| <b>CRACK USE IN PAST MONTH</b> |     |       |
|--------------------------------|-----|-------|
| <b>q19f Frequency Percent</b>  |     |       |
| Never Heard/Used               | 333 | 98.74 |
| <b>1-2 times</b>               | 3   | 0.99  |
| <b>11+ times</b>               | 1   | 0.27  |

Frequency Missing = 5.1278940887

| <b>CLOSE FRIENDS USE CIGARETTES</b> |     |       |
|-------------------------------------|-----|-------|
| <b>q20a Frequency Percent</b>       |     |       |
| Never heard/None                    | 183 | 54.65 |
| <b>A few</b>                        | 105 | 31.26 |
| <b>Some</b>                         | 31  | 9.11  |
| <b>Most</b>                         | 14  | 4.25  |
| <b>All</b>                          | 2   | 0.73  |

Frequency Missing = 6.9179187192

| <b>CLOSE FRIENDS USE SMOKELESS TOBACCO</b> |     |       |
|--|-----|-------|
| <b>q20b Frequency Percent</b>              |     |       |
| Never heard/None                           | 253 | 76.74 |
| <b>A few</b>                               | 48  | 14.51 |
| <b>Some</b>                                | 20  | 5.98  |
| <b>Most</b>                                | 9   | 2.77  |

Frequency Missing = 12.69864532

| <b>CLOSE FRIENDS USE BEER</b> |     |       |
|-------------------------------|-----|-------|
| <b>q20c Frequency Percent</b> |     |       |
| Never heard/None              | 101 | 30.54 |
| <b>A few</b>                  | 103 | 30.88 |
| <b>Some</b>                   | 46  | 13.90 |
| <b>Most</b>                   | 62  | 18.75 |
| <b>All</b>                    | 20  | 5.93  |

Frequency Missing = 9.9293719212

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

| <b>CLOSE FRIENDS USE WINE COOLERS</b> |             |                          |
|---------------------------------------|-------------|--------------------------|
|                                       | <b>q20d</b> | <b>Frequency Percent</b> |
| Never heard/None                      | 184         | 55.64                    |
| A few                                 | 65          | 19.66                    |
| Some                                  | 38          | 11.42                    |
| Most                                  | 29          | 8.78                     |
| All                                   | 15          | 4.50                     |

Frequency Missing = 11.150800493

| <b>CLOSE FRIENDS USE MARIJUANA</b> |             |                          |
|------------------------------------|-------------|--------------------------|
|                                    | <b>q20h</b> | <b>Frequency Percent</b> |
| Never heard/None                   | 211         | 63.59                    |
| A few                              | 56          | 16.78                    |
| Some                               | 30          | 9.18                     |
| Most                               | 25          | 7.63                     |
| All                                | 9           | 2.82                     |

Frequency Missing = 10.255788177

| <b>DIFFICULT TO GET WINE COOLERS</b> |             |                          |
|--------------------------------------|-------------|--------------------------|
|                                      | <b>q21d</b> | <b>Frequency Percent</b> |
| Never heard of                       | 72          | 21.89                    |
| Impossible                           | 62          | 18.86                    |
| Very difficult                       | 22          | 6.65                     |
| Somewhat diff                        | 42          | 12.68                    |
| Somewhat easy                        | 56          | 16.94                    |
| Very easy                            | 76          | 22.98                    |

Frequency Missing = 11.477216749

| <b>CLOSE FRIENDS USE WINE</b> |             |                          |
|-------------------------------|-------------|--------------------------|
|                               | <b>q20e</b> | <b>Frequency Percent</b> |
| Never heard/None              | 202         | 62.10                    |
| A few                         | 68          | 20.88                    |
| Some                          | 27          | 8.36                     |
| Most                          | 20          | 6.23                     |
| All                           | 8           | 2.43                     |

Frequency Missing = 16.84729064

| <b>DIFFICULT TO GET CIGARETTES</b> |             |                          |
|------------------------------------|-------------|--------------------------|
|                                    | <b>q21a</b> | <b>Frequency Percent</b> |
| Never heard of                     | 59          | 17.65                    |
| Impossible                         | 76          | 22.84                    |
| Very difficult                     | 19          | 5.86                     |
| Somewhat diff                      | 40          | 11.91                    |
| Somewhat easy                      | 57          | 17.06                    |
| Very easy                          | 82          | 24.69                    |

Frequency Missing = 9.9293719212

| <b>DIFFICULT TO GET WINE</b> |             |                          |
|------------------------------|-------------|--------------------------|
|                              | <b>q21e</b> | <b>Frequency Percent</b> |
| Never heard of               | 62          | 19.11                    |
| Impossible                   | 69          | 21.40                    |
| Very difficult               | 23          | 7.04                     |
| Somewhat diff                | 51          | 15.67                    |
| Somewhat easy                | 60          | 18.39                    |
| Very easy                    | 60          | 18.39                    |

Frequency Missing = 18.395135468

| <b>CLOSE FRIENDS USE LIQUOR</b> |             |                          |
|---------------------------------|-------------|--------------------------|
|                                 | <b>q20f</b> | <b>Frequency Percent</b> |
| Never heard/None                | 175         | 53.18                    |
| A few                           | 67          | 20.40                    |
| Some                            | 40          | 12.03                    |
| Most                            | 33          | 9.90                     |
| All                             | 15          | 4.49                     |

Frequency Missing = 12.372229064

| <b>DIFFICULT TO GET SMOKELESS TOBACCO</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q21b</b> | <b>Frequency Percent</b> |
| Never heard of                            | 97          | 29.42                    |
| Impossible                                | 90          | 27.25                    |
| Very difficult                            | 27          | 8.18                     |
| Somewhat diff                             | 40          | 12.25                    |
| Somewhat easy                             | 32          | 9.78                     |
| Very easy                                 | 43          | 13.11                    |

Frequency Missing = 11.719396552

| <b>DIFFICULT TO GET LIQUOR</b> |             |                          |
|--------------------------------|-------------|--------------------------|
|                                | <b>q21f</b> | <b>Frequency Percent</b> |
| Never heard of                 | 59          | 17.71                    |
| Impossible                     | 71          | 21.45                    |
| Very difficult                 | 33          | 9.89                     |
| Somewhat diff                  | 38          | 11.39                    |
| Somewhat easy                  | 53          | 16.07                    |
| Very easy                      | 78          | 23.50                    |

Frequency Missing = 11.150800493

| <b>CLOSE FRIENDS USE INHALANTS</b> |             |                          |
|------------------------------------|-------------|--------------------------|
|                                    | <b>q20g</b> | <b>Frequency Percent</b> |
| Never heard/None                   | 230         | 70.32                    |
| A few                              | 61          | 18.78                    |
| Some                               | 23          | 6.92                     |
| Most                               | 13          | 3.98                     |

Frequency Missing = 14.815086207

| <b>DIFFICULT TO GET BEER</b> |             |                          |
|------------------------------|-------------|--------------------------|
|                              | <b>q21c</b> | <b>Frequency Percent</b> |
| Never heard of               | 50          | 15.12                    |
| Impossible                   | 49          | 14.77                    |
| Very difficult               | 19          | 5.65                     |
| Somewhat diff                | 42          | 12.88                    |
| Somewhat easy                | 66          | 19.98                    |
| Very easy                    | 104         | 31.60                    |

Frequency Missing = 12.045812808

| <b>DIFFICULT TO GET INHALANTS</b> |             |                          |
|-----------------------------------|-------------|--------------------------|
|                                   | <b>q21g</b> | <b>Frequency Percent</b> |
| Never heard of                    | 90          | 27.43                    |
| Impossible                        | 69          | 21.05                    |
| Very difficult                    | 19          | 5.86                     |
| Somewhat diff                     | 29          | 8.71                     |
| Somewhat easy                     | 28          | 8.51                     |
| Very easy                         | 94          | 28.45                    |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

Frequency Missing = 12.940825123

| <b>DIFFICULT TO GET MARIJUANA</b> |     |       |
|-----------------------------------|-----|-------|
| <b>q21h Frequency Percent</b>     |     |       |
| Never heard of                    | 72  | 22.08 |
| Impossible                        | 116 | 35.65 |
| Very difficult                    | 23  | 7.16  |
| Somewhat diff                     | 27  | 8.26  |
| Somewhat easy                     | 30  | 9.09  |
| Very easy                         | 58  | 17.75 |

Frequency Missing = 16.931527094

| <b>DIFFICULT TO GET COCAINE</b> |     |       |
|---------------------------------|-----|-------|
| <b>q21i Frequency Percent</b>   |     |       |
| Never heard of                  | 91  | 28.17 |
| Impossible                      | 132 | 40.78 |
| Very difficult                  | 37  | 11.31 |
| Somewhat diff                   | 25  | 7.65  |
| Somewhat easy                   | 18  | 5.54  |
| Very easy                       | 21  | 6.55  |

Frequency Missing = 18.721551724

| <b>DIFFICULT TO GET CRACK</b> |     |       |
|-------------------------------|-----|-------|
| <b>q21j Frequency Percent</b> |     |       |
| Never heard of                | 100 | 30.30 |
| Impossible                    | 133 | 40.47 |
| Very difficult                | 36  | 10.79 |
| Somewhat diff                 | 19  | 5.88  |
| Somewhat easy                 | 20  | 6.15  |
| Very easy                     | 21  | 6.42  |

Frequency Missing = 12.372229064

| <b>DIFFICULT TO GET HALLUCINOGENS</b> |     |       |
|---------------------------------------|-----|-------|
| <b>q21l Frequency Percent</b>         |     |       |
| Never heard of                        | 163 | 49.85 |
| Impossible                            | 85  | 25.85 |
| Very difficult                        | 25  | 7.76  |
| Somewhat diff                         | 22  | 6.77  |
| Somewhat easy                         | 14  | 4.15  |
| Very easy                             | 18  | 5.62  |

Frequency Missing = 14.815086207

| <b>DIFFICULT TO GET UPPERS</b> |     |       |
|--------------------------------|-----|-------|
| <b>q21m Frequency Percent</b>  |     |       |
| Never heard of                 | 184 | 57.06 |
| Impossible                     | 70  | 21.86 |
| Very difficult                 | 19  | 5.94  |
| Somewhat diff                  | 15  | 4.80  |
| Somewhat easy                  | 13  | 3.94  |
| Very easy                      | 21  | 6.40  |

Frequency Missing = 19.942980296

| <b>DIFFICULT TO GET DOWNERS</b> |     |       |
|---------------------------------|-----|-------|
| <b>q21n Frequency Percent</b>   |     |       |
| Never heard of                  | 186 | 57.12 |
| Impossible                      | 70  | 21.36 |
| Very difficult                  | 20  | 6.05  |
| Somewhat diff                   | 15  | 4.48  |
| Somewhat easy                   | 15  | 4.55  |
| Very easy                       | 21  | 6.43  |

Frequency Missing = 16.605110837

| <b>DIFFICULT TO GET ROHYPNOL</b> |     |       |
|----------------------------------|-----|-------|
| <b>q21o Frequency Percent</b>    |     |       |
| Never heard of                   | 187 | 57.99 |
| Impossible                       | 80  | 24.74 |
| Very difficult                   | 20  | 6.21  |
| Somewhat diff                    | 12  | 3.84  |
| Somewhat easy                    | 9   | 2.73  |
| Very easy                        | 14  | 4.49  |

Frequency Missing = 19.616564039

| <b>DIFFICULT TO GET STEROIDS</b> |     |       |
|----------------------------------|-----|-------|
| <b>q21p Frequency Percent</b>    |     |       |
| Never heard of                   | 112 | 34.88 |
| Impossible                       | 137 | 42.53 |
| Very difficult                   | 26  | 8.00  |
| Somewhat diff                    | 19  | 5.92  |
| Somewhat easy                    | 16  | 4.99  |
| Very easy                        | 12  | 3.67  |

Frequency Missing = 20.511576355

| <b>DIFFICULT TO GET ECSTASY</b> |     |       |
|---------------------------------|-----|-------|
| <b>q21q Frequency Percent</b>   |     |       |
| Never heard of                  | 161 | 49.68 |
| Impossible                      | 82  | 25.46 |
| Very difficult                  | 29  | 8.90  |
| Somewhat diff                   | 17  | 5.23  |
| Somewhat easy                   | 18  | 5.40  |
| Very easy                       | 17  | 5.33  |

Frequency Missing = 18.152955665

| <b>DIFFICULT TO GET HEROIN</b> |     |       |
|--------------------------------|-----|-------|
| <b>q21r Frequency Percent</b>  |     |       |
| Never heard of                 | 133 | 41.15 |
| Impossible                     | 120 | 36.93 |
| Very difficult                 | 28  | 8.49  |
| Somewhat diff                  | 17  | 5.32  |
| Somewhat easy                  | 9   | 2.89  |
| Very easy                      | 17  | 5.22  |

Frequency Missing = 17.826539409

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

| AGE WHEN FIRST USED<br>CIGARETTES |      |                   |
|-----------------------------------|------|-------------------|
|                                   | q22a | Frequency Percent |
| 9 or younger                      | 12   | 11.94             |
| 10 years old                      | 10   | 9.78              |
| 11 years old                      | 13   | 13.18             |
| 12 years old                      | 22   | 22.14             |
| 13 years old                      | 16   | 16.58             |
| 14 years old                      | 12   | 12.69             |
| 15 years old                      | 11   | 11.20             |
| 16 years old                      | 2    | 2.49              |

Frequency Missing = 243.83294335

| AGE WHEN FIRST USED<br>WINE COOLERS |      |                   |
|-------------------------------------|------|-------------------|
|                                     | q22d | Frequency Percent |
| 9 or younger                        | 14   | 11.61             |
| 10 years old                        | 13   | 10.61             |
| 11 years old                        | 10   | 8.34              |
| 12 years old                        | 20   | 16.74             |
| 13 years old                        | 28   | 23.02             |
| 14 years old                        | 22   | 18.22             |
| 15 years old                        | 9    | 7.74              |
| 16 years old                        | 2    | 2.00              |
| 17 years old                        | 1    | 1.00              |
| 18 or older                         | 1    | 0.73              |

Frequency Missing = 219.98349754

| AGE WHEN FIRST USED<br>INHALANTS |      |                   |
|----------------------------------|------|-------------------|
|                                  | q22g | Frequency Percent |
| 9 or younger                     | 1    | 3.06              |
| 10 years old                     | 1    | 3.06              |
| 11 years old                     | 4    | 9.79              |
| 12 years old                     | 4    | 8.98              |
| 13 years old                     | 11   | 28.56             |
| 14 years old                     | 8    | 18.98             |
| 15 years old                     | 5    | 12.25             |
| 16 years old                     | 5    | 12.25             |
| 17 years old                     | 1    | 3.06              |

Frequency Missing = 302.11403941

| AGE WHEN FIRST USED<br>SMOKELESS TOBACCO |      |                   |
|--|------|-------------------|
|  | q22b | Frequency Percent |
| 9 or younger                             | 2    | 6.79              |
| 12 years old                             | 9    | 30.02             |
| 13 years old                             | 7    | 22.19             |
| 14 years old                             | 7    | 22.46             |
| 15 years old                             | 2    | 7.84              |
| 16 years old                             | 2    | 7.84              |
| 18 or older                              | 1    | 2.87              |

Frequency Missing = 310.82198276

| AGE WHEN FIRST USED<br>WINE |      |                   |
|-----------------------------|------|-------------------|
|                             | q22e | Frequency Percent |
| 9 or younger                | 17   | 14.08             |
| 10 years old                | 10   | 8.46              |
| 11 years old                | 11   | 9.43              |
| 12 years old                | 23   | 19.97             |
| 13 years old                | 21   | 17.48             |
| 14 years old                | 21   | 17.62             |
| 15 years old                | 11   | 9.09              |
| 16 years old                | 4    | 3.12              |
| 18 or older                 | 1    | 0.76              |

Frequency Missing = 224.62703202

| AGE WHEN FIRST USED<br>MARIJUANA |      |                   |
|----------------------------------|------|-------------------|
|                                  | q22h | Frequency Percent |
| 9 or younger                     | 5    | 7.43              |
| 10 years old                     | 4    | 6.92              |
| 11 years old                     | 8    | 11.71             |
| 12 years old                     | 9    | 13.85             |
| 13 years old                     | 14   | 20.90             |
| 14 years old                     | 9    | 14.61             |
| 15 years old                     | 12   | 18.90             |
| 16 years old                     | 4    | 5.67              |

Frequency Missing = 277.36958128

| AGE WHEN FIRST USED<br>BEER |      |                   |
|-----------------------------|------|-------------------|
|                             | q22c | Frequency Percent |
| 9 or younger                | 37   | 19.68             |
| 10 years old                | 24   | 12.88             |
| 11 years old                | 14   | 7.62              |
| 12 years old                | 29   | 15.42             |
| 13 years old                | 33   | 17.27             |
| 14 years old                | 30   | 16.02             |
| 15 years old                | 19   | 9.99              |
| 16 years old                | 1    | 0.65              |
| 18 or older                 | 1    | 0.47              |

Frequency Missing = 153.00498768

| AGE WHEN FIRST USED<br>LIQUOR |      |                   |
|-------------------------------|------|-------------------|
|                               | q22f | Frequency Percent |
| 9 or younger                  | 8    | 6.66              |
| 10 years old                  | 7    | 5.75              |
| 11 years old                  | 14   | 11.18             |
| 12 years old                  | 17   | 13.12             |
| 13 years old                  | 29   | 22.95             |
| 14 years old                  | 22   | 17.84             |
| 15 years old                  | 24   | 18.88             |
| 16 years old                  | 4    | 2.91              |
| 18 or older                   | 1    | 0.71              |

Frequency Missing = 216.07703202

| AGE WHEN FIRST USED<br>COCAINE |      |                   |
|--------------------------------|------|-------------------|
|                                | q22i | Frequency Percent |
| 9 or younger                   | 1    | 6.58              |
| 10 years old                   | 2    | 15.57             |
| 11 years old                   | 2    | 15.57             |
| 13 years old                   | 3    | 22.15             |
| 14 years old                   | 2    | 15.57             |
| 15 years old                   | 2    | 17.97             |
| 16 years old                   | 1    | 6.58              |

Frequency Missing = 328.40634236

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

| AGE WHEN FIRST USED<br>CRACK |                |         |
|------------------------------|----------------|---------|
|                              | q22j Frequency | Percent |
| 10 years old                 | 2              | 33.33   |
| 13 years old                 | 2              | 33.33   |
| 14 years old                 | 2              | 33.33   |

Frequency Missing = 335.65067734

| AGE WHEN FIRST USED<br>HALLUCINOGENS |                |         |
|--------------------------------------|----------------|---------|
|                                      | q22l Frequency | Percent |
| 9 or younger                         | 2              | 12.09   |
| 12 years old                         | 4              | 22.32   |
| 13 years old                         | 5              | 27.44   |
| 14 years old                         | 4              | 24.19   |
| 15 years old                         | 2              | 13.96   |

Frequency Missing = 324.49987685

| AGE WHEN FIRST USED<br>UPPERS |                |         |
|-------------------------------|----------------|---------|
|                               | q22m Frequency | Percent |
| 10 years old                  | 1              | 7.73    |
| 11 years old                  | 2              | 13.40   |
| 12 years old                  | 3              | 19.07   |
| 13 years old                  | 1              | 5.67    |
| 14 years old                  | 2              | 15.47   |
| 15 years old                  | 6              | 38.67   |

Frequency Missing = 326.20566502

| AGE WHEN FIRST USED<br>DOWNERS |                |         |
|--------------------------------|----------------|---------|
|                                | q22n Frequency | Percent |
| 10 years old                   | 2              | 14.20   |
| 12 years old                   | 2              | 14.20   |
| 13 years old                   | 1              | 6.01    |
| 14 years old                   | 2              | 16.40   |
| 15 years old                   | 6              | 40.99   |
| 16 years old                   | 1              | 8.20    |

Frequency Missing = 327.10067734

| AGE WHEN FIRST USED<br>ROHYPNOL |                |         |
|---------------------------------|----------------|---------|
|                                 | q22o Frequency | Percent |
| 9 or younger                    | 1              | 10.18   |
| 10 years old                    | 1              | 10.18   |
| 11 years old                    | 1              | 13.89   |
| 12 years old                    | 1              | 10.18   |
| 13 years old                    | 1              | 13.89   |
| 14 years old                    | 2              | 27.78   |
| 15 years old                    | 1              | 13.89   |

Frequency Missing = 333.2078202

| AGE WHEN FIRST USED<br>STEROIDS |                |         |
|---------------------------------|----------------|---------|
|                                 | q22p Frequency | Percent |
| 9 or younger                    | 1              | 57.71   |
| 11 years old                    | 1              | 42.29   |

Frequency Missing = 339.88355911

| AGE WHEN FIRST USED<br>ECSTASY |                |         |
|--------------------------------|----------------|---------|
|                                | q22q Frequency | Percent |
| 10 years old                   | 1              | 8.24    |
| 11 years old                   | 2              | 14.29   |
| 12 years old                   | 2              | 12.08   |
| 13 years old                   | 3              | 20.33   |
| 14 years old                   | 7              | 45.06   |

Frequency Missing = 327.18491379

| AGE WHEN FIRST USED<br>HEROIN |                |         |
|-------------------------------|----------------|---------|
|                               | q22r Frequency | Percent |
| 9 or younger                  | 1              | 23.82   |
| 13 years old                  | 2              | 34.91   |
| 14 years old                  | 1              | 23.82   |
| 18 or older                   | 1              | 17.45   |

Frequency Missing = 336.87210591

| HOW OFTEN NORMALLY USE<br>CIGARETTES |                |         |
|--------------------------------------|----------------|---------|
|                                      | q23a Frequency | Percent |
| Every day                            | 5              | 1.37    |
| Several times/wk                     | 5              | 1.54    |
| Several times/mo                     | 14             | 4.17    |
| About once/month                     | 12             | 3.64    |
| About once/year                      | 12             | 3.61    |
| < once/year                          | 39             | 11.83   |
| Never used                           | 246            | 73.84   |

Frequency Missing = 8.3815270936

| HOW OFTEN NORMALLY USE<br>SMOKELESS TOBACCO |                |         |
|---|----------------|---------|
|   | q23b Frequency | Percent |
| Every day                                   | 1              | 0.38    |
| Several times/wk                            | 8              | 2.47    |
| Several times/mo                            | 2              | 0.56    |
| About once/month                            | 2              | 0.76    |
| About once/year                             | 2              | 0.76    |
| < once/year                                 | 10             | 3.02    |
| Never used                                  | 295            | 92.05   |

Frequency Missing = 21.648768473

| HOW OFTEN NORMALLY USE<br>BEER |                |         |
|--------------------------------|----------------|---------|
|                                | q23c Frequency | Percent |
| Every day                      | 3              | 0.83    |
| Several times/wk               | 15             | 4.76    |
| Several times/mo               | 33             | 10.07   |
| About once/month               | 42             | 12.98   |
| About once/year                | 43             | 13.25   |
| < once/year                    | 28             | 8.69    |
| Never used                     | 161            | 49.42   |

Frequency Missing = 17.089470443

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

| HOW OFTEN NORMALLY USE<br>WINE COOLERS |                |         |
|--|----------------|---------|
|  | q23d Frequency | Percent |
| Every day                              | 1              | 0.27    |
| Several times/wk                       | 9              | 2.78    |
| Several times/mo                       | 25             | 7.51    |
| About once/month                       | 22             | 6.81    |
| About once/year                        | 35             | 10.58   |
| < once/year                            | 19             | 5.89    |
| Never used                             | 217            | 66.16   |

Frequency Missing = 14.404433498

| HOW OFTEN NORMALLY USE<br>WINE |                |         |
|--------------------------------|----------------|---------|
|                                | q23e Frequency | Percent |
| Every day                      | 1              | 0.28    |
| Several times/wk               | 8              | 2.47    |
| Several times/mo               | 13             | 4.18    |
| About once/month               | 17             | 5.40    |
| About once/year                | 36             | 11.34   |
| < once/year                    | 25             | 7.90    |
| Never used                     | 219            | 68.43   |

Frequency Missing = 22.543780788

| HOW OFTEN NORMALLY USE<br>LIQUOR |                |         |
|----------------------------------|----------------|---------|
|                                  | q23f Frequency | Percent |
| Several times/wk                 | 7              | 2.06    |
| Several times/mo                 | 24             | 7.31    |
| About once/month                 | 29             | 8.84    |
| About once/year                  | 34             | 10.59   |
| < once/year                      | 20             | 6.05    |
| Never used                       | 211            | 65.16   |

Frequency Missing = 17.742302956

| HOW OFTEN NORMALLY USE<br>INHALANTS |                |         |
|-------------------------------------|----------------|---------|
|                                     | q23g Frequency | Percent |
| Every day                           | 1              | 0.38    |
| Several times/wk                    | 5              | 1.68    |
| Several times/mo                    | 4              | 1.30    |
| About once/month                    | 2              | 0.55    |
| About once/year                     | 9              | 2.78    |
| < once/year                         | 12             | 3.73    |
| Never used                          | 292            | 89.60   |

Frequency Missing = 16.520874384

| HOW OFTEN NORMALLY USE<br>MARIJUANA |                |         |
|-------------------------------------|----------------|---------|
|                                     | q23h Frequency | Percent |
| Every day                           | 7              | 2.25    |
| Several times/wk                    | 2              | 0.76    |
| Several times/mo                    | 12             | 3.74    |
| About once/month                    | 8              | 2.63    |
| About once/year                     | 7              | 2.15    |
| < once/year                         | 18             | 5.53    |
| Never used                          | 268            | 82.96   |

Frequency Missing = 19.532327586

| HOW OFTEN NORMALLY USE<br>COCAINE |                |         |
|-----------------------------------|----------------|---------|
|                                   | q23i Frequency | Percent |
| Every day                         | 1              | 0.38    |
| Several times/wk                  | 1              | 0.28    |
| About once/month                  | 1              | 0.38    |
| About once/year                   | 1              | 0.38    |
| < once/year                       | 8              | 2.34    |
| Never used                        | 312            | 96.26   |

Frequency Missing = 17.984482759

| HOW OFTEN NORMALLY USE<br>CRACK |                |         |
|---------------------------------|----------------|---------|
|                                 | q23j Frequency | Percent |
| Several times/wk                | 1              | 0.27    |
| Several times/mo                | 2              | 0.65    |
| About once/month                | 1              | 0.37    |
| < once/year                     | 2              | 0.65    |
| Never used                      | 320            | 98.05   |

Frequency Missing = 15.952278325

| HOW OFTEN NORMALLY USE<br>HALLUCINOGENS |                |         |
|---|----------------|---------|
|   | q23l Frequency | Percent |
| Several times/wk                        | 3              | 0.94    |
| Several times/mo                        | 1              | 0.38    |
| About once/month                        | 2              | 0.66    |
| About once/year                         | 4              | 1.22    |
| < once/year                             | 5              | 1.60    |
| Never used                              | 305            | 95.20   |

Frequency Missing = 21.648768473

| HOW OFTEN NORMALLY USE<br>UPPERS |                |         |
|----------------------------------|----------------|---------|
|                                  | q23m Frequency | Percent |
| Every day                        | 1              | 0.38    |
| Several times/wk                 | 3              | 1.04    |
| Several times/mo                 | 3              | 1.04    |
| About once/month                 | 2              | 0.76    |
| About once/year                  | 5              | 1.70    |
| < once/year                      | 3              | 0.94    |
| Never used                       | 303            | 94.15   |

Frequency Missing = 20.669519704

| HOW OFTEN NORMALLY USE<br>DOWNERS |                |         |
|-----------------------------------|----------------|---------|
|                                   | q23n Frequency | Percent |
| Several times/wk                  | 2              | 0.66    |
| Several times/mo                  | 5              | 1.42    |
| About once/month                  | 2              | 0.76    |
| About once/year                   | 5              | 1.70    |
| < once/year                       | 2              | 0.76    |
| Never used                        | 304            | 94.70   |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district



**Dumas  
Spring 2010**

Frequency Missing = 20.753756158

| <b>HOW OFTEN NORMALLY USE<br/>ROHYPNOL</b> |             |                          |
|--|-------------|--------------------------|
|  | <b>q23o</b> | <b>Frequency Percent</b> |
| Several times/mo                           | 2           | 0.66                     |
| About once/month                           | 2           | 0.66                     |
| About once/year                            | 5           | 1.42                     |
| Never used                                 | 312         | 97.26                    |

Frequency Missing = 21.322352217

| <b>HOW OFTEN NORMALLY USE<br/>STEROIDS</b> |             |                          |
|--|-------------|--------------------------|
|  | <b>q23p</b> | <b>Frequency Percent</b> |
| Several times/wk                           | 1           | 0.28                     |
| About once/month                           | 1           | 0.38                     |
| Never used                                 | 322         | 99.35                    |

Frequency Missing = 17.984482759

| <b>HOW OFTEN NORMALLY USE<br/>ECSTASY</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q23q</b> | <b>Frequency Percent</b> |
| Several times/mo                          | 2           | 0.76                     |
| About once/month                          | 4           | 1.21                     |
| About once/year                           | 3           | 0.93                     |
| < once/year                               | 2           | 0.55                     |
| Never used                                | 312         | 96.55                    |

Frequency Missing = 19.20591133

| <b>HOW OFTEN NORMALLY USE<br/>HEROIN</b> |             |                          |
|--|-------------|--------------------------|
|  | <b>q23r</b> | <b>Frequency Percent</b> |
| Several times/wk                         | 2           | 0.65                     |
| About once/month                         | 1           | 0.37                     |
| About once/year                          | 1           | 0.37                     |
| Never used                               | 321         | 98.60                    |

Frequency Missing = 16.194458128

| <b>AMOUNT OF BEER AT ONE<br/>TIME</b> |             |                          |
|---------------------------------------|-------------|--------------------------|
|                                       | <b>q24a</b> | <b>Frequency Percent</b> |
| Never drink this                      | 148         | 44.84                    |
| 12+ drinks                            | 28          | 8.42                     |
| 9-11 drinks                           | 12          | 3.57                     |
| 5-8 drinks                            | 33          | 9.90                     |
| 3-4 drinks                            | 30          | 9.18                     |
| 2 drinks                              | 22          | 6.55                     |
| 1 drink                               | 20          | 6.08                     |
| < 1 drink                             | 38          | 11.45                    |

Frequency Missing = 11.477216749

| <b>AMOUNT OF WINE COOLERS<br/>AT ONE TIME</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q24b</b> | <b>Frequency Percent</b> |
| Never drink this                              | 204         | 62.70                    |
| 12+ drinks                                    | 12          | 3.62                     |
| 9-11 drinks                                   | 9           | 2.70                     |
| 5-8 drinks                                    | 16          | 5.02                     |
| 3-4 drinks                                    | 24          | 7.21                     |
| 2 drinks                                      | 18          | 5.47                     |
| 1 drink                                       | 19          | 5.89                     |
| < 1 drink                                     | 24          | 7.39                     |

Frequency Missing = 15.952278325

| <b>AMOUNT OF WINE AT ONE<br/>TIME</b> |             |                          |
|---------------------------------------|-------------|--------------------------|
|                                       | <b>q24c</b> | <b>Frequency Percent</b> |
| Never drink this                      | 219         | 66.93                    |
| 12+ drinks                            | 7           | 2.04                     |
| 9-11 drinks                           | 3           | 1.02                     |
| 5-8 drinks                            | 6           | 1.84                     |
| 3-4 drinks                            | 8           | 2.39                     |
| 2 drinks                              | 21          | 6.48                     |
| 1 drink                               | 30          | 9.15                     |
| < 1 drink                             | 33          | 10.14                    |

Frequency Missing = 15.383682266

| <b>AMOUNT OF LIQUOR AT ONE<br/>TIME</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q24d</b> | <b>Frequency Percent</b> |
| Never drink this                        | 212         | 64.64                    |
| 12+ drinks                              | 13          | 3.96                     |
| 9-11 drinks                             | 5           | 1.39                     |
| 5-8 drinks                              | 14          | 4.31                     |
| 3-4 drinks                              | 27          | 8.27                     |
| 2 drinks                                | 17          | 5.12                     |
| 1 drink                                 | 20          | 5.99                     |
| < 1 drink                               | 21          | 6.31                     |

Frequency Missing = 13.267241379

| <b>HOW MANY 5+ DRINKS IN PAST<br/>30 DAYS</b> |            |                          |
|---|------------|--------------------------|
|   | <b>q25</b> | <b>Frequency Percent</b> |
| Never 5+ at time                              | 127        | 37.75                    |
| None  | 139        | 41.33                    |
| 1 day   | 22         | 6.47                     |
| 2 days  | 18         | 5.24                     |
| 3 to 5 days                                   | 14         | 4.24                     |
| 6 to 9 days                                   | 1          | 0.36                     |
| 10 or more days                               | 15         | 4.61                     |

Frequency Missing = 6.2650862069

| <b>GET ALCOHOLIC BEVERAGES<br/>FROM HOME</b> |             |                          |
|--|-------------|--------------------------|
|  | <b>q26a</b> | <b>Frequency Percent</b> |
| Do not Drink                                 | 149         | 45.17                    |
| Never  | 99          | 29.92                    |
| Seldom                                       | 64          | 19.44                    |
| Most of the Time                             | 15          | 4.56                     |
| Always                                       | 3           | 0.91                     |

Frequency Missing = 11.719396552

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

| <b>GET ALCOHOLIC BEVERAGES<br/>FROM FRIENDS</b> |                  |                |
|---|------------------|----------------|
| <b>q26b</b>                                     | <b>Frequency</b> | <b>Percent</b> |
| <b>Do not Drink</b>                             | 134              | 40.95          |
| <b>Never</b>                                    | 62               | 19.01          |
| <b>Seldom</b>                                   | 55               | 16.82          |
| <b>Most of the Time</b>                         | 45               | 13.93          |
| <b>Always</b>                                   | 30               | 9.30           |

Frequency Missing = 15.299445813

| <b>GET ALCOHOLIC BEVERAGES<br/>FROM A STORE</b> |                  |                |
|---|------------------|----------------|
| <b>q26c</b>                                     | <b>Frequency</b> | <b>Percent</b> |
| <b>Do not Drink</b>                             | 139              | 42.48          |
| <b>Never</b>                                    | 147              | 45.10          |
| <b>Seldom</b>                                   | 17               | 5.08           |
| <b>Most of the Time</b>                         | 11               | 3.44           |
| <b>Always</b>                                   | 13               | 3.91           |

Frequency Missing = 14.973029557

| <b>GET ALCOHOLIC BEVERAGES<br/>AT PARTIES</b> |                  |                |
|---|------------------|----------------|
| <b>q26d</b>                                   | <b>Frequency</b> | <b>Percent</b> |
| <b>Do not Drink</b>                           | 133              | 40.24          |
| <b>Never</b>                                  | 59               | 17.72          |
| <b>Seldom</b>                                 | 45               | 13.50          |
| <b>Most of the Time</b>                       | 41               | 12.35          |
| <b>Always</b>                                 | 53               | 16.19          |

Frequency Missing = 11.719396552

| <b>GET ALCOHOLIC BEVERAGES<br/>FROM OTHER SOURCES</b> |                  |                |
|---|------------------|----------------|
| <b>q26e</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>Do not Drink</b>                                   | 143              | 43.10          |
| <b>Never</b>  | 83               | 25.04          |
| <b>Seldom</b>   | 46               | 13.86          |
| <b>Most of the Time</b>                               | 29               | 8.86           |
| <b>Always</b>   | 30               | 9.13           |

Frequency Missing = 11.392980296

| <b>USE MARIJUANA AS JOINTS</b> |                  |                |
|--------------------------------|------------------|----------------|
| <b>q27a</b>                    | <b>Frequency</b> | <b>Percent</b> |
| <b>Never</b>                   | 268              | 82.35          |
| <b>Seldom</b>                  | 14               | 4.36           |
| <b>Half the time</b>           | 14               | 4.46           |
| <b>Most of the time</b>        | 15               | 4.56           |
| <b>Always</b>                  | 7                | 2.23           |
| <b>Don't know</b>              | 7                | 2.05           |

Frequency Missing = 16.84729064

| <b>USE MARIJUANA AS BLUNTS</b> |                  |                |
|--------------------------------|------------------|----------------|
| <b>q27b</b>                    | <b>Frequency</b> | <b>Percent</b> |
| <b>Never</b>                   | 276              | 84.87          |
| <b>Seldom</b>                  | 14               | 4.28           |
| <b>Half the time</b>           | 9                | 2.78           |
| <b>Most of the time</b>        | 11               | 3.53           |
| <b>Always</b>                  | 7                | 2.23           |
| <b>Don't know</b>              | 8                | 2.33           |

Frequency Missing = 16.520874384

| <b>USE MARIJUANA IN BONGS OR<br/>WATER PIPES</b> |                  |                |
|--|------------------|----------------|
| <b>q27c</b>                                      | <b>Frequency</b> | <b>Percent</b> |
| <b>Never</b>                                     | 283              | 86.53          |
| <b>Seldom</b>                                    | 14               | 4.25           |
| <b>Half the time</b>                             | 13               | 3.85           |
| <b>Most of the time</b>                          | 9                | 2.68           |
| <b>Always</b>                                    | 3                | 0.92           |
| <b>Don't know</b>                                | 6                | 1.76           |

Frequency Missing = 14.404433498

| <b>USE MARIJUANA IN PIPES</b> |                  |                |
|-------------------------------|------------------|----------------|
| <b>q27d</b>                   | <b>Frequency</b> | <b>Percent</b> |
| <b>Never</b>                  | 273              | 83.83          |
| <b>Seldom</b>                 | 14               | 4.28           |
| <b>Half the time</b>          | 13               | 3.98           |
| <b>Most of the time</b>       | 12               | 3.70           |
| <b>Always</b>                 | 7                | 2.15           |
| <b>Don't know</b>             | 7                | 2.05           |

Frequency Missing = 16.763054187

| <b>USE MARIJUANA OTHER WAYS</b> |                  |                |
|---------------------------------|------------------|----------------|
| <b>q27e</b>                     | <b>Frequency</b> | <b>Percent</b> |
| <b>Never</b>                    | 284              | 86.23          |
| <b>Seldom</b>                   | 15               | 4.50           |
| <b>Half the time</b>            | 6                | 1.73           |
| <b>Most of the time</b>         | 5                | 1.66           |
| <b>Always</b>                   | 9                | 2.67           |
| <b>Don't know</b>               | 11               | 3.21           |

Frequency Missing = 12.614408867

| <b>USED METHAMPHETAMINE EVEN<br/>ONE TIME</b> |                  |                |
|---|------------------|----------------|
| <b>q28</b>                                    | <b>Frequency</b> | <b>Percent</b> |
| <b>Never heard/used</b>                       | 324              | 96.39          |
| <b>At least once/month</b>                    | 6                | 1.72           |
| <b>At least once/year</b>                     | 3                | 0.90           |
| <b>At least once/life</b>                     | 3                | 0.99           |

Frequency Missing = 5.6964901478

| <b>RECENT PRESCRIPTION DRUG USE<br/>- CODEINE</b> |                  |                |
|---|------------------|----------------|
| <b>q29a</b>                                       | <b>Frequency</b> | <b>Percent</b> |
| <b>Never heard/used</b>                           | 289              | 86.83          |
| <b>At least once/month</b>                        | 24               | 7.10           |
| <b>At least once/year</b>                         | 7                | 2.18           |
| <b>At least once/life</b>                         | 13               | 3.89           |

Frequency Missing = 9.602955665

| <b>RECENT PRESCRIPTION DRUG USE<br/>- OXYCONTIN ETC</b> |                  |                |
|---|------------------|----------------|
| <b>q29b</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>Never heard/used</b>                                 | 327              | 98.72          |
| <b>At least once/month</b>                              | 3                | 1.01           |
| <b>At least once/life</b>                               | 1                | 0.27           |

Frequency Missing = 10.824384236

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

**RECENT PRESCRIPTION DRUG USE  
- VICODIN ETC**

|                     | q29c | Frequency | Percent |
|---------------------|------|-----------|---------|
| Never heard/used    | 319  | 97.12     |         |
| At least once/month | 6    | 1.76      |         |
| At least once/year  | 4    | 1.12      |         |

Frequency Missing = 13.509421182

**DANGEROUS FOR KIDS TO  
USE TOBACCO**

|            | q31a | Frequency | Percent |
|------------|------|-----------|---------|
| Very       | 203  | 61.41     |         |
| Somewhat   | 77   | 23.15     |         |
| Not very   | 16   | 4.94      |         |
| Not at all | 8    | 2.48      |         |
| Don't know | 27   | 8.01      |         |

Frequency Missing = 10.824384236

**DANGEROUS FOR KIDS TO  
USE COCAINE**

|            | q31e | Frequency | Percent |
|------------|------|-----------|---------|
| Very       | 279  | 85.82     |         |
| Somewhat   | 19   | 5.93      |         |
| Not very   | 4    | 1.20      |         |
| Not at all | 5    | 1.40      |         |
| Don't know | 18   | 5.65      |         |

Frequency Missing = 16.520874384

**RECENT PRESCRIPTION DRUG USE  
- VALIUM ETC**

|                     | q29d | Frequency | Percent |
|---------------------|------|-----------|---------|
| Never heard/used    | 321  | 98.13     |         |
| At least once/month | 4    | 1.12      |         |
| At least once/year  | 2    | 0.75      |         |

Frequency Missing = 15.299445813

**DANGEROUS FOR KIDS TO  
USE ALCOHOL**

|            | q31b | Frequency | Percent |
|------------|------|-----------|---------|
| Very       | 170  | 51.88     |         |
| Somewhat   | 88   | 26.71     |         |
| Not very   | 38   | 11.56     |         |
| Not at all | 18   | 5.36      |         |
| Don't know | 15   | 4.49      |         |

Frequency Missing = 13.835837438

**DANGEROUS FOR KIDS TO  
USE CRACK**

|            | q31f | Frequency | Percent |
|------------|------|-----------|---------|
| Very       | 276  | 84.90     |         |
| Somewhat   | 20   | 6.13      |         |
| Not very   | 6    | 1.75      |         |
| Not at all | 3    | 0.93      |         |
| Don't know | 21   | 6.30      |         |

Frequency Missing = 16.520874384

**RECENT PRESCRIPTION DRUG USE  
- XANAX ETC**

|                     | q29e | Frequency | Percent |
|---------------------|------|-----------|---------|
| Never heard/used    | 318  | 97.38     |         |
| At least once/month | 6    | 1.87      |         |
| At least once/year  | 1    | 0.37      |         |
| At least once/life  | 1    | 0.37      |         |

Frequency Missing = 15.05726601

**DANGEROUS FOR KIDS TO  
USE INHALANTS**

|            | q31c | Frequency | Percent |
|------------|------|-----------|---------|
| Very       | 242  | 73.51     |         |
| Somewhat   | 44   | 13.37     |         |
| Not very   | 15   | 4.68      |         |
| Not at all | 8    | 2.30      |         |
| Don't know | 20   | 6.14      |         |

Frequency Missing = 13.183004926

**DANGEROUS FOR KIDS TO  
USE ECSTASY**

|            | q31g | Frequency | Percent |
|------------|------|-----------|---------|
| Very       | 265  | 82.51     |         |
| Somewhat   | 23   | 7.06      |         |
| Not very   | 6    | 1.98      |         |
| Not at all | 5    | 1.60      |         |
| Don't know | 22   | 6.85      |         |

Frequency Missing = 21.40658867

**TAKE DXM, TRIPLE CS, ETC. TO  
GET HIGH**

|                     | q30 | Frequency | Percent |
|---------------------|-----|-----------|---------|
| Never heard/used    | 304 | 92.39     |         |
| At least once/month | 17  | 5.14      |         |
| At least once/year  | 2   | 0.54      |         |
| At least once/life  | 6   | 1.93      |         |

Frequency Missing = 12.614408867

**DANGEROUS FOR KIDS TO  
USE MARIJUANA**

|            | q31d | Frequency | Percent |
|------------|------|-----------|---------|
| Very       | 239  | 73.29     |         |
| Somewhat   | 34   | 10.48     |         |
| Not very   | 14   | 4.35      |         |
| Not at all | 16   | 5.03      |         |
| Don't know | 22   | 6.85      |         |

Frequency Missing = 16.520874384

**DANGEROUS FOR KIDS TO  
USE STEROIDS**

|            | q31h | Frequency | Percent |
|------------|------|-----------|---------|
| Very       | 262  | 79.92     |         |
| Somewhat   | 31   | 9.49      |         |
| Not very   | 10   | 3.03      |         |
| Not at all | 3    | 1.02      |         |
| Don't know | 21   | 6.53      |         |

Frequency Missing = 14.404433498

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

| <b>DANGEROUS FOR KIDS TO USE HEROIN</b> |     |       |
|---|-----|-------|
| <b>q31i Frequency Percent</b>           |     |       |
| <b>Very</b>                             | 281 | 86.61 |
| <b>Somewhat</b>                         | 14  | 4.37  |
| <b>Not very</b>                         | 3   | 0.93  |
| <b>Not at all</b>                       | 3   | 1.03  |
| <b>Don't know</b>                       | 23  | 7.06  |

Frequency Missing = 17.984482759

| <b>DANGEROUS FOR KIDS TO USE METHAMPHETAMINE</b> |     |       |
|--|-----|-------|
| <b>q31j Frequency Percent</b>                    |     |       |
| <b>Very</b>                                      | 283 | 86.05 |
| <b>Somewhat</b>                                  | 14  | 4.41  |
| <b>Not very</b>                                  | 4   | 1.09  |
| <b>Not at all</b>                                | 3   | 1.02  |
| <b>Don't know</b>                                | 24  | 7.43  |

Frequency Missing = 13.509421182

| <b>DAYS SKIPPED SINCE SEPTEMBER</b> |     |       |
|-------------------------------------|-----|-------|
| <b>q32a Frequency Percent</b>       |     |       |
| <b>None</b>                         | 275 | 83.26 |
| <b>1-3 days</b>                     | 45  | 13.62 |
| <b>4-9 days</b>                     | 7   | 2.12  |
| <b>10+ days</b>                     | 3   | 1.01  |

Frequency Missing = 11.392980296

| <b>DAYS ILL SINCE SEPTEMBER</b> |     |       |
|---------------------------------|-----|-------|
| <b>q32b Frequency Percent</b>   |     |       |
| <b>None</b>                     | 110 | 33.43 |
| <b>1-3 days</b>                 | 180 | 54.55 |
| <b>4-9 days</b>                 | 36  | 10.83 |
| <b>10+ days</b>                 | 4   | 1.19  |

Frequency Missing = 12.85658867

| <b>OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER</b> |     |       |
|---|-----|-------|
| <b>q32c Frequency Percent</b>                       |     |       |
| <b>None</b>   | 158 | 48.22 |
| <b>1-3 days</b>                                     | 151 | 45.99 |
| <b>4-9 days</b>                                     | 13  | 3.97  |
| <b>10+ days</b>                                     | 6   | 1.83  |

Frequency Missing = 13.509421182

| <b>SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER</b> |     |       |
|---|-----|-------|
| <b>q32d Frequency Percent</b>                 |     |       |
| <b>None</b>                                   | 276 | 83.46 |
| <b>1-3 days</b>                               | 42  | 12.73 |
| <b>4-9 days</b>                               | 10  | 3.00  |
| <b>10+ days</b>                               | 3   | 0.81  |

Frequency Missing = 11.392980296

| <b>SOMEONE CALLED HOME SINCE SEPTEMBER</b> |     |       |
|--|-----|-------|
| <b>q32e Frequency Percent</b>              |     |       |
| <b>None</b>                                | 307 | 93.24 |
| <b>1-3 days</b>                            | 20  | 6.11  |
| <b>4-9 days</b>                            | 2   | 0.64  |

Frequency Missing = 13.183004926

| <b>IN TROUBLE FOR DRINKING SINCE SEPTEMBER</b> |     |       |
|--|-----|-------|
| <b>q32f Frequency Percent</b>                  |     |       |
| <b>None</b>                                    | 322 | 98.70 |
| <b>1-3 days</b>                                | 4   | 1.30  |

Frequency Missing = 15.868041872

| <b>IN TROUBLE FOR DRUG USE SINCE SEPTEMBER</b> |     |       |
|--|-----|-------|
| <b>q32g Frequency Percent</b>                  |     |       |
| <b>None</b>                                    | 322 | 98.43 |
| <b>1-3 days</b>                                | 5   | 1.57  |

Frequency Missing = 14.404433498

| <b>TROUBLE WITH FRIENDS BECAUSE OF DRINKING</b> |     |       |
|---|-----|-------|
| <b>q33a Frequency Percent</b>                   |     |       |
| <b>None</b>                                     | 304 | 93.17 |
| <b>1-3 times</b>                                | 16  | 4.78  |
| <b>4-9 times</b>                                | 6   | 1.77  |
| <b>10+ times</b>                                | 1   | 0.27  |

Frequency Missing = 15.299445813

| <b>DRIVEN A CAR AFTER A GOOD BIT TO DRINK</b> |     |       |
|---|-----|-------|
| <b>q33b Frequency Percent</b>                 |     |       |
| <b>None</b>                                   | 295 | 90.85 |
| <b>1-3 times</b>                              | 18  | 5.59  |
| <b>4-9 times</b>                              | 9   | 2.81  |
| <b>10+ times</b>                              | 2   | 0.75  |

Frequency Missing = 17.089470443

| <b>CRITICIZED BY DATE BECAUSE OF DRINKING</b> |     |       |
|---|-----|-------|
| <b>q33c Frequency Percent</b>                 |     |       |
| <b>None</b>                                   | 296 | 91.50 |
| <b>1-3 times</b>                              | 21  | 6.54  |
| <b>4-9 times</b>                              | 5   | 1.69  |
| <b>10+ times</b>                              | 1   | 0.28  |

Frequency Missing = 18.310899015

| <b>TROUBLE WITH POLICE BECAUSE OF DRINKING</b> |     |       |
|--|-----|-------|
| <b>q33d Frequency Percent</b>                  |     |       |
| <b>None</b>                                    | 305 | 96.27 |
| <b>1-3 times</b>                               | 12  | 3.73  |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

Frequency Missing = 25.228817734

| <b>TROUBLE WITH FRIENDS BECAUSE OF DRUG USE</b> |     |       |
|---|-----|-------|
| <b>q33e Frequency Percent</b>                   |     |       |
| None  | 303 | 94.83 |
| 1-3 times                                       | 14  | 4.51  |
| 4-9 times                                       | 2   | 0.66  |

Frequency Missing = 22.543780788

| <b>DRIVEN A CAR WHILE HIGH FROM DRUGS</b> |     |       |
|---|-----|-------|
| <b>q33f Frequency Percent</b>             |     |       |
| None                                      | 304 | 93.40 |
| 1-3 times                                 | 13  | 4.08  |
| 4-9 times                                 | 6   | 1.78  |
| 10+ times                                 | 2   | 0.75  |

Frequency Missing = 16.520874384

| <b>CRITICIZED BY DATE BECAUSE OF DRUG USE</b> |     |       |
|---|-----|-------|
| <b>q33g Frequency Percent</b>                 |     |       |
| None  | 309 | 94.73 |
| 1-3 times                                     | 13  | 3.87  |
| 4-9 times                                     | 1   | 0.37  |
| 10+ times                                     | 3   | 1.02  |

Frequency Missing = 15.868041872

| <b>TROUBLE WITH POLICE BECAUSE OF DRUG USE</b> |     |       |
|--|-----|-------|
| <b>q33h Frequency Percent</b>                  |     |       |
| None   | 316 | 96.95 |
| 1-3 times                                      | 7   | 2.30  |
| 4-9 times                                      | 2   | 0.75  |

Frequency Missing = 16.194458128

| <b>CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT</b> |     |       |
|---|-----|-------|
| <b>q34a Frequency Percent</b>                 |     |       |
| None  | 301 | 90.56 |
| 1-3 days                                      | 26  | 7.80  |
| 4-9 days                                      | 3   | 1.00  |
| 10+ days                                      | 2   | 0.64  |

Frequency Missing = 9.2765394089

| <b>CLASS DAYS HIGH ON MARIJUANA SINCE SEPT</b> |     |       |
|--|-----|-------|
| <b>q34b Frequency Percent</b>                  |     |       |
| None   | 301 | 90.56 |
| 1-3 days                                       | 21  | 6.26  |
| 4-9 days                                       | 3   | 1.00  |
| 10+ days                                       | 7   | 2.18  |

Frequency Missing = 9.2765394089

| <b>CLASS DAYS HIGH ON INHALANTS SINCE SEPT</b> |     |       |
|--|-----|-------|
| <b>q34c Frequency Percent</b>                  |     |       |
| None   | 308 | 93.91 |
| 1-3 days                                       | 10  | 3.03  |
| 4-9 days                                       | 5   | 1.66  |
| 10+ days                                       | 5   | 1.39  |

Frequency Missing = 14.404433498

| <b>CLASS DAYS HIGH ON OTHER DRUG(S)</b> |     |       |
|---|-----|-------|
| <b>q34d Frequency Percent</b>           |     |       |
| None                                    | 307 | 92.86 |
| 1-3 days                                | 15  | 4.68  |
| 4-9 days                                | 5   | 1.45  |
| 10+ days                                | 3   | 1.01  |

Frequency Missing = 11.392980296

| <b>ALCOHOL USE AT PARTIES THIS SCHOOL YEAR</b> |     |       |
|--|-----|-------|
| <b>q35a Frequency Percent</b>                  |     |       |
| Never  | 140 | 42.33 |
| Seldom   | 29  | 8.89  |
| Half the time                                  | 31  | 9.26  |
| Most of the time                               | 38  | 11.45 |
| Always   | 49  | 14.67 |
| Don't know                                     | 7   | 2.16  |
| Didn't attend                                  | 37  | 11.23 |

Frequency Missing = 10.740147783

| <b>DRUG USE AT PARTIES THIS SCHOOL YEAR</b> |     |       |
|---|-----|-------|
| <b>q35b Frequency Percent</b>               |     |       |
| Never                                       | 187 | 56.98 |
| Seldom                                      | 37  | 11.22 |
| Half the time                               | 18  | 5.61  |
| Most of the time                            | 21  | 6.28  |
| Always                                      | 17  | 5.26  |
| Don't know                                  | 12  | 3.67  |
| Didn't attend                               | 36  | 10.97 |

Frequency Missing = 14.078017241

| <b>SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM</b> |                          |       |
|---|--------------------------|-------|
| <b>q36</b>                                  | <b>Frequency Percent</b> |       |
| No  | 279                      | 91.89 |
| Yes   | 25                       | 8.11  |

Frequency Missing = 37.843226601

| <b>WOULD SEEK HELP FROM SCHOOL COUNSELOR</b> |     |       |
|--|-----|-------|
| <b>q37a Frequency Percent</b>                |     |       |
| No   | 223 | 68.49 |
| Yes  | 102 | 31.51 |

Frequency Missing = 17.089470443

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

| <b>WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL</b> |     |       |
|---|-----|-------|
| <b>q37b Frequency Percent</b>                       |     |       |
| <b>No</b>   | 210 | 65.47 |
| <b>Yes</b>  | 111 | 34.53 |

Frequency Missing = 20.995935961

| <b>WOULD SEEK HELP FROM ANOTHER ADULT</b> |     |       |
|---|-----|-------|
| <b>q37g Frequency Percent</b>             |     |       |
| <b>No</b>                                 | 120 | 36.82 |
| <b>Yes</b>                                | 205 | 63.18 |

Frequency Missing = 17.089470443

| <b>DRUG/ALCOHOL INFO--SCIENCE CLASS</b> |     |       |
|---|-----|-------|
| <b>q38d Frequency Percent</b>           |     |       |
| <b>No</b>                               | 196 | 68.75 |
| <b>Yes</b>                              | 89  | 31.25 |

Frequency Missing = 57.049137931

| <b>WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL</b> |     |       |
|---|-----|-------|
| <b>q37c Frequency Percent</b>                                   |     |       |
| <b>No</b>   | 199 | 61.88 |
| <b>Yes</b>  | 123 | 38.12 |

Frequency Missing = 19.774507389

| <b>WOULD NOT SEEK HELP</b>    |     |       |
|-------------------------------|-----|-------|
| <b>q37h Frequency Percent</b> |     |       |
| <b>No</b>                     | 272 | 85.41 |
| <b>Yes</b>                    | 46  | 14.59 |

Frequency Missing = 23.35455665

| <b>DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS</b> |     |       |
|--|-----|-------|
| <b>q38e Frequency Percent</b>                  |     |       |
| <b>No</b>                                      | 238 | 83.90 |
| <b>Yes</b>                                     | 46  | 16.10 |

Frequency Missing = 57.944150246

| <b>WOULD SEEK HELP FROM PARENTS</b> |     |       |
|-------------------------------------|-----|-------|
| <b>q37d Frequency Percent</b>       |     |       |
| <b>No</b>                           | 115 | 35.16 |
| <b>Yes</b>                          | 212 | 64.84 |

Frequency Missing = 14.404433498

| <b>DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS</b> |     |       |
|---|-----|-------|
| <b>q38a Frequency Percent</b>                 |     |       |
| <b>No</b>                                     | 163 | 55.37 |
| <b>Yes</b>                                    | 131 | 44.63 |

Frequency Missing = 48.014778325

| <b>DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB</b> |     |       |
|--|-----|-------|
| <b>q38f Frequency Percent</b>                          |     |       |
| <b>No</b>  | 253 | 86.84 |
| <b>Yes</b>   | 38  | 13.16 |

Frequency Missing = 50.131219212

| <b>WOULD SEEK HELP FROM A MEDICAL DOCTOR</b> |     |       |
|--|-----|-------|
| <b>q37e Frequency Percent</b>                |     |       |
| <b>No</b>                                    | 186 | 58.40 |
| <b>Yes</b>                                   | 133 | 41.60 |

Frequency Missing = 23.112376847

| <b>DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM</b> |     |       |
|---|-----|-------|
| <b>q38b Frequency Percent</b>                     |     |       |
| <b>No</b>   | 211 | 72.20 |
| <b>Yes</b>  | 81  | 27.80 |

Frequency Missing = 49.562623153

| <b>DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST</b> |     |       |
|--|-----|-------|
| <b>q38g Frequency Percent</b>                  |     |       |
| <b>No</b>                                      | 249 | 86.49 |
| <b>Yes</b>                                     | 39  | 13.51 |

Frequency Missing = 54.606280788

| <b>WOULD SEEK HELP FROM FRIENDS</b> |     |       |
|-------------------------------------|-----|-------|
| <b>q37f Frequency Percent</b>       |     |       |
| <b>No</b>                           | 122 | 37.98 |
| <b>Yes</b>                          | 199 | 62.02 |

Frequency Missing = 20.995935961

| <b>DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR</b> |     |       |
|---|-----|-------|
| <b>q38c Frequency Percent</b>                       |     |       |
| <b>No</b>   | 245 | 84.51 |
| <b>Yes</b>  | 45  | 15.49 |

Frequency Missing = 51.921243842

| <b>DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE</b> |     |       |
|---|-----|-------|
| <b>q38h Frequency Percent</b>                   |     |       |
| <b>No</b>                                       | 208 | 71.72 |
| <b>Yes</b>                                      | 82  | 28.28 |

Frequency Missing = 51.594827586

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Dumas  
Spring 2010**

---

**PARENTS FEEL ABOUT KIDS  
SMOKING CIGARETTES**

---

**q39a Frequency Percent**

|                          |     |       |
|--------------------------|-----|-------|
| <b>Strong disapprove</b> | 263 | 79.66 |
| <b>Mild disapprove</b>   | 23  | 6.99  |
| <b>Neither</b>           | 8   | 2.30  |
| <b>Mildly approve</b>    | 4   | 1.28  |
| <b>Strongly approve</b>  | 4   | 1.11  |
| <b>Don't know</b>        | 29  | 8.66  |

---

Frequency Missing = 12.287992611

---

**PARENTS FEEL ABOUT KIDS  
DRINKING BEER**

---

**q39b Frequency Percent**

|                          |     |       |
|--------------------------|-----|-------|
| <b>Strong disapprove</b> | 218 | 66.52 |
| <b>Mild disapprove</b>   | 43  | 13.29 |
| <b>Neither</b>           | 21  | 6.55  |
| <b>Mildly approve</b>    | 11  | 3.51  |
| <b>Strongly approve</b>  | 6   | 1.77  |
| <b>Don't know</b>        | 27  | 8.36  |

---

Frequency Missing = 14.973029557

---

**PARENTS FEEL ABOUT KIDS  
USING MARIJUANA**

---

**q39c Frequency Percent**

|                          |     |       |
|--------------------------|-----|-------|
| <b>Strong disapprove</b> | 280 | 86.69 |
| <b>Mild disapprove</b>   | 6   | 1.76  |
| <b>Neither</b>           | 11  | 3.27  |
| <b>Mildly approve</b>    | 2   | 0.65  |
| <b>Strongly approve</b>  | 1   | 0.28  |
| <b>Don't know</b>        | 24  | 7.35  |

---

Frequency Missing = 18.637315271

---

**TESTED FOR DRUG  
USE AT SCHOOL**

---

**q40 Frequency Percent**

|            |     |       |
|------------|-----|-------|
| <b>No</b>  | 273 | 85.02 |
| <b>Yes</b> | 48  | 14.98 |

---

Frequency Missing = 21.238115764

The frequencies have been weighted so that the analysis reflects  
the distribution of students by grade level in the district